
BoxBilling Documentation

Release 4.18

BoxBilling

October 01, 2015

1	Getting help	3
2	Contents	5
2.1	Introduction	5
2.2	Installation	8
2.3	Configure	10
2.4	Products management	12
2.5	Selling hosting services	15
2.6	Selling domains	17
2.7	Domain registrars	17
2.8	Selling licenses	18
2.9	Selling SolusVM VPS	19
2.10	Currency	19
2.11	Clients management	20
2.12	Invoicing	21
2.13	Support center	22
2.14	Extensions	25
2.15	BoxBilling in Your Language	32
2.16	Faq	33
2.17	API	34
2.18	Guest API	39
2.19	Client API	74
2.20	Admin API	112
2.21	Event Hooks	310
2.22	Updating BoxBilling	312
2.23	Tutorials	313
2.24	Unofficial extensions	315
2.25	Credits	315

This is the documentation for Boxbilling. BoxBilling is a billing, client and order management software which is designed to be easy to use for clients and sellers.

Getting help

Having trouble? We'd like to help!

- You are looking for main project website? It is <http://www.boxbilling.com>
- Try the *Faq* - it's got answers to many common questions
- Still can not find what you're looking for? Try search

2.1 Introduction

BoxBilling is a free billing & client management software

- Supports automated billing, invoicing, product provisioning
- Automatically create hosting accounts as soon as the payment is received, suspend when account becomes overdue, terminate when a specified amount of time passes.
- Enable multiple currencies, accept one time and recurring payments
- BoxBilling is perfectly created to sell shared and reseller hosting accounts, software licenses and downloadable products or any recurrent billing product.
- Helpdesk, knowledge base, news and announcements system.
- Intuitive Web 2.0 AJAX powered interface with 100% usability score!
- Client area can be [translated in to any language](#).

2.1.1 Automation

- Product creation for hosting accounts, domains, licenses, and downloadable products can be done automatically after the successful payment is received or even with no payment received.
- Product creation can be also executed after the administrator approval.
- Order can be automatically suspended if no payment was received for X days and unsuspended as soon the late payment will be collected.
- Client area password can be automatically reset without the by the client itself.
- Control panel password can be reset by the client itself without need to logon on to control panel (depends on server manager used). *Great if client forgets the hosting account control panel password.*
- Payment reminders can be configured to be sent until the order will be terminated or late payment will be collected.
- A custom event hook script can be executed on order activation / suspension / reactivation / cancellation so you can setup custom products easily and interrupt workflow as you need

2.1.2 Billing

- Automated invoicing allows billing your customers easily.
- You can add/edit/delete any products and prices to any invoice.
- You can setup any custom one time payments for your clients.
- You can create custom invoices for your clients with.
- Automated payment processing is available for all supported gateways. All you need is to configure payment gateway and BoxBilling will do the rest.
- You can integrate any unsupported payment gateway by inserting your own HTML or Javascript code at the payment page.

2.1.3 Products

- Ability to sell any kind of e-products, not just hosting, domains, servers, licensing or downloadable products.
- Ability to give product name, description, image.
- Setup one time payments.
- Setup recurring payments to be billed: Monthly, quarterly, semiannually, annually, biannually and triennially.
- Ability to setup products that do not require payments (free) such as free hosting free downloads.
- Domains can be chosen to be registered for free with any type or product. You can setup domain pricing for transfers, registrations, renewals.
- You can choose how product is activated: as soon order is places, after the successful payment, or manually by the administrator.
- Ability to setup custom fields to collect additional information from the client during the order placement process.
- Developer Friendly: Hook into BoxBilling events with your php script
- Modify email templates being sent during order status changes. You can setup custom emails for specific product in any product group.

2.1.4 Hosting Products

- Easy server setup: provide IP, server type, username / password combination and everything else such as account creation will be done automatically.
- Server access roles: BoxBilling will work perfectly no matter if you have root access or just a reseller account.
- Disk space, bandwidth, additional features and function can be fully customized for each hosting plan.
- Full integration and automation is available with BoxBilling extensions, such as cPanel, Plesk, DirectAdmin and others.
- Even if your hosting control panel is not supported you can use BoxBilling to track your orders and clients, just processes account creations / terminations on your server side manually.

2.1.5 Licensing

- License your own applications.
- Validate licenses by calling back to your BoxBilling installation. BoxBilling return is your customer license is still active or is there any problem.
- Distribute your software at the same time (you don't need to upload your downloadable products anywhere else).
- You can license as many different applications as you want. There are no limits on either the number of clients you can have or licenses you can issue.
- Each license can be attached to specific IPs, domain names, email addresses, software installation paths. These details can be saved when application first calls BoxBilling or your client can specify these values during signup. If application will later call from a different IP, domain or email system will return "license invalid" error. You can modify any of these values later, or allow dynamic IPs, domains, installation paths etc. to work for the same license key.
- A very simple API for license validation is provided and can be integrated even by newbie.
- A custom license generation script can be used to generate license key. Gives you ability to validate license using your algorithm instead of callbacking licensing server.

2.1.6 Downloadable products

- Upload as much products as you want.
- Products can be uploaded to the unreadable directory on the server so only authorized and paid user can download it.

2.1.7 Custom Products

- You can setup any type of products not just web hosting.
- Unique order activation / suspension / reactivation / termination emails can send for any product.
- System can execute any custom PHP code on order activation, suspension, reactivation, and cancelation by using event listeners.

2.1.8 Taxation

- Setup tax rules depending on country and state.
- Give your tax rule a name, to be displayed for client.
- Even custom invoice items can be chosen to be taxed or not.

2.1.9 Invoicing

- Use BoxBilling just for invoices.
- Perfect for companies to issue custom invoices, notify client and collect money.
- Create custom invoice event without any product setup. You decide what you bill for.

2.1.10 Support

- Integrated helpdesk allows you to communicate with clients easily.
- Multiple helpdesk departments are supported so requests can be distributed through along your staff.
- Knowledge base suggestions are automatically displayed for your customers so they can get some question answered even without need to open a ticket.
- Predefined replies can be inserted by the click of mouse and supports system, order and client details variable parsing. That saves a lot time for you and allows sending personalized predefined answers.
- News & Announcements system allows you to inform your clients about what is going at the moment and notify about upcoming events.
- Knowledge base allows defining the answers for the most frequently asked questions.

2.1.11 Customization

- Custom client area themes can be easily integrated into BoxBilling.
- Admin and client views and themes can be also fully customized by editing template files.
- Languages can be fully modified; we are using power of crowdsourcing so that BoxBilling would be [available in multiple languages](#).

2.2 Installation

This guide will help you install BoxBilling on your server.

2.2.1 System requirements

Environment on which you are going to install BoxBilling should meet these prerequisites:

- Linux OS
- PHP $\geq 5.3.3$ or later with extensions
 - PDO MySQL
 - curl
 - mbstring
 - zlib
 - ftp
 - gettext
 - mcrypt
- MySQL Version 4.1.* or later
- Apache mod_rewrite module enabled, for SEO urls only

It is recommended to install BoxBilling on VPS server with APC cache enabled for best performance and security reasons.

2.2.2 Installation guide

To start BoxBilling installation download latest version from [download page](#)

After download is complete extract all files on your computer and upload them via FTP to your server.

Using web installer

Web installer is a convenient way to install BoxBilling and it should be used in most cases. This guide is based assuming that you have uploaded all files to subfolder **billing**

Access installation setup via the browser, by opening www.yourdomain.com/billing/install

1. You will need to tick “I agree to the license” to continue the installation.
2. In the next screen a “Pre-Installation check” will recheck if the system (hosting account) does meet the minimum requirements for installation. Most often you will need to login to your account via a file manager (or FTP manager) and set the required permissions (chmod 777) on these files and folders.
3. In the next step you will need to setup access to the MySQL database. Enter an existing database and user (with all permissions granted). If you have any trouble setting up a MySQL database and user, please consult your hosting provider. For example, if you are hosting on cPanel powered hosting, you can setup database and users via the cPanel > MySQL area.
4. Enter the e-mail and credentials for the administrator account. A greeting letter will be sent to the administrator e-mail account upon successful installation of BoxBilling.
5. Even though BoxBilling is free it requires to [obtain license key](#) in order to work.
6. Finish installation with confirming that all the information is correct.

After installation is complete

1. Remove www.yourdomain.com/billing/install directory completely
2. Change *billing/bb-config.php* file permissions to 644 if necessary
3. Setup cron job to run every five minutes.

```
*/5 * * * * php install/path/bb-cron.php
```

Installation is complete and you can visit admin area at <http://www.yourdomain.com/bb-admin.php>

Changing application timezone

By default BoxBilling installs with “America/New_York” timezone. To change this open **bb-config.php** file and edit line with preferred timezone.

```
'timezone' => 'UTC',
```

All available timezones are listed at <http://php.net/manual/en/timezones.php>

Enabling search engine friendly URL's

When SEO urls are not enabled all BoxBilling urls will have **index.php** prefix. To enable search engine friendly urls follows these steps:

- Rename htaccess.txt (file which comes with installation) to *.htaccess*

- Open **bb-config.php** file and set **BB_SEF_URLS** to true

```
'sef_urls' => true,
```

Note: SEO urls will also be enabled for admin area. Old links will stop working.

2.2.3 Debugging and error logging

Enable BoxBilling debug mode in **bb-config.php** file:

```
'debug' => true,
```

This will show errors on your site and provides more debugging information. If you set **BB_DEBUG** to **FALSE** it will still log all errors log file. It can be accessed at *bb-data/log/php_error.log*

2.2.4 nginx host configuration

```
location ~ bb-admin\.php {
    if (!-e $request_filename) {
        rewrite ^(.+)$ /bb-admin.php?$1 last;
    }
}

location / {
    if (!-e $request_filename) {
        rewrite ^(.+)$ /index.php?$1 last;
    }
}
```

2.2.5 Directory structure explanation

bb-data Directory where BoxBilling cache, logs and uploaded data is stored

bb-library Directory for system files and payment/registrar adapters

bb-locale Directory for interface translations

bb-modules Directory for modules/extensions

bb-themes Directory for client and admin area themes

install BoxBilling web installer. Can be safely removed after installation

index.php Main BoxBilling file where all requests are gathered

2.3 Configure

This guide will help you to get started with BoxBilling. To configure required settings in order to successfully use BoxBilling.

All configurations are made in BoxBillings admin area.

2.3.1 Setup your company information

Company information appears in client area, emails, invoices.

To change company information go to **Configuration > General Settings** section

You will be able to change your company details and your logo.

2.3.2 Decide what is your default currency

BoxBilling is multi-currency software. It can handle orders and invoices in any defined currency.

It is very important to setup default currency before your first sale. Your income is going to be calculated in this currency. Changing default currency when you have active orders is not recommended as it may lead to unexpected results.

Currencies are managed at **Configuration > Currencies** section

BoxBilling default currency is USD, but it can be changed to any other.

More about currency management at *How currency logic works on BoxBilling* section.

2.3.3 Configure payment gateways

Configuring payment gateways is an essential part of your business. Clients will not be able to send you money if you have not configured payment gateways properly.

Gateways are configured at *Configuration > Payment gateways* section.

Enabled payment gateways are listed in the table. Click on payment gateway *edit* button and configuration window will appear. Each gateway has its own configuration parameters.

You can change the name of payment method instead of using default one. Some payment gateways do not accept all currencies, so you have to define, which currencies are acceptable. If invoice currency do not match assigned currency, gateway will not be offered as payment method.

Only enabled gateways will be offered for clients to pay for invoice.

BoxBilling supports these payment gateways:

- Custom
- PayPal
- Authorize.net
- 2Checkout
- WebToPay
- AlertPay
- and more.

Note: All payment gateways are open source, so you can change or fix them for your needs. BoxBilling is constantly integrating new payment gateways. Submit support ticket to request new payment gateway integration.

To create your own payment gateway see *Payment gateway* section.

Configuring Custom Payment gateway

Custom payment gateway is a way to provide your clients custom information on how they can send you money.

This is useful if none of the provided payment gateways suits your needs.

In order to setup custom payment gateways, please select “Custom” from the list, and a new Pop-up window will be displayed.

You will need to paste full HTML code in the pop up window. You can use `{{ invoice. }}`* tags inside this html code. This code will be displayed when client chooses to pay for invoice with Custom payment gateway.

Note: Test mode is used for administrators to test if gateway is functioning as it is expected without need to spend real money. Not all payment gateways supports this feature.

2.3.4 Email templates

E-mail templates can be edited via the **Configuration > Email templates**.

All templated e-mails are listed in the tree view box, and you can select any of them by clicking on it.

In order to enable/disable email template go to **Template Settings** tab in email template editing page and toggle **Enabled** parameter.

Each e-mail template has a Subject and Content that you can edit.

Please notice that all dynamic fields are conveniently listed for you in **Variables** tab, sorted by their type. Feel free to use any of them in your template.

When you have made your changes to the e-mail template, do not forget to save it by clicking **Update** at the bottom of page. You can also click on **Preview** button which will render template and show how it will look for client.

2.3.5 Staff members

Staff management is one of the most useful modules of BoxBilling. Even though it looks simple it is really powerful.

You can set permissions to modules for each particular staff member and assign them to group for easier management.

Add new Staff / Admin group

Firstly, you will need to setup a new staff group via *Add new staff group*. Just enter a new group name and press *Create*.

Add new Staff / Administrator

You can create new administration / support members via the *Configuration > Manage staff* area.

2.4 Products management

Products are what you will be offering for your clients. Main page for products management *Configuration -> Products* section.

2.4.1 Adding a new category

The category is a simple way to organize your products.

Each product belongs to category. You will need to create category before creating new product. Go to **Configuration > Products -> New category** tab to create new category. Provide title and description and click on *Create*.

2.4.2 Removing a category

To remove product category go to *Configuration > Products > Manage categories*. Select category which you would like to remove and click on **delete** icon.

Note: Removing category will also remove all products within.

2.4.3 Adding a new product

You can add a new product by pressing the *Add new product to this category*.

Product types

License You can sell software licenses using BoxBilling. Provide your own algorithm to generate license key via simple plugin. By default license product has these options: license prefix, the length of the license code and which fields should be validated (IP, domain, version or path). License can be validated inside software by decoding license key or by using licensing server. BoxBilling has its own licensing server so all callbacks from software can be made to validate licenses. You can also provide custom validation rules in licensing plugins.

Downloadable product It should be used when you need to provide a file for your clients, and wish to charge for the ability to download it. The setup process is similar to other products, - you will see one new tab where you will be able to upload the file that will be offered after purchase.

Domain product Offer domain registrations, renewals, transfers with BoxBilling. Domain pricing can be set for every tld separately. Configure which domain can be transferred, registered. Supports major domain registrars by default. More about at *Selling domains*.

Hosting Offering hosting services with BoxBilling is really easy. Setup server on which hosting accounts are going to be created, create hosting plan for your server manager, setup product prices. More about at *Selling hosting services*.

Custom product It is a general product you would be offering via your website. You can set a title, description, product unit (whether the price is for the product, service or a period of time that the product will be used). Each product has a payment option (free, one time payment and subscription payment) and activation status (how it will be activated). Custom product orders can be controlled via custom event hooks. For example:

```
<?php
/**
 * Example product plugin usage
 */
class Hook_Custom
{
    public static function onAfterOrderActivate(Box_Event $event)
    {
        $order = $event->getSubject();
        $plugin = $order->Product->plugin;
        if($plugin == 'MyPlugin') {
```

```
        // init plugin class
        // do something with plugin on order activation action
    }
}

public static function onAfterOrderRenew(Box_Event $event)
{
}

public static function onAfterOrderSuspend(Box_Event $event)
{
}

public static function onAfterOrderUnsuspend(Box_Event $event)
{
}

public static function onAfterOrderCancel(Box_Event $event)
{
}

public static function onAfterOrderUncancel(Box_Event $event)
{
}

public static function onAfterOrderDelete(Box_Event $event)
{
}
}
```

Product pricing

There are 3 types of payment options available:

Free The product is free and there is no billing involved. No invoice is generated if ordering free product only.

One time Payment is submitted once for the product and no other invoice is going to be issued automatically.

Recurring payment Recurring payments are used to bill clients periodically. Monthly, Every 3 months, Every 6 months, Every year, Every 2 years, Every 3 years

2.4.4 Removing a product

You can remove products by clicking *delete* icon in the products list.

2.4.5 Product Addons

All existing product add-ons are listed in the section *Configuration > Product Addons*

To create new addon open *Configuration > Product Addons > Create new* tab.

In the first tab (General), you will need to select a *title* and *description* for your add-on. Then, as you move on to the second tab (Payment), you will be able to set the payment options for the selected add-on.

After you have filled in the fields and selected the needed options, press Create and it will be added to your Product Addons section.

Note: When you have created product add-ons, they will be visible and available for each product you create via the *Addons* tab.

2.4.6 Product Promotions

To manage product promotions go to *Admin area > Configuration > Product Promotions*

Promotion can be one of these types:

- Fixed amount discount (e.g. \$10 Off)
- Percentage discount (e.g. 15% Off)

After you have setup promotion code your clients will be able to use this code at checkout process.

How to create a new promotion

- Start by going to *Configuration > Product Promotions*
- Click on the *Create New* tab
- You must enter a promotion code - this is the code that customers will need to enter on the order form to receive the discount
- You can then choose the discount type Fixed amount discount, Percentage discount, Free trial
- Enter amount of \$ or % or days according to discount type
- Choose maximum number of uses. Use 0 for unlimited number of uses.
- All other options are additional, you can now click on *Create*

Additional settings

- By selecting products at the *Products* tab it is possible to limit promo to specific products/services. Promo code will not be applied if selected product is not in the shopping cart.
- It is possible when creating a promotion to specify an expiry date. Select *Date* tab and if you want the promo code to become valid for the specific time period define dates in select boxes.
- You can also enable or disable product promotion by setting *Active* to *Yes/No*
- If you do not want the same user to use this promotion code more than once select *User can use no more than one time* to *No*

2.5 Selling hosting services

2.5.1 Hosting servers

Servers are used to create shared hosting and reseller accounts. To manage your servers go to *Configuration -> Servers*

2.5.2 Supported server managers

- cPanel/Whm

Note: To create your own server manager see *Server manager* section.

2.5.3 Adding new Server

Server must be configured in BoxBilling to sell shared or reseller hosting accounts.

Follow these steps to create new server:

- Go to *Configuration -> Hosting plans and servers -> New server* tab

Servers has these conguration parameters:

Name Give name to your server for your own reference.

Hostname Your server hostname. Used to connect and generate link to control panel. Can also be IP address if does not have assigned hostname.

IP Address Your server ip address, ie: 213.129.14.55 This is the most important server setting. API uses this IP to connect to server manager.

Assigned IP Addresses: List the IP Addresses assigned to the server here, t these are used to check which domains in BoxBilling are pointing to your server.

Server access If you are reseller on server choose *I am reseller on this server and cannot setup other reseller accounts* option. Choose this option if you are not sure when you are reseller or not. Choose *I have root access on this server and can setup other reseller accounts* when you are root on server.

Enable/Disable Disabled servers will not be listed in drop down menus.

Nameservers Primary/Secondary/Tertiary/Quaternary Nameservers - these are the nameservers for this server, eg. ns1.yourdomain.com and ns2.yourdomain.com - used in welcome email and when registering domains

Server Manager Type of server manager installed on server.

Server Manager username Username to connect to server manager API. Usually name you use to connect to your control panel. (root/reseller)

Server Manager password Password for user to connect to server manager API. Leave this field blank for cPanel/Whm manager.

Access Hash Used only with cPanel/Whm manager instead of password. This is also known as “Remote access key” you can find it at WHM.

2.5.4 How to configure Kloxo server

API port Port of connection to your API

Login Username of Kloxo API

Password Password of Kloxo API

After server configuration is complete and you can connect to server make sure you meet these requirements:

Resource plan and DNS template on Kloxo server are the same as Boxbilling product (change spaces in product name to underscore). Boxbilling can’t edit or create new resource plans and DNS templates in Kloxo, so all limits and nameservers must be set in Kloxo.

- To setup Resource plan go to your **Kloxo server** -> **Administration** -> **Resource Plans** -> **Add Resource Plan**.
- To setup DNS template go to your **Kloxo server** -> **Resources** -> **DNS Templates** -> **Add DNS Template**.

2.6 Selling domains

2.6.1 Configure domain

Before you can offer domains registration for your clients, you will need to setup and attach a domain registrar to top level domain.

You can either use a **Email** one (the domains are not setup via BoxBilling on such a case, and you will need to register them at your registrar manually), or use a supported domain registrar.

Currently we support these domain registrars:

- ResellerClub

To create your own domain registrar see *Domain registrar* section.

2.6.2 Domain pricing

All domain management and setup can be done via *Configuration > Domain registration* page under your Administration area.

After you have setup your domain registrar, you will be able to setup new TLD's (top level domains) via *Configuration > Domain registration > New TLD* tab.

You should set domain prices for actions of registration, renewal and transfer. Your domain renewal price most of the time is the same as the registration price and domain transfer fee is by default 0 (unless you wish to charge for this action).

The Operations list shows the allowed operations that the client will be able to perform on the domain, so feel free to untick any operations you wish to reserve for the administrators only.

2.7 Domain registrars

2.7.1 ResellerClub

Configuration

- Login to the ResellerClub control panel (the url will be in the email you received when you signed up with them) and then go to Settings > Personal Information > Primary Profile - the value you need to note is the Reseller ID.
- Still in the ResellerClub control panel, go to Settings -> API and enter the IP address of the server where BoxBilling is installed to authorize it for API access
- Now, login to your BoxBilling Administration Area Go to Configuration > Domain Registration > Registrars > ResellerClub Enter the Reseller ID noted above and password you set when you signed up.
- Then click *Update*
- And that's it, BoxBilling will now be able to communicate with your ResellerClub account to automate domain registration & management for your clients.

Common issues

An unexpected error has occurred

This usually indicates that the login details are missing, please ensure these have been entered under **Configuration > Domain registration > Registrars > ResellerClub**.

CURL Error: 7 - couldn't connect to host

This error message indicates that you haven't yet allowed your servers IP to access your ResellerClub account via the API. have to do this in the Settings > API section of the LogicBoxes control panel before you can use the integration.

The IP you need to authorize is typically the main shared IP of the server, usually most easily found from the IP your BoxBilling license is assigned to, but if you're unsure or neither of those IPs work, then ResellerClub can assist and advise you of the IP they see your connection tests as coming from via a support ticket.

2.8 Selling licenses

BoxBilling provides an easy way to sell licenses for your software. Your software can make callbacks to BoxBillings licensing server for validation.

2.8.1 License product

License product configuration requires these settings to be entered:

Plugin License plugin class name. Provide your own plugin to control how license keys are generated and validated. More information at *License plugin*.

Prefix License prefix that will be used when generating key. Leave blank to ignore this option.

Length License key length. Default license plugin will generate selected length license key and add prefix.

Validate IP: Select if you want license key to be validate by callback IP

Validate Hostname: Select if you want license key to be validate by callback hostname

Validate Version: Select if you want license key to be validate by callback version. Callback must provide currently installed version for licensing server.

Validate Path: Select if you want license key to be validate by callback IP Callback must provide current installation path for licensing server.

2.8.2 License plugin

BoxBilling gives you ability to provide your own license generation script.

- License plugin is PHP class **PluginName** in **BoxModServiceLicensePlugin** namespace with one method **generate**
- License plugins are located at **bb-modules/ServiceLicense/Plugin** folder
- Default plugin at **bb-modules/ServiceLicense/Plugin/Simple.php**

2.9 Selling SolusVM VPS

BoxBilling enables you to sell virtual private servers using SolusVM API

2.9.1 Enable SolusVM Extension

BoxBilling ships with solusVM extension by default. It can be enabled in Extensions > Overview page.

Once you have enabled extension you will be redirected to SolusVM configuration page.

Configuration page is always accessible at BoxBilling admin area > Configuration > SolusVM management

2.9.2 SolusVM configuration

Go to BoxBilling admin area > Configuration > SolusVM management menu

To create an API user in SolusVM click Configuration >> API Access from the top menu then select Add API User.

When BoxBilling is able to connect to your SolusVM master server you can start configuring BoxBilling products.

Disable IP checking after API user is created if you are not sure what IP address will be used to connect to SolusVM master server.

2.10 Currency

2.10.1 How currency logic works on BoxBilling

- Customers select a main currency
- Product pricing is displayed according to main currency
- Customers receive invoices AND statements in their main currency
- BoxBilling receives payments in the invoice currency (via the appropriate Gateway)
- Money from payments is deposited into the appropriate currency account with your bank

Nothing is converted by BoxBilling or the payment processor - that's administrators job to sort this out using payment gateways

This does mean administrators have to create multiple bank accounts (one for each currency) and sign up for multiple payment gateways and possibly means more work pricing products. But it gives us full control over exchange rate fluctuations, gives a better experience for customers and is cheaper for them to purchase as they aren't having to pay currency conversion rates on credit card payments.

It is administrators responsibility to activate payment gateways which supports appropriate currencies.

Every payment gateway can be configured what currencies it accepts. If invoice currency is not accepted by payment gateway then this gateway is not shown as an option for payment.

2.10.2 Customers currency

- Customers currency is set after first order. Once it is set it can not be changed.
- Customers can create new profile for account management in other currency.

2.10.3 Adding a new currency

To add new currency go to *Configuration > Payments > Currencies tab*. You can add a new currency by clicking *Add new currency*. A pop-up window will be displayed where you will be able to select currency symbol (from the drop down box), display format and set the currency rate manually.

2.10.4 Change currency format

Currency format can be easily change in currency management page.

2.10.5 Automated currency rate update

If you have trouble tracking the currency rate, or if you have multiple currencies in your panel, you can use the automatic currency rate update setting. It will update the currency rate automatically for all listed currencies. Just press *Update currency rates* button and it will be done for you.

Note: Currency rates are taken form google.com

2.11 Clients management

All client management is done via the *Administration area > Clients* section.

2.11.1 Add a new client

You can add new clients manually via *New Client* tab (you will need to enter the client details by hand on such a case), or your clients are automatically created if you add a Client registration form on your website. The latter is provided by the BoxBilling software automatically and can be found under *yourdomain.com/billing/* (if you installed BoxBilling to this folder).

2.11.2 Check existing clients

You can check existing clients by pressing *Clients > Overview*, where your latest clients are listed. If you already have a lot of clients and need to find a specific one, you can perform a search via *Clients > View (search) clients* tab.

Client details can be checked and edited by clicking on the Client line listed on the *Overview* or *View (search) clients* tab.

2.11.3 Editing client details

In the client Details page, you can perform these actions:

- Edit personal information via the *Personal* tab.
- Add funds to your client balance via the *Balance* tab.
- Generate and check Client invoices via the *Invoices* tab.
- Check the accounts the client has under the *Accounts* tab (same goes for other products a client has ordered via *Domains Downloads* and *Licenses* tabs).

- The *Support* tab is used to check the tickets this client has submitted to your help desk (you can quickly open a ticket and send a reply via clicking on it in the ticket list). Also you can generate a new ticket for the client by pressing *Add new ticket*.
- You can conveniently check the IP / Country this client has logged in from via the *History* tab. This information is useful when a client believes that his account was overtaken by malicious user and you need to verify this. Most of the time a client logs in from the same country / IP, however if the account is overtaken you will see a different IP and country in the *History* tab.
- The *Emails* tab shows all the e-mails that were sent to the client. If a client claims that he has not received some of the e-mails shown in the list you can click the e-mail in question and verify when it was sent in the pop up window. Also notice the *Resend* button which can be used to resend the e-mail to the client inbox.

2.11.4 Removing a client

Go to “Clients -> Overview”, click on the line with client name. Client details will appear and on the bottom of the page there is a link called “Delete client”.

2.12 Invoicing

Invoices are managed at *Admin area > Invoices* section

2.12.1 Checking current invoices

The overview page shows all the recently generated invoices sorted by date. Clicking on invoice line will open invoice details.

2.12.2 Changing invoice status

It is possible that you have agreed to pay invoice in cash or somehow else and you need to mark the invoice as paid. To change invoice status from *pending payment* to *paid* manually, go to invoice details page and click on “Mark as paid”.

2.12.3 Find a specific invoice

If you need to find a specific invoice, you can use the *Invoices > Advanced search* page. You can search by invoice ID, date, client name and invoice status.

2.12.4 Invoice details

When you click on an invoice you will see extended information about including invoice date, client the invoice was generated to, and the list of transactions involved.

2.12.5 Issuing a custom invoice

You can issue custom invoice for a client if he needs something specific. You can do this by navigating to *Clients -> Overview*, click on the client you want to issue invoice for, press *Invoices* tab and then click on *Issue custom invoice*.

2.12.6 Transactions

You can check the transactions via the *Invoices > Transactions*

This is the list of actual transactions attached to your invoices. The amount of transactions do not necessarily match the amount of invoices, as some of them are made on subscription, and some invoices are generated without any payment required.

Transactions are logged when instant payment notification from payment gateway is received.

2.12.7 Refunds automation

BoxBilling can handle refunds in 2 different ways. After refund transaction from payment gateway is received Box-Billing can perform one of these tasks:

- Generate new invoice with negative refund amount continuing paid invoice numbering. Refund amount must match refundable invoice amount.
- Generate credit note (credit memorandum) with refundable amount referencing the original invoice. Credit note does not continue paid invoices numbering. Has unique numbering series and new sequence.
- Do nothing. Leaving ability for administrator to manage refund manually.

Note: If you want to refund custom amount you can create custom invoice with negative amount.

2.12.8 Invoice statuses

Invoices has these statuses:

- paid - Invoice is paid. All paid invoices has a numbering sequence.
- unpaid - Proforma invoice.
- refunded - refund invoice.
- canceled - use canceled status to imitate invoice as deleted, but keep record in database. Useful if you need to keep invoice order intact.

2.13 Support center

2.13.1 Help desks management

Help desks are easy way to organize support tickets you are receiving from clients. It is very common to have help desks such as *General, Sales*.

When you receive support ticket you can forward ticket to other help desk team. In this way it is easier for support staff to manage tickets faster and be responsible for issues they are dedicated to.

To manage help desk go to section *Configuration > Help Desks*

Manage select help desk by clicking on it. You can define hours of ticket will stay in *On Hold* status before auto-closing it.

2.13.2 Clients tickets

The Support center can be accessed via administration area area by clicking the *Support* menu option on the left menu.

Support area has these options:

The overview shows the most recent list of tickets created / opened / answered. You can conveniently open a ticket by clicking on subject or *edit* button.

When a ticket is opened, you will see the conversation history opened by default. Additional information can be accessed via the *Ticket notes*, *Client* and *Client tickets* tabs.

You can reply to a ticket by scrolling down to the bottom of the ticket history, where you will see a text box automatically filled with your default predefined message.

You can select any other predefined message that you wish to send to your client via the *Predefined replies* list box.

2.13.3 View (search) tickets

It can be used to find or filter a specific support tickets by Ticket ID, Client, Subject, Status, Help desk department, or message.

You can either enter a full search query or part of it, for example if you search by a Subject *paym*, tickets with subject *payment*, *paymore*, *can i make a payment*, etc. would be filtered out.

2.13.4 New Ticket

A new ticket can be sent via admin area for any client (you will need to enter a client ID).

Here you will see a text box automatically filled with your default predefined message which you can edit to make your ticket.

You can select any other predefined message that you wish to send to your client via the *Predefined replies* list box.

There is also an attachment box if you need to attach a file with your ticket.

If you need to send a ticket for a specific client, but you do not remember the client ID, you can browse for the client via the *Clients* menu option on the left menu of the BoxBilling Administration area.

2.13.5 Public Tickets

Public tickets are tickets that have been received from contact form. Your site visitors do not to have to become clients in order to contact your support team.

Administrators can submit public tickets to given email address for different purposes. All these tickets are tracked for later analysis.

2.13.6 Predefined replies

Predefined replies are useful and can speed up your support response time greatly. If you notice that you have several similar replies that you are sending out to your customers, you can add them to the predefined replies area.

To create a predefined reply, you will need to select (or add) the corresponding category to add it to.

Then you will need to press *Create a reply in this category*.

A new box will be shown, where you will be able to input a title and message body of your predefined reply.

All predefined replies can be accessed when creating or replying to a ticket, via the *Predefined replies* list box.

2.13.7 Knowledge base

You can add all of the most frequent requests / questions about your services / products / etc. to the knowledge base. All clients should be notified to check for an answer in the Knowledge base prior to contacting your support via the Ticket system, as this reduces the work load for your support staff.

Firstly, you will need to setup a category for your Knowledge base articles.

When you have created a category, please select it (from the tree list on the left pane), and you will be able to add a new ticket by clicking *Create an Article in this category*. A new box will be shown, where you will be able to input a title and message body of your knowledge base article.

Your clients will be able to access the knowledge base via their Client area > *Knowledge base* on the main left menu.

2.13.8 Forum

Forum is a place for your clients to discuss topics related to services you are providing.

To create new forum go to *Support > Forum*. Simple form with 2 input field will be displayed. To create Forum only title is required. Add description to explain what this forum is about.

Note: Only administrators can create new forums.

Forum topic

Topics are created by registered clients. Topic belongs to forum. It can be moved from one forum to another via administration area. Topics can be locked. Clients will not be able to post new messages into locked topics, but topic will be visible.

Forum topic message

Topic messages uses markdown syntax. Html rendering is disabled. Posting new messages are allowed only for registered clients. Topic must not be locked in order to post new message in it.

```
# Header 1 #
## Header 2 ##
### Header 3 ###           (Hashes on right are optional)
#### Header 4 ####
##### Header 5 #####

This is a paragraph, which is text surrounded by whitespace.
Paragraphs can be on one line (or many), and can drone on for
hours.

[Reference style links][1] and [inline links](http://example.com)
[1]: http://example.com "Title is optional"

Inline markup like _italics_, **bold**, and `code()`.

![picture alt](/images/photo.jpeg "Title is optional")

> Blockquotes are like quoted text in email replies
```

```
>> And, they can be nested

    code blocks are for preformatted
    text and must be indented with four spaces

* Bullet lists are easy too
  * You can
  * even
  * nest them
- Another one
+ Another one
```

2.14 Extensions

BoxBilling is designed to be extended easily.

2.14.1 Event listener - Hook

Event listeners are useful and easy way to extend BoxBilling. You might want to send yourself some notification whenever an invoice is issued or payment is received. Event listeners is the way you want to do that.

Every event listener is a simple PHP class with public static methods, where method name is event name.

Every event method receives parameter **Box_Event \$event** which contains data related to that event.

You can create your own event listener and place it in directory **/bb-library/Hook** directory

List of all available event hooks see *Event Hooks* section.

Example BoxBilling event listener class

```
<?php
class Hook_Example
{
    public static function onBeforeClientSignUp(Box_Event $event)
    {
        $di = $event->getDi();           //Retrieve DI (Dependency Injector)
        $db  = $di['db'];                 //Get any object from DI (in this case it is database obj
        $params = $event->getParameters(); //Getting parameters which were attached to this event
        $disable_registrations = TRUE;
        if($disable_registrations) {
            throw new Exception('New registrations are currently disabled', 512);
        }
    }
}
```

2.14.2 Server manager

You can create your own server manager extension and put in **/bb-library/Server/Manager** directory

Following example should be enough to understand the concept of server manager adapter class. You create **Server_Manager_Custom** class

```
<?php
class Server_Manager_Custom extends Server_Manager
{
    public static function getForm()
    {
        return array(
            'label' => 'Custom Server Manager',
        );
    }

    public function getLoginUrl()
    {
        return 'http://www.google.com?q=cpanel';
    }

    public function getResellerLoginUrl()
    {
        return 'http://www.google.com?q=whm';
    }

    public function testConnection()
    {
        return TRUE;
    }

    public function synchronizeAccount(Server_Account $a)
    {
        $this->getLog()->info('Synchronizing account with server '.$a->getUsername());
        return $a;
    }

    public function createAccount(Server_Account $a)
    {
        if($a->getReseller()) {
            $this->getLog()->info('Creating reseller hosting account');
        } else {
            $this->getLog()->info('Creating shared hosting account');
        }
    }

    public function suspendAccount(Server_Account $a)
    {
        if($a->getReseller()) {
            $this->getLog()->info('Suspending reseller hosting account');
        } else {
            $this->getLog()->info('Suspending shared hosting account');
        }
    }

    public function unsuspendAccount(Server_Account $a)
    {
        if($a->getReseller()) {
            $this->getLog()->info('Unsuspending reseller hosting account');
        } else {
            $this->getLog()->info('Unsuspending shared hosting account');
        }
    }
}
```

```

public function cancelAccount(Server_Account $a)
{
    if($a->getReseller()) {
        $this->getLog()->info('Canceling reseller hosting account');
    } else {
        $this->getLog()->info('Canceling shared hosting account');
    }
}

public function changeAccountPackage(Server_Account $a, Server_Package $p)
{
    if($a->getReseller()) {
        $this->getLog()->info('Updating reseller hosting account');
    } else {
        $this->getLog()->info('Updating shared hosting account');
    }

    $p->getName();
    $p->getQuota();
    $p->getBandwidth();
    $p->getMaxSubdomains();
    $p->getMaxParkedDomains();
    $p->getMaxDomains();
    $p->getMaxFtp();
    $p->getMaxSql();
    $p->getMaxPop();

    $p->getCustomValue('param_name');
}

public function changeAccountUsername(Server_Account $a, $new)
{
    if($a->getReseller()) {
        $this->getLog()->info('Changing reseller hosting account username');
    } else {
        $this->getLog()->info('Changing shared hosting account username');
    }
}

public function changeAccountDomain(Server_Account $a, $new)
{
    if($a->getReseller()) {
        $this->getLog()->info('Changing reseller hosting account domain');
    } else {
        $this->getLog()->info('Changing shared hosting account domain');
    }
}

public function changeAccountPassword(Server_Account $a, $new)
{
    if($a->getReseller()) {
        $this->getLog()->info('Changing reseller hosting account password');
    } else {
        $this->getLog()->info('Changing shared hosting account password');
    }
}

public function changeAccountIp(Server_Account $a, $new)

```

```
{
    if($a->getReseller()) {
        $this->getLog()->info('Changing reseller hosting account ip');
    } else {
        $this->getLog()->info('Changing shared hosting account ip');
    }
}
}
```

To enable extension simply drop it to **bb-library/Server/Manager/** folder It will be detected automatically when on server configuration page.

Note: Class name can not conflict with existing one.

2.14.3 Domain registrar

You can create your own domain registrar extension and put in **/bb-library/Registrar/Adapter** directory. When new file is detected by BoxBilling admin area, you can install it by clicking on install button.

Only installed domain registrars can be configured.

Following example should be enough to understand the concept of domain registration adapter class.

You create **Registrar_Adapter_Myregistrar** class

```
<?php
/**
 * Custom domain registrar
 */
class Registrar_Adapter_Myregistrar extends Registrar_AdapterAbstract
{
    public $config = array(
        'use_whois' => FALSE,
    );

    public function __construct($options)
    {

    }

    public function getTlds()
    {
        return array();
    }

    public static function getConfig()
    {
        return array(
            'label' => 'Custom Registrar always responds with positive results. Usefull if no other
        );
    }

    public function isDomainCanBeTransferred(Registrar_Domain $domain)
    {
        $this->getLog()->debug('Checking if domain can be transfered: ' . $domain->getName());
        return true;
    }
}
```



```

public function isDomainAvailable(Registrar_Domain $domain)
{
    return true;
}

public function modifyNs(Registrar_Domain $domain)
{
    $this->getLog()->debug('Modifying nameservers: ' . $domain->getName());
    $this->getLog()->debug('Ns1: ' . $domain->getNs1());
    $this->getLog()->debug('Ns2: ' . $domain->getNs2());
    $this->getLog()->debug('Ns3: ' . $domain->getNs3());
    $this->getLog()->debug('Ns4: ' . $domain->getNs4());
    return true;
}

public function transferDomain(Registrar_Domain $domain)
{
    $this->getLog()->debug('Transferring domain: ' . $domain->getName());
    $this->getLog()->debug('Epp code: ' . $domain->getEpp());
    return true;
}

public function getDomainDetails(Registrar_Domain $domain)
{
    $this->getLog()->debug('Getting whois: ' . $domain->getName());

    if(!$domain->getRegistrationTime()) {
        $domain->setRegistrationTime(time());
    }
    if(!$domain->getExpirationTime()) {
        $years = $domain->getRegistrationPeriod();
        $domain->setExpirationTime(strtotime("+$years year"));
    }
    return $domain;
}

public function deleteDomain(Registrar_Domain $domain)
{
    $this->getLog()->debug('Removing domain: ' . $domain->getName());
    return true;
}

public function registerDomain(Registrar_Domain $domain)
{
    $this->getLog()->debug('Registering domain: ' . $domain->getName() . ' for ' . $domain->getRegi);
    return true;
}

public function renewDomain(Registrar_Domain $domain)
{
    $this->getLog()->debug('Renewing domain: ' . $domain->getName());
    return true;
}

public function modifyContact(Registrar_Domain $domain)
{
    $this->getLog()->debug('Updating contact info: ' . $domain->getName());
    return true;
}

```

```
}

public function enablePrivacyProtection(Registrar_Domain $domain)
{
    $this->getLog()->debug('Enabling Privacy protection: ' . $domain->getName());
    return true;
}

public function disablePrivacyProtection(Registrar_Domain $domain)
{
    $this->getLog()->debug('Disabling Privacy protection: ' . $domain->getName());
    return true;
}

public function getEpp(Registrar_Domain $domain)
{
    $this->getLog()->debug('Retrieving domain transfer code: ' . $domain->getName());
    return true;
}

public function lock(Registrar_Domain $domain)
{
    $this->getLog()->debug('Locking domain: ' . $domain->getName());
    return true;
}

public function unlock(Registrar_Domain $domain)
{
    $this->getLog()->debug('Unlocking: ' . $domain->getName());
    return true;
}
}
```

Note: Class name can not conflict with existing one.

2.14.4 Payment gateway

Assuming you have not found payment gateway on extension site, you can create your own payment gateway extension and put in **/bb-library/Payment/Adapter** directory

BoxBilling automatically detects new payment gateway and shows it in admin area payment gateways section. Install detected gateway by clicking on install button and now you are able to configure it.

All payment gateways can be copied.

Following example should be enough to understand the concept of payment gateway adapter class. You create **Payment_Adapter_Custom** class

```
<?php
/**
 * BoxBilling
 *
 * @copyright BoxBilling, Inc (http://www.boxbilling.com)
 * @license Apache-2.0
 *
 * Copyright BoxBilling, Inc
 * This source file is subject to the Apache-2.0 License that is bundled
```

```

* with this source code in the file LICENSE
*/

class Payment_Adapter_Custom
{
    private $config = array();

    public function __construct($config)
    {
        $this->config = $config;
    }

    public static function getConfig()
    {
        return array(
            'supports_one_time_payments' => true,
            'supports_subscriptions'    => true,
            'description'                => 'Custom payment gateway allows you to give instructions how can you
            'form' => array(
                'single' => array('textarea', array(
                    'label' => 'Enter your text for single payment information',
                )),
                'recurrent' => array('textarea', array(
                    'label' => 'Enter your text for subscription information',
                )),
            ),
        );
    }

    /**
     * Generate payment text
     *
     * @param Api_Admin $api_admin
     * @param int $invoice_id
     * @param bool $subscription
     *
     * @since BoxBilling v2.9.15
     *
     * @return string - html form with auto submit javascript
     */
    public function getHtml($api_admin, $invoice_id, $subscription)
    {
        $invoice = $api_admin->invoice_get(array('id'=>$invoice_id));

        $vars = array(
            'client' => $invoice['buyer'],
            'invoice' => $invoice,
            '_tpl' => ($subscription) ? $this->config['recurrent'] : $this->config['single'],
        );

        return $api_admin->system_string_render($vars);
    }

    /**
     * Process transaction received from payment gateway
     *

```

```
* @since BoxBilling v2.9.15
*
* @param Api_Admin $api_admin
* @param int $id - transaction id to process
* @param array $ipn - post, get, server, http_raw_post_data
* @param int $gateway_id - payment gateway id on BoxBilling
*
* @return mixed
*/
public function processTransaction($api_admin, $id, $data, $gateway_id)
{
    //$tx = $api_admin->invoice_transaction_get(array('id'=>$id));
}
}
```

Payment adapter class is simple PHP class with 4 methods:

- public static function getConfig() - tells BoxBilling information to generate settings form
- public function __construct(\$config) - receives configuration settings from settings form
- public function getHtml(\$api_admin, \$invoice_id, \$subscription) - generates payment html. Can use Admin api to get additional information
- public function processTransaction(\$api_admin, \$id, \$data) - processes transaction received from payment gateway. Can use Admin api to get additional information

Note: Class name can not conflict with existing one.

2.15 BoxBilling in Your Language

Although BoxBilling displays in U.S. English by default, the software has the built-in capability to be used in any language.

2.15.1 About locales

A locale is a combination of language and regional dialect. Usually locales correspond to countries, as is the case with Portuguese (Portugal)[pt_PT] and Portuguese (Brazil)[pt_BR].

You can do a translation for any locale you wish, even other English locales such as Canadian English or Australian English, to adjust for regional spelling and idioms.

The default locale of BoxBilling is U.S. English[en_US].

2.15.2 Localization technology

BoxBilling's developers chose to use the GNU **gettext** localization framework to provide localization infrastructure to BoxBilling. **gettext** is a mature, widely used framework for modular translation of software, and is the de facto standard for localization in the open source/free software realm.

2.15.3 Translating client area with Poedit

Assuming translation file is not available at <https://www.transifex.com/projects/p/boxbilling/> you can translate Box-Billing using Poedit.

- Download and install <http://www.poedit.net/>
- Copy **bb-locale/en_US** folder to **bb-locale/es_ES** (where **es_ES** is your locale)
- Open the file **bb-locale/es_ES/LC_MESSAGES/messages.po** in Poedit.
- You will see two blocks. First for message to be translated, second for translation
- Go to File → Save as... to save your translations in a PO file.
- When you are finished translating, go to File → Save as... again to generate the MO file. Or you can set your Poedit to always compile a MO file when saving changes by clicking File → Preferences and on the Editor tab check the Automatically compile .mo file on save box.
- We would appreciate if you would upload translated file to our [language repository](#).

Note: Depending on theme used in client area, you may require translate additional messages

2.15.4 Adding new language

Follow instructions bellow to install new language.

- Check if your language translation file is available at <https://www.transifex.com/projects/p/boxbilling/>
- In **bb-locale** folder create folder with your locale name (e.g. **pt_BR**) and create folder **LC_MESSAGES** in it
- Add **messages.po** and **messages.mo** files to **LC_MESSAGES** folder you just created (e.g. *bb-locale/pt_BR/LC_MESSAGES/messages.mo*)
- Language will be automatically detected and language picker will appear in client and admin areas

2.15.5 Changing default language

Default language can be set in **bb-config.php** parameter **'locale' => 'en_US'**,

2.15.6 Removing language

Removing languages from BoxBilling is really simple. Just delete language folder you wish from **bb-locale/** folder

2.16 Faq

Check these already asked questions before submitting new ticket. It is very likely it has already been answered.

2.16.1 Do I still need to buy PRO license if I use open source BoxBilling?

Yes.

2.16.2 How to obtain license key?

Get license at <http://www.boxbilling.com/order>

2.16.3 How can I access BoxBilling admin area?

BoxBilling admin area is located at url: <http://www.yourdomain.com/index.php?url=/bb-admin>. This link can be changed in `bb-config.php` file by editing value of `admin_area_prefix`.

2.16.4 I have modified theme file but changes did not appear. Why?

Set `BB_DEBUG` to `TRUE` in `bb-config.php` file

2.16.5 What are the differences between Pro and Free versions of BoxBilling?

See differences at order page <http://www.boxbilling.com/order>

2.16.6 Blank page or Error 500

Missing or disabled curl extension

BoxBilling use curl a lot - its by default enabled in php, but sometimes its either not present or its in list of `disabled_functions` in `php.ini`

Using `phpinfo()` or `php.ini` check whether curl extension is enabled, if not recompile php. If `curl_exec` is within `disabled_functions` list, remove it from `php.ini`

Cache folder is not writable

`bb-data/cache` folder is not writable. BoxBilling keeps compiled templates in this directory, if its not writable it may result with blank page error. To fix that: `CHMOD 777 bb-data/cache`

Low memory_limit

Blank page may occur on some server environments, where PHP does not handle garbage collection properly. Increase `memory_limit` in `php.ini` to reasonable value - over 128MB is always safe or upgrade PHP to latest version.

2.16.7 I get an error: Call to undefined function gettext() in ...

Make sure you server has **gettext** extension enabled. Contact your hosting provider to enable it for you.

2.17 API

This describes the resources that make up the official BoxBilling API.

If you have any problems or requests please contact support.

2.17.1 Schema

All API access is over HTTP(S), and accessed from the

```
http://www.yourdomain.com/api/
```

All Requests are made via POST method

All data is sent and received as JSON.

All methods names are lowercase and words are separated by underscore

Blank fields are included as *null* instead of being omitted.

All timestamps are returned in ISO 8601 format

```
2011-01-01T12:00:00+00:00
```

2.17.2 Authentication

API uses Basic Authentication

The same API endpoint can be used for Admin and Client API calls.

Authentication Username is **admin** or **client**

Authentication Password is **token** which can be retrieved from BoxBilling Admin area

API uses cookies to store sessions.

2.17.3 Request

All Requests are made via POST method

Data can be sent as JSON string or POST form.

All data is received as JSON.

Example *api.sh* script

```
#!/bin/bash
# BoxBilling REST API example

API_COOKIE=/tmp/bbcookie.txt
API_AUTH="admin:644846a924e9f4ca76f04f39b3f9c8ac"
API_ENDPOINT="http://demo.boxbilling.com/api"

# *****

echo "Add product #1 to shopping cart using guest API (no need to provide authentication):"
curl -c $API_COOKIE -b $API_COOKIE -X POST -d '{"id":"1"}' $API_ENDPOINT/guest/cart/add_item
echo "\n"

echo "Get cart contents"
curl -c $API_COOKIE -b $API_COOKIE -X POST $API_ENDPOINT/guest/cart/get
echo "\n"

echo "Getting profile:"
curl -c $API_COOKIE -b $API_COOKIE -u "$API_AUTH" -X POST $API_ENDPOINT/admin/staff/profile_get
echo "\n"
```



```
HTTP/1.1 200 OK
X-RateLimit-Span: 3600
X-RateLimit-Limit: 1000
X-RateLimit-Remaining: 999
```

2.17.7 Lists sorting

BoxBilling has reserved keys: orderby and sortorder to define unified sorting keywords in all future API requests.

orderby - depends on API query

sortorder - asc or desc

2.17.8 BoxBilling API Implementations

BoxBilling template file

Use API in any BoxBilling template.

All client area theme templates has global parameters:

- request - same as PHP \$_GET
- guest - to access guest API
- client - if client is logged in
- admin - if admin is logged in

All admin area theme templates has global parameters:

- request - same as PHP \$_GET
- guest - to access guest API
- admin - if admin is logged in

Get currently logged in client profile details in client area template file:

```
{% if client %}
  {% set profile = client.client_get %}
  My email is: {{ profile.email }}
  My name is: {{ profile.first_name }} {{ profile.last_name }}
{% endif %}
```

PHP

PHP API class usage as admin

```
<?php
require_once 'BoxBillingApi.php';
$config = array(
    'api_role' => 'admin',
    'api_token' => 'your_admin_token',
    'api_url' => 'http://www.yourdomain.com/api',
);
$api_admin = new Service_BoxBilling($config);
$messages = $api_admin->system_messages();
```

PHP API class usage as client

```
<?php
require_once 'BoxBillingApi.php';
$config = array(
    'api_role' => 'client',
    'api_token' => 'your_client_token',
    'api_url' => 'http://www.yourdomain.com/api',
);
$api_client = new Service_BoxBilling($config);
$orders = $api_client->order_get_list(array('per_page'=>50, 'client_id'=>1));
```

PHP API class usage as guest

```
<?php
require_once 'BoxBillingApi.php';
$config = array(
    'api_role' => 'guest',
    'api_url' => 'http://www.yourdomain.com/api',
);
$api_guest = new Service_BoxBilling($config);
$version = $api_guest->system_version();
```

BASH script

Example boxbilling.sh

```
#!/bin/bash
# BoxBilling REST API example

API_COOKIE=/tmp/bbcookie.txt
API_AUTH="admin:644846a924e9f4ca76f04f39b3f9c8ac"
API_ENDPOINT="http://demo.boxbilling.com/api"

# *****

echo "Add product #1 to shopping cart using guest API (no need to provide authentication):"
curl -c $API_COOKIE -b $API_COOKIE -X POST -d '{"id":"1"}' $API_ENDPOINT/guest/cart/add_item
echo "\n"

echo "Get cart contents"
curl -c $API_COOKIE -b $API_COOKIE -X POST $API_ENDPOINT/guest/cart/get
```

JavaScript

Add this line to your

```
<script type="text/javascript">
    var api = {
        post: function(url, params, jsonp) {
            $.ajax({
                type: "POST",
                url: 'http://www.yourdomain.com/api/' + url,
                data: params,
                dataType: 'json',
                error: function(jqXHR, textStatus, e) {
                    alert(e);
                }
            });
        }
    };
</script>
```

```

    },
    success: function(data) {
        if(data.error) {
            alert(data.error.message);
        } else {
            if(typeof jsonp === 'function') {
                return jsonp(data.result);
            } else if(window.hasOwnProperty('console')) {
                console.log(data.result);
            }
        }
    }
});
}
}
</script>

```

Get BoxBilling version:

```
bb.post("guest/system/version", {}, function(result){ alert(result); });
```

Add product to shopping cart:

```
bb.post("guest/cart/add_item", {id:1}, function(result){ alert(result); });
```

Dump shopping cart contents browser to console:

```
bb.post("guest/cart/get", {}, function(result){ console.debug(result) });
```

2.17.9 API Based Modules

If you have developed API based extension, please open pull request at <https://github.com/boxbilling/extensions>

2.18 Guest API

This document is the API specification for BoxBilling

2.18.1 Cart

Shopping cart management

guest/cart/get

Get shopping cart contents

API call examples

- *PHP*

```
$result = $api_guest->cart_get($params);
```

- *HTML*

```
{{ guest.cart_get() }}
```

- *JavaScript*

```
bb.post("guest/cart/get", {})
```

guest/cart/reset

Completely remove shopping cart contents

API call examples

- *PHP*

```
$result = $api_guest->cart_reset($params);
```

- *HTML*

```
{{ guest.cart_reset() }}
```

- *JavaScript*

```
bb.post("guest/cart/reset", {})
```

guest/cart/set_currency

Set shopping cart currency

Required parameters

currency string - New currency code to applied to shopping cart

API call examples

- *PHP*

```
$result = $api_guest->cart_set_currency($params);
```

- *HTML*

```
{{ guest.cart_set_currency() }}
```

- *JavaScript*

```
bb.post("guest/cart/set_currency", {})
```

guest/cart/get_currency

Retrieve information about currently selected shopping cart currency

API call examples

- *PHP*

```
$result = $api_guest->cart_get_currency($params);
```

- *HTML*

```
{{ guest.cart_get_currency() }}
```

- *JavaScript*

```
bb.post("guest/cart/get_currency", {})
```

guest/cart/apply_promo

Apply Promo code to shopping cart

Required parameters

promocode **string** - Promo code string

API call examples

- *PHP*

```
$result = $api_guest->cart_apply_promo($params);
```

- *HTML*

```
{{ guest.cart_apply_promo() }}
```

- *JavaScript*

```
bb.post("guest/cart/apply_promo", {})
```

guest/cart/remove_promo

Removes promo from shopping cart and resets discounted prices if any

API call examples

- *PHP*

```
$result = $api_guest->cart_remove_promo($params);
```

- *HTML*

```
{{ guest.cart_remove_promo() }}
```

- *JavaScript*

```
bb.post("guest/cart/remove_promo", {})
```

guest/cart/remove_item

Removes product from shopping cart

Required parameters

id int - Shopping cart item id

API call examples

- *PHP*

```
$result = $api_guest->cart_remove_item($params);
```

- *HTML*

```
{{ guest.cart_remove_item() }}
```

- *JavaScript*

```
bb.post("guest/cart/remove_item", {})
```

guest/cart/add_item

Adds product to shopping cart

Required parameters

id int - Product ID

Optional parameters

multiple bool - Default false. Allow multiple items in cart

period string - Billing period

quantity int - Products quantity

config array - Product configuration options

addons array - List of addons ids

API call examples

- *PHP*

```
$result = $api_guest->cart_add_item($params);
```

- *HTML*

```
{{ guest.cart_add_item() }}
```

- *JavaScript*

```
bb.post("guest/cart/add_item", {})
```

2.18.2 Client

Clients API methods

guest/client/create

Client signup action.

Required parameters

- email string** - Email
- first_name string** - First name
- password string** - password
- password_confirm string** - must be same as password

Optional parameters

- auto_login bool** - Auto login client after signup
- last_name string** - last name
- aid string** - Alternative id. Usually used by import tools.
- gender string** - Gender - values: malefemale
- country string** - Country
- city string** - city
- birthday string** - Birthday
- type string** - Identifies client type: company or individual
- company string** - Company
- company_vat string** - Company VAT number
- company_number string** - Company number
- address_1 string** - Address line 1
- address_2 string** - Address line 2
- postcode string** - zip or postcode
- state string** - country state
- phone string** - Phone number
- phone_cc string** - Phone country code

document_type string - Related document type, ie: passport, driving license

document_nr string - Related document number, ie: passport number: LC45698122

notes string - Notes about client. Visible for admin only

custom_1 string - Custom field 1

custom_2 string - Custom field 2

custom_3 string - Custom field 3

custom_4 string - Custom field 4

custom_5 string - Custom field 5

custom_6 string - Custom field 6

custom_7 string - Custom field 7

custom_8 string - Custom field 8

custom_9 string - Custom field 9

custom_10 string - Custom field 10

API call examples

- *PHP*

```
$result = $api_guest->client_create($params);
```

- *HTML*

```
{{ guest.client_create() }}
```

- *JavaScript*

```
bb.post("guest/client/create", {})
```

guest/client/login

Client login action

Required parameters

email string - client email

password string - client password

API call examples

- *PHP*

```
$result = $api_guest->client_login($params);
```

- *HTML*


```
{{ guest.client_login() }}
```

- *JavaScript*

```
bb.post("guest/client/login", {})
```

guest/client/reset_password

Password reset confirmation email will be sent to email.

Required parameters

email string - client email

API call examples

- *PHP*

```
$result = $api_guest->client_reset_password($params);
```

- *HTML*

```
{{ guest.client_reset_password() }}
```

- *JavaScript*

```
bb.post("guest/client/reset_password", {})
```

guest/client/confirm_reset

Confirm password reset action

Required parameters

hash string - hash received in email

API call examples

- *PHP*

```
$result = $api_guest->client_confirm_reset($params);
```

- *HTML*

```
{{ guest.client_confirm_reset() }}
```

- *JavaScript*

```
bb.post("guest/client/confirm_reset", {})
```

guest/client/is_vat

Check if given vat number is valid EU country VAT number This method uses <http://isvat.appspot.com/> method to validate VAT

Required parameters

country string - Country CODE: FR - France etc.

vat string - VAT number

API call examples

- *PHP*

```
$result = $api_guest->client_is_vat($params);
```

- *HTML*

```
{{ guest.client_is_vat() }}
```

- *JavaScript*

```
bb.post("guest/client/is_vat", {})
```

guest/client/required

List of required fields for client registration

API call examples

- *PHP*

```
$result = $api_guest->client_required($params);
```

- *HTML*

```
{{ guest.client_required() }}
```

- *JavaScript*

```
bb.post("guest/client/required", {})
```

2.18.3 Cron

Cron checker

guest/cron/check

Run cron if is late and web based cron is enabled

API call examples

- *PHP*

```
$result = $api_guest->cron_check($params);
```

- *HTML*

```
{{ guest.cron_check() }}
```

- *JavaScript*

```
bb.post("guest/cron/check", {})
```

guest/cron/settings

Get cron settings

API call examples

- *PHP*

```
$result = $api_guest->cron_settings($params);
```

- *HTML*

```
{{ guest.cron_settings() }}
```

- *JavaScript*

```
bb.post("guest/cron/settings", {})
```

guest/cron/is_late

Tells if cron is late

API call examples

- *PHP*

```
$result = $api_guest->cron_is_late($params);
```

- *HTML*

```
{{ guest.cron_is_late() }}
```

- *JavaScript*

```
bb.post("guest/cron/is_late", {})
```

2.18.4 Currency

Currency management

guest/currency/get_pairs

Get list of available currencies

API call examples

- *PHP*

```
$result = $api_guest->currency_get_pairs($params);
```

- *HTML*

```
{{ guest.currency_get_pairs() }}
```

- *JavaScript*

```
bb.post("guest/currency/get_pairs", {})
```

guest/currency/get

Get currency by code

Required parameters

code string - currency code, ie: USD

API call examples

- *PHP*

```
$result = $api_guest->currency_get($params);
```

- *HTML*

```
{{ guest.currency_get() }}
```

- *JavaScript*

```
bb.post("guest/currency/get", {})
```

guest/currency/format

Format price by currency settings

Optional parameters

convert bool - covert to default currency rate. Default - true;

without_currency bool - Show only number. No symbols are attached Default - false;

price float - Price to be formatted. Default 0

code string - currency code, ie: USD. Default - default currency

API call examples

- *PHP*

```
$result = $api_guest->currency_format($params);
```

- *HTML*

```
{{ guest.currency_format() }}
```

- *JavaScript*

```
bb.post("guest/currency/format", {})
```

2.18.5 Example

All public methods in this class are exposed to public. Always think what kind of information you are exposing. Emails, passwords and other information should NOT be returned by functions in this class

This module can be called from API or in template

guest/example/readme

Get readme.md file contents

API call examples

- *PHP*

```
$result = $api_guest->example_readme($params);
```

- *HTML*

```
{{ guest.example_readme() }}
```

- *JavaScript*

```
bb.post("guest/example/readme", {})
```

guest/example/top_songs

Get Top Songs from iTunes Store

Required parameters

limit int - define songs limit

API call examples

- *PHP*

```
$result = $api_guest->example_top_songs($params);
```

- *HTML*

```
{{ guest.example_top_songs() }}
```

- *JavaScript*

```
bb.post("guest/example/top_songs", {})
```

2.18.6 Extension

Extensions

guest/extension/is_on

Checks if extensions is available

Required parameters

mod string - module name to be checked

API call examples

- *PHP*

```
$result = $api_guest->extension_is_on($params);
```

- *HTML*

```
{{ guest.extension_is_on() }}
```

- *JavaScript*

```
bb.post("guest/extension/is_on", {})
```

guest/extension/theme

Return active theme info

API call examples

- *PHP*

```
$result = $api_guest->extension_theme($params);
```

- *HTML*

```
{{ guest.extension_theme() }}
```

- *JavaScript*

```
bb.post("guest/extension/theme", {})
```

guest/extension/languages

Retrieve list of available languages

API call examples

- *PHP*

```
$result = $api_guest->extension_languages($params);
```

- *HTML*

```
{{ guest.extension_languages() }}
```

- *JavaScript*

```
bb.post("guest/extension/languages", {})
```

2.18.7 Formbuilder

Custom forms

guest/formbuilder/get

Get custom order form details for product

Required parameters

product_id int - Product id

API call examples

- *PHP*

```
$result = $api_guest->formbuilder_get($params);
```

- *HTML*

```
{{ guest.formbuilder_get() }}
```

- *JavaScript*

```
bb.post("guest/formbuilder/get", {})
```

2.18.8 Forum

Forum management

guest/forum/get_list

Get paginated list of forums

API call examples

- *PHP*

```
$result = $api_guest->forum_get_list($params);
```

- *HTML*

```
{{ guest.forum_get_list() }}
```

- *JavaScript*

```
bb.post("guest/forum/get_list", {})
```

guest/forum/get_categories

Get forums list grouped by category name

API call examples

- *PHP*

```
$result = $api_guest->forum_get_categories($params);
```

- *HTML*

```
{{ guest.forum_get_categories() }}
```

- *JavaScript*

```
bb.post("guest/forum/get_categories", {})
```

guest/forum/get

Get forum details

Required parameters

id int - forum id

API call examples

- *PHP*

```
$result = $api_guest->forum_get($params);
```

- *HTML*


```
{{ guest.forum_get() }}
```

- *JavaScript*

```
bb.post("guest/forum/get", {})
```

guest/forum/get_topic_list

Get paginated list of topics

API call examples

- *PHP*

```
$result = $api_guest->forum_get_topic_list($params);
```

- *HTML*

```
{{ guest.forum_get_topic_list() }}
```

- *JavaScript*

```
bb.post("guest/forum/get_topic_list", {})
```

guest/forum/get_topic

Get topic details

Required parameters

id int - topic id

API call examples

- *PHP*

```
$result = $api_guest->forum_get_topic($params);
```

- *HTML*

```
{{ guest.forum_get_topic() }}
```

- *JavaScript*

```
bb.post("guest/forum/get_topic", {})
```

guest/forum/get_topic_message_list

Get topic messages list

Required parameters

forum_topic_id int - topic id

API call examples

- *PHP*

```
$result = $api_guest->forum_get_topic_message_list($params);
```

- *HTML*

```
{{ guest.forum_get_topic_message_list() }}
```

- *JavaScript*

```
bb.post("guest/forum/get_topic_message_list", {})
```

guest/forum/search

Search topic messages

Required parameters

q string - query string

API call examples

- *PHP*

```
$result = $api_guest->forum_search($params);
```

- *HTML*

```
{{ guest.forum_search() }}
```

- *JavaScript*

```
bb.post("guest/forum/search", {})
```

2.18.9 Invoice

Invoice processing

guest/invoice/get

Get invoice details

Required parameters

hash string - invoice hash

API call examples

- *PHP*

```
$result = $api_guest->invoice_get($params);
```

- *HTML*

```
{{ guest.invoice_get() }}
```

- *JavaScript*

```
bb.post("guest/invoice/get", {})
```

guest/invoice/update

Update Invoice details. Only unpaid invoice details can be updated.

Required parameters

hash string - invoice hash

Optional parameters

gateway_id int - selected payment gateway id

API call examples

- *PHP*

```
$result = $api_guest->invoice_update($params);
```

- *HTML*

```
{{ guest.invoice_update() }}
```

- *JavaScript*

```
bb.post("guest/invoice/update", {})
```

guest/invoice/gateways

Get list of available payment gateways to pay for invoices

Optional parameters

format string - if format is "pairs" then id=>name values are returned

API call examples

- *PHP*

```
$result = $api_guest->invoice_gateways($params);
```

- *HTML*

```
{{ guest.invoice_gateways() }}
```

- *JavaScript*

```
bb.post("guest/invoice/gateways", {})
```

guest/invoice/payment

Process invoice for selected gateway. Returned result can be processed to redirect or to show required information. Returned result depends on payment gateway.

Required parameters

hash string - invoice hash

gateway_id int - payment gateway id

Optional parameters

subscription bool - is payment subscription

auto_redirect bool - should payment adapter automatically redirect client or just print pay now button

API call examples

- *PHP*

```
$result = $api_guest->invoice_payment($params);
```

- *HTML*

```
{{ guest.invoice_payment() }}
```

- *JavaScript*

```
bb.post("guest/invoice/payment", {})
```

2.18.10 Kb

Knowledge base API

guest/kb/article_get_list

Get paginated list of knowledge base articles. Returns only active articles.

API call examples

- *PHP*

```
$result = $api_guest->kb_article_get_list($params);
```

- *HTML*

```
{{ guest.kb_article_get_list() }}
```

- *JavaScript*

```
bb.post("guest/kb/article_get_list", {})
```

guest/kb/article_get

Get active knowledge base article

Required parameters

id int - knowledge base article ID. Required only if SLUG is not passed.

slug string - knowledge base article slug. Required only if ID is not passed.

API call examples

- *PHP*

```
$result = $api_guest->kb_article_get($params);
```

- *HTML*

```
{{ guest.kb_article_get() }}
```

- *JavaScript*

```
bb.post("guest/kb/article_get", {})
```

guest/kb/category_get_list

Get paginated list of knowledge base categories

API call examples

- *PHP*

```
$result = $api_guest->kb_category_get_list($params);
```

- *HTML*

```
{{ guest.kb_category_get_list() }}
```

- *JavaScript*

```
bb.post("guest/kb/category_get_list", {})
```

guest/kb/category_get_pairs

Get knowledge base categories id, title pairs

API call examples

- *PHP*

```
$result = $api_guest->kb_category_get_pairs($params);
```

- *HTML*

```
{{ guest.kb_category_get_pairs() }}
```

- *JavaScript*

```
bb.post("guest/kb/category_get_pairs", {})
```

guest/kb/category_get

Get knowledge base category by ID or SLUG

Required parameters

id **int** - knowledge base category ID. Required only if SLUG is not passed.

slug **string** - knowledge base category slug. Required only if ID is not passed.

API call examples

- *PHP*

```
$result = $api_guest->kb_category_get($params);
```

- *HTML*

```
{{ guest.kb_category_get() }}
```

- *JavaScript*

```
bb.post("guest/kb/category_get", {})
```

2.18.11 News

News and announcements management

guest/news/get_list

Get paginated list of active news items

API call examples

- *PHP*

```
$result = $api_guest->news_get_list($params);
```

- *HTML*

```
{{ guest.news_get_list() }}
```

- *JavaScript*

```
bb.post("guest/news/get_list", {})
```

guest/news/get

Get news item by ID or SLUG

Required parameters

id int - news item ID. Required only if SLUG is not passed.

slug string - news item slug. Required only if ID is not passed.

API call examples

- *PHP*

```
$result = $api_guest->news_get($params);
```

- *HTML*

```
{{ guest.news_get() }}
```

- *JavaScript*

```
bb.post("guest/news/get", {})
```

2.18.12 Product

Products management api

guest/product/get_list

Get paginated list of products

Optional parameters

show_hidden bool - also get hidden products. Default false

API call examples

- *PHP*

```
$result = $api_guest->product_get_list($params);
```

- *HTML*

```
{{ guest.product_get_list() }}
```

- *JavaScript*

```
bb.post("guest/product/get_list", {})
```

guest/product/get_pairs

Get products pairs. Product id -> title values

API call examples

- *PHP*

```
$result = $api_guest->product_get_pairs($params);
```

- *HTML*

```
{{ guest.product_get_pairs() }}
```

- *JavaScript*

```
bb.post("guest/product/get_pairs", {})
```

guest/product/get

Get product by ID

Required parameters

id int - product id

API call examples

- *PHP*

```
$result = $api_guest->product_get($params);
```

- *HTML*


```
{{ guest.product_get() }}
```

- *JavaScript*

```
bb.post("guest/product/get", {})
```

guest/product/category_get_list

Get paginated list of product categories

API call examples

- *PHP*

```
$result = $api_guest->product_category_get_list($params);
```

- *HTML*

```
{{ guest.product_category_get_list() }}
```

- *JavaScript*

```
bb.post("guest/product/category_get_list", {})
```

guest/product/category_get_pairs

Get pairs of product categories

API call examples

- *PHP*

```
$result = $api_guest->product_category_get_pairs($params);
```

- *HTML*

```
{{ guest.product_category_get_pairs() }}
```

- *JavaScript*

```
bb.post("guest/product/category_get_pairs", {})
```

guest/product/get_slider

Return slider data for product types. Products are grouped by type. You can pass parameter to select product type for slider

Product configuration must have slider_%s keys

Optional parameters

type string - product type for slider - default = hosting

format string - return format. Default is array . You can choose json format, to directly inject to javascript

API call examples

- *PHP*

```
$result = $api_guest->product_get_slider($params);
```

- *HTML*

```
{{ guest.product_get_slider() }}
```

- *JavaScript*

```
bb.post("guest/product/get_slider", {})
```

2.18.13 Servicedomain

Domain service management

guest/servicedomain/tlds

Get configured TLDs which can be ordered. Shows only enabled TLDs

Optional parameters

allow_register bool - shows only these TLDs which can be registered

allow_transfer bool - shows only these TLDs which can be transferred

API call examples

- *PHP*

```
$result = $api_guest->servicedomain_tlds($params);
```

- *HTML*

```
{{ guest.servicedomain_tlds() }}
```

- *JavaScript*

```
bb.post("guest/servicedomain/tlds", {})
```

guest/servicedomain/pricing

Get TLD pricing information

Required parameters

tld string - Top level domain, ie: .com

API call examples

- *PHP*

```
$result = $api_guest->servicedomain_pricing($params);
```

- *HTML*

```
{{ guest.servicedomain_pricing() }}
```

- *JavaScript*

```
bb.post("guest/servicedomain/pricing", {})
```

guest/servicedomain/check

Check if domain is available for registration. Domain registrar must be configured in order to get correct results.

Required parameters

sld string - second level domain, ie: mydomain

tld string - top level domain, ie: .com

API call examples

- *PHP*

```
$result = $api_guest->servicedomain_check($params);
```

- *HTML*

```
{{ guest.servicedomain_check() }}
```

- *JavaScript*

```
bb.post("guest/servicedomain/check", {})
```

guest/servicedomain/can_be_transferred

Check if domain can be transferred. Domain registrar must be configured in order to get correct results.

Required parameters

sld string - second level domain, ie: mydomain

tld string - top level domain, ie: .com

API call examples

- *PHP*

```
$result = $api_guest->servicedomain_can_be_transferred($params);
```

- *HTML*

```
{{ guest.servicedomain_can_be_transferred() }}
```

- *JavaScript*

```
bb.post("guest/servicedomain/can_be_transferred", {})
```

2.18.14 Servicelicense

Licensing server

guest/servicelicense/check

Check license details callback. Request IP is detected automatically You can pass any other parameters to be validated by license plugin.

Required parameters

- license string** - license key
- host string** - hostname where license is installed
- version string** - software version
- path string** - software install path

Optional parameters

- legacy string** - deprecated parameter. Returns result in non consistent API result

API call examples

- *PHP*

```
$result = $api_guest->servicelicense_check($params);
```

- *HTML*

```
{{ guest.servicelicense_check() }}
```

- *JavaScript*

```
bb.post("guest/servicelicense/check", {})
```

2.18.15 Servicesolusvm

Solusvm service management

guest/servicesolusvm/get_templates

Return operating system templates available on solusVM master server

Required parameters

type string - virtualization type

API call examples

- *PHP*

```
$result = $api_guest->servicesolusvm_get_templates($params);
```

- *HTML*

```
{{ guest.servicesolusvm_get_templates() }}
```

- *JavaScript*

```
bb.post("guest/servicesolusvm/get_templates", {})
```

2.18.16 Serviceyouhosting

Youhosting service management

guest/serviceyouhosting/webhook

Youhosting webhooks listener

API call examples

- *PHP*

```
$result = $api_guest->serviceyouhosting_webhook($params);
```

- *HTML*

```
{{ guest.serviceyouhosting_webhook() }}
```

- *JavaScript*

```
bb.post("guest/serviceyouhosting/webhook", {})
```

guest/serviceyouhosting/master_domains

Return master_domains

API call examples

- *PHP*

```
$result = $api_guest->serviceyouhosting_master_domains($params);
```

- *HTML*

```
{{ guest.serviceyouhosting_master_domains() }}
```

- *JavaScript*

```
bb.post("guest/serviceyouhosting/master_domains", {})
```

2.18.17 Spamchecker

Spam cheking module management

guest/spamchecker/recaptcha

Returns recaptcha public key

API call examples

- *PHP*

```
$result = $api_guest->spamchecker_recaptcha($params);
```

- *HTML*

```
{{ guest.spamchecker_recaptcha() }}
```

- *JavaScript*

```
bb.post("guest/spamchecker/recaptcha", {})
```

2.18.18 Staff

Staff methods

guest/staff/create

Gives ability to create administrator account if no admins exists on the system.

Database structure must be installed before calling this action. bb-config.php file must already be present and configured. Used by automated BoxBilling installer.

Required parameters

email string - admin email

password string - admin password

API call examples

- *PHP*

```
$result = $api_guest->staff_create($params);
```

- *HTML*

```
{{ guest.staff_create() }}
```

- *JavaScript*

```
bb.post("guest/staff/create", {})
```

guest/staff/login

Login to admin area and save information to session.

Required parameters

email string - admin email

password string - admin password

Optional parameters

remember string - pass value "1" to create remember me cookie

API call examples

- *PHP*

```
$result = $api_guest->staff_login($params);
```

- *HTML*

```
{{ guest.staff_login() }}
```

- *JavaScript*

```
bb.post("guest/staff/login", {})
```

2.18.19 Support

Public tickets management

guest/support/ticket_create

Submit new public ticket

Required parameters

- name string** - Ticket author name
- email string** - Ticket author email
- subject string** - Ticket subject
- message string** - Ticket message

API call examples

- *PHP*

```
$result = $api_guest->support_ticket_create($params);
```

- *HTML*

```
{{ guest.support_ticket_create() }}
```

- *JavaScript*

```
bb.post("guest/support/ticket_create", {})
```

guest/support/ticket_get

Get public ticket

Required parameters

- hash string** - public ticket hash

API call examples

- *PHP*

```
$result = $api_guest->support_ticket_get($params);
```

- *HTML*

```
{{ guest.support_ticket_get() }}
```

- *JavaScript*

```
bb.post("guest/support/ticket_get", {})
```

guest/support/ticket_close

Close public ticket

Required parameters

- hash string** - public ticket hash

API call examples

- *PHP*

```
$result = $api_guest->support_ticket_close($params);
```

- *HTML*

```
{{ guest.support_ticket_close() }}
```

- *JavaScript*

```
bb.post("guest/support/ticket_close", {})
```

guest/support/ticket_reply

Reply to public ticket

Required parameters

hash string - public ticket hash

message string - public ticket reply message

API call examples

- *PHP*

```
$result = $api_guest->support_ticket_reply($params);
```

- *HTML*

```
{{ guest.support_ticket_reply() }}
```

- *JavaScript*

```
bb.post("guest/support/ticket_reply", {})
```

2.18.20 System

System methods

guest/system/version

Get BoxBilling version

API call examples

- *PHP*

```
$result = $api_guest->system_version($params);
```

- *HTML*

```
{{ guest.system_version() }}
```

- *JavaScript*

```
bb.post("guest/system/version", {})
```

guest/system/company

Returns company information

API call examples

- *PHP*

```
$result = $api_guest->system_company($params);
```

- *HTML*

```
{{ guest.system_company() }}
```

- *JavaScript*

```
bb.post("guest/system/company", {})
```

guest/system/states

Returns USA states list

API call examples

- *PHP*

```
$result = $api_guest->system_states($params);
```

- *HTML*

```
{{ guest.system_states() }}
```

- *JavaScript*

```
bb.post("guest/system/states", {})
```

guest/system/countries_eunion

Returns list of european union countries

API call examples

- *PHP*

```
$result = $api_guest->system_countries_eunion($params);
```

- *HTML*

```
{{ guest.system_countries_eunion() }}
```

- *JavaScript*

```
bb.post("guest/system/countries_eunion", {})
```

guest/system/countries

Returns list of world countries

API call examples

- *PHP*

```
$result = $api_guest->system_countries($params);
```

- *HTML*

```
{{ guest.system_countries() }}
```

- *JavaScript*

```
bb.post("guest/system/countries", {})
```

guest/system/param

Returns system parameter by key

Required parameters

key string - Parameter name

API call examples

- *PHP*

```
$result = $api_guest->system_param($params);
```

- *HTML*

```
{{ guest.system_param() }}
```

- *JavaScript*

```
bb.post("guest/system/param", {})
```

guest/system/periods

Return list of available payment periods

API call examples

- *PHP*

```
$result = $api_guest->system_periods($params);
```

- *HTML*

```
{{ guest.system_periods() }}
```

- *JavaScript*

```
bb.post("guest/system/periods", {})
```

guest/system/period_title

Gets period title by identifier

Required parameters

code string - Period code name, ie: 1M => Monthly

API call examples

- *PHP*

```
$result = $api_guest->system_period_title($params);
```

- *HTML*

```
{{ guest.system_period_title() }}
```

- *JavaScript*

```
bb.post("guest/system/period_title", {})
```

guest/system/paginator

Returns info for paginator according to list

API call examples

- *PHP*

```
$result = $api_guest->system_paginator($params);
```

- *HTML*

```
{{ guest.system_paginator() }}
```

- *JavaScript*

```
bb.post("guest/system/paginator", {})
```

guest/system/current_url

If called from template file this function returns current url

API call examples

- *PHP*

```
$result = $api_guest->system_current_url($params);
```

- *HTML*

```
{{ guest.system_current_url() }}
```

- *JavaScript*

```
bb.post("guest/system/current_url", {})
```

guest/system/template_exists

Check if passed file name template exists for client area

Required parameters

file string - template file name, example: mod_index_dashboard.phtml

API call examples

- *PHP*

```
$result = $api_guest->system_template_exists($params);
```

- *HTML*

```
{{ guest.system_template_exists() }}
```

- *JavaScript*

```
bb.post("guest/system/template_exists", {})
```

guest/system/locale

Get current client locale

API call examples

- *PHP*

```
$result = $api_guest->system_locale($params);
```

- *HTML*

```
{{ guest.system_locale() }}
```

- *JavaScript*

```
bb.post("guest/system/locale", {})
```

2.19 Client API

This document is the API specification for BoxBilling

2.19.1 Cart

Shopping cart management

client/cart/checkout

Checkout cart which has products

Optional parameters

gateway_id int - payment gateway id. Which payment gateway will be used to make payment

API call examples

- *PHP*

```
$result = $api_client->cart_checkout($params);
```

- *HTML*

```
{{ client.cart_checkout() }}
```

- *JavaScript*

```
bb.post("client/cart/checkout", {})
```

2.19.2 Client

Client management

client/client/balance_get_list

Get payments information

API call examples

- *PHP*

```
$result = $api_client->client_balance_get_list($params);
```

- *HTML*

```
{{ client.client_balance_get_list() }}
```

- *JavaScript*

```
bb.post("client/client/balance_get_list", {})
```

2.19.3 Email

Emails history listing and management

client/email/get_list

Get list of emails system had sent to client

API call examples

- *PHP*

```
$result = $api_client->email_get_list($params);
```

- *HTML*

```
{{ client.email_get_list() }}
```

- *JavaScript*

```
bb.post("client/email/get_list", {})
```

client/email/get

Get email details

Required parameters

id int - Email id

API call examples

- *PHP*

```
$result = $api_client->email_get($params);
```

- *HTML*

```
{{ client.email_get() }}
```

- *JavaScript*

```
bb.post("client/email/get", {})
```

client/email/resend

Resend email to client once again

Required parameters

id int - Email id

API call examples

- *PHP*

```
$result = $api_client->email_resend($params);
```

- *HTML*

```
{{ client.email_resend() }}
```

- *JavaScript*

```
bb.post("client/email/resend", {})
```

client/email/delete

Remove email from system.

Required parameters

id int - Email id

API call examples

- *PHP*

```
$result = $api_client->email_delete($params);
```

- *HTML*


```
{{ client.email_delete() }}
```

- *JavaScript*

```
bb.post("client/email/delete", {})
```

2.19.4 Example

All public methods in this class are exposed to client using API. Always think what kind of information you are exposing.

client/example/get_info

From client API you can call any other module API

This method will collect data from all APIs and merge into one result.

Be careful not to expose sensitive data from Admin API.

API call examples

- *PHP*

```
$result = $api_client->example_get_info($params);
```

- *HTML*

```
{{ client.example_get_info() }}
```

- *JavaScript*

```
bb.post("client/example/get_info", {})
```

2.19.5 Forum

Forum management

client/forum/get_list

Get paginated list of forums

API call examples

- *PHP*

```
$result = $api_client->forum_get_list($params);
```

- *HTML*

```
{{ client.forum_get_list() }}
```

- *JavaScript*

```
bb.post("client/forum/get_list", {})
```

client/forum/get_categories

Get forums list grouped by category name

API call examples

- *PHP*

```
$result = $api_client->forum_get_categories($params);
```

- *HTML*

```
{{ client.forum_get_categories() }}
```

- *JavaScript*

```
bb.post("client/forum/get_categories", {})
```

client/forum/get

Get forum details

Required parameters

id int - forum id

API call examples

- *PHP*

```
$result = $api_client->forum_get($params);
```

- *HTML*

```
{{ client.forum_get() }}
```

- *JavaScript*

```
bb.post("client/forum/get", {})
```

client/forum/get_topic_list

Get paginated list of topics

API call examples

- *PHP*

```
$result = $api_client->forum_get_topic_list($params);
```

- *HTML*

```
{{ client.forum_get_topic_list() }}
```

- *JavaScript*

```
bb.post("client/forum/get_topic_list", {})
```

client/forum/get_topic

Get topic details

Required parameters

id int - topic id

API call examples

- *PHP*

```
$result = $api_client->forum_get_topic($params);
```

- *HTML*

```
{{ client.forum_get_topic() }}
```

- *JavaScript*

```
bb.post("client/forum/get_topic", {})
```

client/forum/start_topic

Create new topic

Required parameters

forum_id int - forum id

topic string - topic title

message string - topic message

Optional parameters

status string - initial topic status

API call examples

- *PHP*

```
$result = $api_client->forum_start_topic($params);
```

- *HTML*

```
{{ client.forum_start_topic() }}
```

- *JavaScript*

```
bb.post("client/forum/start_topic", {})
```

client/forum/get_topic_message_list

Get topic messages list

Required parameters

forum_topic_id int - topic id

API call examples

- *PHP*

```
$result = $api_client->forum_get_topic_message_list($params);
```

- *HTML*

```
{{ client.forum_get_topic_message_list() }}
```

- *JavaScript*

```
bb.post("client/forum/get_topic_message_list", {})
```

client/forum/post_message

Post new message to topic

Required parameters

forum_topic_id int - forum topic id

message string - topic message

API call examples

- *PHP*

```
$result = $api_client->forum_post_message($params);
```

- *HTML*

```
{{ client.forum_post_message() }}
```

- *JavaScript*

```
bb.post("client/forum/post_message", {})
```

client/forum/is_subscribed

Check if current client is subscribed to forum notifications

API call examples

- *PHP*

```
$result = $api_client->forum_is_subscribed($params);
```

- *HTML*

```
{{ client.forum_is_subscribed() }}
```

- *JavaScript*

```
bb.post("client/forum/is_subscribed", {})
```

client/forum/unsubscribe

Unsubscribe client from topic notifications

API call examples

- *PHP*

```
$result = $api_client->forum_unsubscribe($params);
```

- *HTML*

```
{{ client.forum_unsubscribe() }}
```

- *JavaScript*

```
bb.post("client/forum/unsubscribe", {})
```

client/forum/subscribe

Subscribe client to forum topic notifications

Required parameters

id int - forum topic id

API call examples

- *PHP*

```
$result = $api_client->forum_subscribe($params);
```

- *HTML*

```
{{ client.forum_subscribe() }}
```

- *JavaScript*

```
bb.post("client/forum/subscribe", {})
```

client/forum/favorites

Get list of topics added to favorites

API call examples

- *PHP*

```
$result = $api_client->forum_favorites($params);
```

- *HTML*

```
{{ client.forum_favorites() }}
```

- *JavaScript*

```
bb.post("client/forum/favorites", {})
```

client/forum/is_favorite

Check if topic is added to favorites

Required parameters

id int - forum topic id

API call examples

- *PHP*

```
$result = $api_client->forum_is_favorite($params);
```

- *HTML*

```
{{ client.forum_is_favorite() }}
```

- *JavaScript*

```
bb.post("client/forum/is_favorite", {})
```

client/forum/favorite_add

Add topic to favorites

Required parameters

id int - forum topic id

API call examples

- *PHP*

```
$result = $api_client->forum_favorite_add($params);
```

- *HTML*

```
{{ client.forum_favorite_add() }}
```

- *JavaScript*

```
bb.post("client/forum/favorite_add", {})
```

client/forum/favorite_remove

Remove topic from favorites

Required parameters

id int - forum topic id

API call examples

- *PHP*

```
$result = $api_client->forum_favorite_remove($params);
```

- *HTML*

```
{{ client.forum_favorite_remove() }}
```

- *JavaScript*

```
bb.post("client/forum/favorite_remove", {})
```

client/forum/profile

Forum profile

API call examples

- *PHP*

```
$result = $api_client->forum_profile($params);
```

- *HTML*

```
{{ client.forum_profile() }}
```

- *JavaScript*

```
bb.post("client/forum/profile", {})
```

2.19.6 Invoice

Invoice management

client/invoice/get_list

Get paginated list of invoices

API call examples

- *PHP*

```
$result = $api_client->invoice_get_list($params);
```

- *HTML*

```
{{ client.invoice_get_list() }}
```

- *JavaScript*

```
bb.post("client/invoice/get_list", {})
```

client/invoice/get

Get invoice details

Required parameters

hash string - invoice hash

API call examples

- *PHP*

```
$result = $api_client->invoice_get($params);
```

- *HTML*


```
{{ client.invoice_get() }}
```

- *JavaScript*

```
bb.post("client/invoice/get", {})
```

client/invoice/update

Update Invoice details. Only unpaid invoice details can be updated.

Required parameters

hash string - invoice hash

Optional parameters

gateway_id int - selected payment gateway id

API call examples

- *PHP*

```
$result = $api_client->invoice_update($params);
```

- *HTML*

```
{{ client.invoice_update() }}
```

- *JavaScript*

```
bb.post("client/invoice/update", {})
```

client/invoice/renewal_invoice

Generates new invoice for selected order. If unpaid invoice for selected order already exists, new invoice will not be generated, and old invoice hash

is returned

Required parameters

order_id int - ID of order to generate new invoice for

API call examples

- *PHP*

```
$result = $api_client->invoice_renewal_invoice($params);
```

- *HTML*

```
{{ client.invoice_renewal_invoice() }}
```

- *JavaScript*

```
bb.post("client/invoice/renewal_invoice", {})
```

client/invoice/funds_invoice

Deposit money in advance. Generates new invoice for depositing money. Clients currency must be defined.

Required parameters

amount float - amount to be deposited.

API call examples

- *PHP*

```
$result = $api_client->invoice_funds_invoice($params);
```

- *HTML*

```
{{ client.invoice_funds_invoice() }}
```

- *JavaScript*

```
bb.post("client/invoice/funds_invoice", {})
```

client/invoice/delete

Client removes unpaid invoice.

Required parameters

hash string - invoice hash

API call examples

- *PHP*

```
$result = $api_client->invoice_delete($params);
```

- *HTML*

```
{{ client.invoice_delete() }}
```

- *JavaScript*

```
bb.post("client/invoice/delete", {})
```

client/invoice/transaction_get_list

Get paginated list of transactions.

Optional parameters

- invoice_hash string** - filter transactions by invoice hash
- gateway_id int** - filter transactions by payment gateway id
- status string** - filter transactions by status
- currency string** - filter transactions by currency code
- date_from string** - filter transactions by date
- date_to string** - filter transactions by date

API call examples

- *PHP*

```
$result = $api_client->invoice_transaction_get_list($params);
```

- *HTML*

```
{{ client.invoice_transaction_get_list() }}
```

- *JavaScript*

```
bb.post("client/invoice/transaction_get_list", {})
```

2.19.7 Order

Client orders management

client/order/get_list

Get list of orders

API call examples

- *PHP*

```
$result = $api_client->order_get_list($params);
```

- *HTML*

```
{{ client.order_get_list() }}
```

- *JavaScript*

```
bb.post("client/order/get_list", {})
```

client/order/get

Get order details

Required parameters

id int - order id

API call examples

- *PHP*

```
$result = $api_client->order_get($params);
```

- *HTML*

```
{{ client.order_get() }}
```

- *JavaScript*

```
bb.post("client/order/get", {})
```

client/order/addons

Get order addons

Required parameters

id int - order id

API call examples

- *PHP*

```
$result = $api_client->order_addons($params);
```

- *HTML*

```
{{ client.order_addons() }}
```

- *JavaScript*

```
bb.post("client/order/addons", {})
```

client/order/service

Get order service. Order must be activated before service can be retrieved.

Required parameters

id int - order id

API call examples

- *PHP*

```
$result = $api_client->order_service($params);
```

- *HTML*

```
{{ client.order_service() }}
```

- *JavaScript*

```
bb.post("client/order/service", {})
```

client/order/upgradables

List of product pairs offered as an upgrade

Required parameters

id int - order id

API call examples

- *PHP*

```
$result = $api_client->order_upgradables($params);
```

- *HTML*

```
{{ client.order_upgradables() }}
```

- *JavaScript*

```
bb.post("client/order/upgradables", {})
```

client/order/delete

Can delete only pending setup and failed setup orders

Required parameters

id int - order id

API call examples

- *PHP*

```
$result = $api_client->order_delete($params);
```

- *HTML*

```
{{ client.order_delete() }}
```

- *JavaScript*

```
bb.post("client/order/delete", {})
```

2.19.8 Profile

Client profile management

client/profile/get

Get currently logged in client details

API call examples

- *PHP*

```
$result = $api_client->profile_get($params);
```

- *HTML*

```
{{ client.profile_get() }}
```

- *JavaScript*

```
bb.post("client/profile/get", {})
```

client/profile/update

Update currently logged in client details

Optional parameters

email string - new client email. Must not exist on system

last_name string - last name

aid string - Alternative id. Usually used by import tools.

gender string - Gender - values: malefemale

country string - Country

city string - city

birthday string - Birthday

company string - Company

company_vat string - Company VAT number

company_number string - Company number

type string - Identifies client type: company or individual

address_1 string - Address line 1

address_2 string - Address line 2

postcode string - zip or postcode

state string - country state

phone string - Phone number

phone_cc string - Phone country code

document_type string - Related document type, ie: passport, driving license

document_nr string - Related document number, ie: passport number: LC45698122

notes string - Notes about client. Visible for admin only

lang string - language option

custom_1 string - Custom field 1

custom_2 string - Custom field 2

custom_3 string - Custom field 3

custom_4 string - Custom field 4

custom_5 string - Custom field 5

custom_6 string - Custom field 6

custom_7 string - Custom field 7

custom_8 string - Custom field 8

custom_9 string - Custom field 9

custom_10 string - Custom field 10

API call examples

- *PHP*

```
$result = $api_client->profile_update($params);
```

- *HTML*

```
{{ client.profile_update() }}
```

- *JavaScript*

```
bb.post("client/profile/update", {})
```

client/profile/api_key_get

Retrieve current API key

API call examples

- *PHP*

```
$result = $api_client->profile_api_key_get($params);
```

- *HTML*

```
{{ client.profile_api_key_get() }}
```

- *JavaScript*

```
bb.post("client/profile/api_key_get", {})
```

client/profile/api_key_reset

Generate new API key

API call examples

- *PHP*

```
$result = $api_client->profile_api_key_reset($params);
```

- *HTML*

```
{{ client.profile_api_key_reset() }}
```

- *JavaScript*

```
bb.post("client/profile/api_key_reset", {})
```

client/profile/change_password

Change client area password

API call examples

- *PHP*

```
$result = $api_client->profile_change_password($params);
```

- *HTML*

```
{{ client.profile_change_password() }}
```

- *JavaScript*

```
bb.post("client/profile/change_password", {})
```

client/profile/logout

Clear session and logout

API call examples

- *PHP*


```
$result = $api_client->profile_logout($params);
```

- *HTML*

```
{{ client.profile_logout() }}
```

- *JavaScript*

```
bb.post("client/profile/logout", {})
```

2.19.9 Serviceboxbillinglicense

BoxBilling license management

client/serviceboxbillinglicense/reset

Reset license information. Usually used when moving BoxBilling to new server.

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->serviceboxbillinglicense_reset($params);
```

- *HTML*

```
{{ client.serviceboxbillinglicense_reset() }}
```

- *JavaScript*

```
bb.post("client/serviceboxbillinglicense/reset", {})
```

2.19.10 Servicecentovacast

CentovaCast management

client/servicecentovacast/control_panel_url

Return control panel url for order

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicecentovacast_control_panel_url($params);
```

- *HTML*

```
{{ client.servicecentovacast_control_panel_url() }}
```

- *JavaScript*

```
bb.post("client/servicecentovacast/control_panel_url", {})
```

client/servicecentovacast/start

Starts a streaming server for a CentovaCast client account. If server-side streaming source support is enabled, the streaming source is started as well.

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicecentovacast_start($params);
```

- *HTML*

```
{{ client.servicecentovacast_start() }}
```

- *JavaScript*

```
bb.post("client/servicecentovacast/start", {})
```

client/servicecentovacast/stop

Stops a streaming server for a CentovaCast client account. If server-side streaming source support is enabled, the streaming source is stopped as well.

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicecentovacast_stop($params);
```

- *HTML*

```
{{ client.servicecentovacast_stop() }}
```

- *JavaScript*

```
bb.post("client/servicecentovacast/stop", {})
```

client/servicecentovacast/restart

Stops, then re-starts a streaming server for a CentovaCast client account. If server-side streaming source support is enabled, the streaming source is restarted as well.

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicecentovacast_restart($params);
```

- *HTML*

```
{{ client.servicecentovacast_restart() }}
```

- *JavaScript*

```
bb.post("client/servicecentovacast/restart", {})
```

client/servicecentovacast/reload

Reloads the streaming server configuration for a CentovaCast client account. If server-side streaming source support is enabled, the configuration and playlist for the streaming source is reloaded as well.

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicecentovacast_reload($params);
```

- *HTML*

```
{{ client.servicecentovacast_reload() }}
```

- *JavaScript*

```
bb.post("client/servicecentovacast/reload", {})
```

client/servicecentovacast/getaccount

Retrieves the configuration for a CentovaCast client account. If server-side streaming source support is enabled, the configuration for the streaming source is returned as well.

Required parameters

order_id int - order id

Optional parameters

try bool - do not throw an exception, return error message as a result

API call examples

- *PHP*

```
$result = $api_client->servicecentovacast_getaccount($params);
```

- *HTML*

```
{{ client.servicecentovacast_getaccount() }}
```

- *JavaScript*

```
bb.post("client/servicecentovacast/getaccount", {})
```

client/servicecentovacast/getstatus

Retrieves status information from the streaming server for a CentovaCast client account.

Required parameters

order_id int - order id

Optional parameters

try bool - do not throw an exception, return error message as a result

API call examples

- *PHP*

```
$result = $api_client->servicecentovacast_getstatus($params);
```

- *HTML*

```
{{ client.servicecentovacast_getstatus() }}
```

- *JavaScript*

```
bb.post("client/servicecentovacast/getstatus", {})
```

client/servicecentovacast/getsongs

Retrieves a list of tracks that were recently broadcasted on a given CentovaCast client's streaming server.

Required parameters

order_id int - order id

Optional parameters

try bool - do not throw an exception, return error message as a result

API call examples

- *PHP*

```
$result = $api_client->servicecentovacast_getsongs($params);
```

- *HTML*

```
{{ client.servicecentovacast_getsongs() }}
```

- *JavaScript*

```
bb.post("client/servicecentovacast/getsongs", {})
```

2.19.11 Servicecustom

Custom product management

client/servicecustom/_call

Universal method to call method from plugin Pass any other params and they will be passed to plugin

Required parameters

order_id int - ID of the order

API call examples

- *PHP*

```
$result = $api_client->servicecustom__call($params);
```

- *HTML*

```
{{ client.servicecustom__call() }}
```

- *JavaScript*

```
bb.post("client/servicecustom/__call", {})
```

2.19.12 Servicedomain

Domain service management

client/servicedomain/update_nameservers

Change domain nameservers. Method sends action to registrar.

Required parameters

order_id int - domain order id

ns1 string - 1 Nameserver hostname, ie: ns1.mydomain.com

ns2 string - 2 Nameserver hostname, ie: ns2.mydomain.com

Optional parameters

ns3 string - 3 Nameserver hostname, ie: ns3.mydomain.com

ns4 string - 4 Nameserver hostname, ie: ns4.mydomain.com

API call examples

- *PHP*

```
$result = $api_client->servicedomain_update_nameservers($params);
```

- *HTML*

```
{{ client.servicedomain_update_nameservers() }}
```

- *JavaScript*

```
bb.post("client/servicedomain/update_nameservers", {})
```

client/servicedomain/update_contacts

Change domain WHOIS contact details. Method sends action to registrar.

Required parameters

order_id int - domain order id

contact array - Contact array must contain these fields: first_name, last_name, email, company, address1, address2, country, city, state, postcode, phone_cc, phone

API call examples

- *PHP*

```
$result = $api_client->servicedomain_update_contacts($params);
```

- *HTML*

```
{{ client.servicedomain_update_contacts() }}
```

- *JavaScript*

```
bb.post("client/servicedomain/update_contacts", {})
```

client/servicedomain/enable_privacy_protection

Enable domain privacy protection.

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_client->servicedomain_enable_privacy_protection($params);
```

- *HTML*

```
{{ client.servicedomain_enable_privacy_protection() }}
```

- *JavaScript*

```
bb.post("client/servicedomain/enable_privacy_protection", {})
```

client/servicedomain/disable_privacy_protection

Disable domain privacy protection.

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_client->servicedomain_disable_privacy_protection($params);
```

- *HTML*

```
{{ client.servicedomain_disable_privacy_protection() }}
```

- *JavaScript*

```
bb.post("client/servicedomain/disable_privacy_protection", {})
```

client/servicedomain/get_transfer_code

Retireve domain transfer code

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_client->servicedomain_get_transfer_code($params);
```

- *HTML*

```
{{ client.servicedomain_get_transfer_code() }}
```

- *JavaScript*

```
bb.post("client/servicedomain/get_transfer_code", {})
```

client/servicedomain/lock

Lock domain

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_client->servicedomain_lock($params);
```

- *HTML*

```
{{ client.servicedomain_lock() }}
```

- *JavaScript*

```
bb.post("client/servicedomain/lock", {})
```

client/servicedomain/unlock

Unlock domain

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_client->servicedomain_unlock($params);
```

- *HTML*

```
{{ client.servicedomain_unlock() }}
```

- *JavaScript*

```
bb.post("client/servicedomain/unlock", {})
```

2.19.13 Servicedownloadable

Downloadable service management

client/servicedownloadable/send_file

Use GET to call this method. Sends file attached to order. Sends file as attachment.

Required parameters

order_id int - downloadable service order id

API call examples

- *PHP*

```
$result = $api_client->servicedownloadable_send_file($params);
```

- *HTML*

```
{{ client.servicedownloadable_send_file() }}
```

- *JavaScript*

```
bb.post("client/servicedownloadable/send_file", {})
```

2.19.14 Servicehosting

Hosting service management

client/servicehosting/change_username

Change hosting account username

Required parameters

order_id **int** - Hosting account order id

username **string** - New username

API call examples

- *PHP*

```
$result = $api_client->servicehosting_change_username($params);
```

- *HTML*

```
{{ client.servicehosting_change_username() }}
```

- *JavaScript*

```
bb.post("client/servicehosting/change_username", {})
```

client/servicehosting/change_domain

Change hosting account domain

Required parameters

order_id **int** - Hosting account order id

password **string** - New second level domain name, ie: mydomain

password_confirm **string** - New top level domain, ie: .com

API call examples

- *PHP*

```
$result = $api_client->servicehosting_change_domain($params);
```

- *HTML*

```
{{ client.servicehosting_change_domain() }}
```

- *JavaScript*

```
bb.post("client/servicehosting/change_domain", {})
```

client/servicehosting/change_password

Change hosting account password

Required parameters

- order_id int** - Hosting account order id
- password string** - New account password
- password_confirm string** - Repeat new password

API call examples

- *PHP*

```
$result = $api_client->servicehosting_change_password($params);
```

- *HTML*

```
{{ client.servicehosting_change_password() }}
```

- *JavaScript*

```
bb.post("client/servicehosting/change_password", {})
```

client/servicehosting/hp_get_pairs

Get hosting plans pairs. Usually for select box

API call examples

- *PHP*

```
$result = $api_client->servicehosting_hp_get_pairs($params);
```

- *HTML*

```
{{ client.servicehosting_hp_get_pairs() }}
```

- *JavaScript*

```
bb.post("client/servicehosting/hp_get_pairs", {})
```

2.19.15 Servicelicense

License Service management

client/servicelicense/reset

Reset license validation rules.

Required parameters

order_id int - License service order id

API call examples

- *PHP*

```
$result = $api_client->servicelicense_reset($params);
```

- *HTML*

```
{{ client.servicelicense_reset() }}
```

- *JavaScript*

```
bb.post("client/servicelicense/reset", {})
```

2.19.16 Servicesolusvm

Solusvm service management

client/servicesolusvm/reboot

Reboot VPS

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicesolusvm_reboot($params);
```

- *HTML*

```
{{ client.servicesolusvm_reboot() }}
```

- *JavaScript*

```
bb.post("client/servicesolusvm/reboot", {})
```

client/servicesolusvm/boot

Boot VPS

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicesolusvm_boot($params);
```

- *HTML*

```
{{ client.servicesolusvm_boot() }}
```

- *JavaScript*

```
bb.post("client/servicesolusvm/boot", {})
```

client/servicesolusvm/shutdown

Shutdown VPS

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicesolusvm_shutdown($params);
```

- *HTML*

```
{{ client.servicesolusvm_shutdown() }}
```

- *JavaScript*

```
bb.post("client/servicesolusvm/shutdown", {})
```

client/servicesolusvm/status

Get status VPS

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicesolusvm_status($params);
```

- *HTML*

```
{{ client.servicesolusvm_status() }}
```

- *JavaScript*

```
bb.post("client/servicesolusvm/status", {})
```

client/servicesolusvm/info

Retrieve more information about vps from sulusvm server

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_client->servicesolusvm_info($params);
```

- *HTML*

```
{{ client.servicesolusvm_info() }}
```

- *JavaScript*

```
bb.post("client/servicesolusvm/info", {})
```

client/servicesolusvm/set_root_password

Change root password for VPS

Required parameters

- order_id int** - order id
- password string** - new password

API call examples• *PHP*

```
$result = $api_client->servicesolusvm_set_root_password($params);
```

• *HTML*

```
{{ client.servicesolusvm_set_root_password() }}
```

• *JavaScript*

```
bb.post("client/servicesolusvm/set_root_password", {})
```

client/servicesolusvm/set_hostname

Change hostname for VPS

Required parameters

- order_id int** - order id

API call examples• *PHP*

```
$result = $api_client->servicesolusvm_set_hostname($params);
```

• *HTML*

```
{{ client.servicesolusvm_set_hostname() }}
```

• *JavaScript*

```
bb.post("client/servicesolusvm/set_hostname", {})
```

client/servicesolusvm/change_password

Change client area password for solusvm user

Required parameters

- order_id int** - order id
- password string** - new password

API call examples

- *PHP*

```
$result = $api_client->servicesolusvm_change_password($params);
```

- *HTML*

```
{{ client.servicesolusvm_change_password() }}
```

- *JavaScript*

```
bb.post("client/servicesolusvm/change_password", {})
```

client/servicesolusvm/rebuild

Rebuild vps operating system with new template

Required parameters

order_id int - order id

template string - template identification

API call examples

- *PHP*

```
$result = $api_client->servicesolusvm_rebuild($params);
```

- *HTML*

```
{{ client.servicesolusvm_rebuild() }}
```

- *JavaScript*

```
bb.post("client/servicesolusvm/rebuild", {})
```

2.19.17 Serviceyouhosting

Youhosting service management

client/serviceyouhosting/info

Get order info

API call examples

- *PHP*

```
$result = $api_client->serviceyouhosting_info($params);
```


- *HTML*

```
{{ client.serviceyouhosting_info() }}
```

- *JavaScript*

```
bb.post("client/serviceyouhosting/info", {})
```

client/serviceyouhosting/captcha

Get captcha information

API call examples

- *PHP*

```
$result = $api_client->serviceyouhosting_captcha($params);
```

- *HTML*

```
{{ client.serviceyouhosting_captcha() }}
```

- *JavaScript*

```
bb.post("client/serviceyouhosting/captcha", {})
```

client/serviceyouhosting/activate

Activate order

Required parameters

captcha_id int - captcha id

order_id int - order id

captcha_solution string - captcha solution

API call examples

- *PHP*

```
$result = $api_client->serviceyouhosting_activate($params);
```

- *HTML*

```
{{ client.serviceyouhosting_activate() }}
```

- *JavaScript*

```
bb.post("client/serviceyouhosting/activate", {})
```

2.19.18 Support

Client support tickets management

client/support/ticket_get_list

Get client tickets list

Optional parameters

:: **string** status - filter tickets by status :: **string** date_from - show tickets created since this day. Can be any string parsable by strtotime() :: **string** date_to - show tickets created until this day. Can be any string parsable by strtotime()

API call examples

- *PHP*

```
$result = $api_client->support_ticket_get_list($params);
```

- *HTML*

```
{{ client.support_ticket_get_list() }}
```

- *JavaScript*

```
bb.post("client/support/ticket_get_list", {})
```

client/support/ticket_get

Return ticket full details

Required parameters

id int - ticket id

API call examples

- *PHP*

```
$result = $api_client->support_ticket_get($params);
```

- *HTML*

```
{{ client.support_ticket_get() }}
```

- *JavaScript*

```
bb.post("client/support/ticket_get", {})
```

client/support/helpdesk_get_pairs

Return pairs for support helpdesk. Can be used to populate select box.

API call examples

- *PHP*

```
$result = $api_client->support_helpdesk_get_pairs($params);
```

- *HTML*

```
{{ client.support_helpdesk_get_pairs() }}
```

- *JavaScript*

```
bb.post("client/support/helpdesk_get_pairs", {})
```

client/support/ticket_create

Method to create open new ticket. Tickets can have tasks assigned to them via optional parameters.

Required parameters

- content string** - ticket message content
- subject string** - ticket subject
- support_helpdesk_id string** - Ticket helpdesk id.

Optional parameters

- rel_type int** - Ticket relation type
- rel_id int** - Ticket relation id
- rel_task int** - Ticket task codename
- rel_new_value int** - Task can have new value assigned.

API call examples

- *PHP*

```
$result = $api_client->support_ticket_create($params);
```

- *HTML*

```
{{ client.support_ticket_create() }}
```

- *JavaScript*

```
bb.post("client/support/ticket_create", {})
```

client/support/ticket_reply

Add new conversation message to ticket. Ticket will be reopened if closed

Required parameters

id int - ticket id

content string - ticket message

API call examples

- *PHP*

```
$result = $api_client->support_ticket_reply($params);
```

- *HTML*

```
{{ client.support_ticket_reply() }}
```

- *JavaScript*

```
bb.post("client/support/ticket_reply", {})
```

client/support/ticket_close

Close ticket

Required parameters

id int - ticket id

API call examples

- *PHP*

```
$result = $api_client->support_ticket_close($params);
```

- *HTML*

```
{{ client.support_ticket_close() }}
```

- *JavaScript*

```
bb.post("client/support/ticket_close", {})
```

2.20 Admin API

This document is the API specification for BoxBilling

2.20.1 Activity

System activity messages management

admin/activity/log_get_list

Get list of activity messages

API call examples

- *PHP*

```
$result = $api_admin->activity_log_get_list($params);
```

- *HTML*

```
{{ admin.activity_log_get_list() }}
```

- *JavaScript*

```
bb.post("admin/activity/log_get_list", {})
```

admin/activity/log

Add message to log

Required parameters

m string - Message text

Optional parameters

admin_id int - admin id

client_id int - client id

priority string - log priority

API call examples

- *PHP*

```
$result = $api_admin->activity_log($params);
```

- *HTML*

```
{{ admin.activity_log() }}
```

- *JavaScript*

```
bb.post("admin/activity/log", {})
```

admin/activity/log_email

Add email to log

API call examples

- *PHP*

```
$result = $api_admin->activity_log_email($params);
```

- *HTML*

```
{{ admin.activity_log_email() }}
```

- *JavaScript*

```
bb.post("admin/activity/log_email", {})
```

admin/activity/log_delete

Remove activity message

Required parameters

id int - Message ID

API call examples

- *PHP*

```
$result = $api_admin->activity_log_delete($params);
```

- *HTML*

```
{{ admin.activity_log_delete() }}
```

- *JavaScript*

```
bb.post("admin/activity/log_delete", {})
```

2.20.2 Cart

Shopping cart management

admin/cart/get_list

Get list of currently active carts. Carts are removed after checkout.

API call examples

- *PHP*

```
$result = $api_admin->cart_get_list($params);
```

- *HTML*

```
{{ admin.cart_get_list() }}
```

- *JavaScript*

```
bb.post("admin/cart/get_list", {})
```

admin/cart/get

Get shopping cart contents by id

Required parameters

id int - shopping cart id

API call examples

- *PHP*

```
$result = $api_admin->cart_get($params);
```

- *HTML*

```
{{ admin.cart_get() }}
```

- *JavaScript*

```
bb.post("admin/cart/get", {})
```

admin/cart/batch_expire

Remove shopping carts that are older than a week and was not ordered

API call examples

- *PHP*

```
$result = $api_admin->cart_batch_expire($params);
```

- *HTML*

```
{{ admin.cart_batch_expire() }}
```

- *JavaScript*

```
bb.post("admin/cart/batch_expire", {})
```

2.20.3 Client

Client management

admin/client/get_list

Get list of clients

Optional parameters

status string - Filters client by status. Available options: active, suspended, canceled

API call examples

- *PHP*

```
$result = $api_admin->client_get_list($params);
```

- *HTML*

```
{{ admin.client_get_list() }}
```

- *JavaScript*

```
bb.post("admin/client/get_list", {})
```

admin/client/get_pairs

Get clients index

API call examples

- *PHP*

```
$result = $api_admin->client_get_pairs($params);
```

- *HTML*

```
{{ admin.client_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/client/get_pairs", {})
```

admin/client/get

Get client by id or email. Email is also unique in database

Required parameters

id int - client ID

Optional parameters

email string - client email

API call examples

- *PHP*

```
$result = $api_admin->client_get($params);
```

- *HTML*

```
{{ admin.client_get() }}
```

- *JavaScript*

```
bb.post("admin/client/get", {})
```

admin/client/login

Login to clients area with client id

Required parameters

id int - client ID

API call examples

- *PHP*

```
$result = $api_admin->client_login($params);
```

- *HTML*

```
{{ admin.client_login() }}
```

- *JavaScript*

```
bb.post("admin/client/login", {})
```

admin/client/create

Creates new client

Required parameters

email string - client email, must not be registered on system

first_name string - client first name

Optional parameters

password string - client password

auth_type string - client authorization type. Default null

last_name string - client last name

aid string - alternative ID. If you import clients from other systems you can use this field to store foreign system ID

group_id string - client group id

status string - client status: "active, suspended, canceled"

created_at string - ISO 8601 date for client creation date

last_name string - last name

aid string - Alternative id. Usually used by import tools.

gender string - Gender - values: malefemale

country string - Country

city string - city

birthday string - Birthday

company string - Company

company_vat string - Company VAT number

company_number string - Company number

type string - Identifies client type: company or individual

address_1 string - Address line 1

address_2 string - Address line 2

postcode string - zip or postcode

state string - country state

phone string - Phone number

phone_cc string - Phone country code

document_type string - Related document type, ie: passport, driving license

document_nr string - Related document number, ie: passport number: LC45698122

notes string - Notes about client. Visible for admin only

lang string - Client language

custom_1 string - Custom field 1

custom_2 string - Custom field 2

custom_3 string - Custom field 3

- custom_4 string** - Custom field 4
- custom_5 string** - Custom field 5
- custom_6 string** - Custom field 6
- custom_7 string** - Custom field 7
- custom_8 string** - Custom field 8
- custom_9 string** - Custom field 9
- custom_10 string** - Custom field 10

API call examples

- *PHP*

```
$result = $api_admin->client_create($params);
```

- *HTML*

```
{{ admin.client_create() }}
```

- *JavaScript*

```
bb.post("admin/client/create", {})
```

admin/client/delete

Deletes client from system

Required parameters

id string - client ID

API call examples

- *PHP*

```
$result = $api_admin->client_delete($params);
```

- *HTML*

```
{{ admin.client_delete() }}
```

- *JavaScript*

```
bb.post("admin/client/delete", {})
```

admin/client/update

Update client profile

Required parameters

id string - client ID

Optional parameters

email string - client email

first_name string - client first_name

last_name string - client last_name

status string - client status

last_name string - last name

aid string - Alternative id. Usually used by import tools.

gender string - Gender - values: malefemale

country string - Country

city string - city

birthday string - Birthday

company string - Company

company_vat string - Company VAT number

company_number string - Company number

type string - Identifies client type: company or individual

address_1 string - Address line 1

address_2 string - Address line 2

postcode string - zip or postcode

state string - country state

phone string - Phone number

phone_cc string - Phone country code

document_type string - Related document type, ie: passport, driving license

document_nr string - Related document number, ie: passport number: LC45698122

lang string - Client language

notes string - Notes about client. Visible for admin only

custom_1 string - Custom field 1

custom_2 string - Custom field 2

custom_3 string - Custom field 3

custom_4 string - Custom field 4

custom_5 string - Custom field 5

custom_6 string - Custom field 6

custom_7 string - Custom field 7

custom_8 string - Custom field 8

custom_9 string - Custom field 9

custom_10 string - Custom field 10

API call examples

- *PHP*

```
$result = $api_admin->client_update($params);
```

- *HTML*

```
{{ admin.client_update() }}
```

- *JavaScript*

```
bb.post("admin/client/update", {})
```

admin/client/change_password

Change client password

Required parameters

id int - Client ID

password string - new client password

password_confirm string - repeat same new client password

API call examples

- *PHP*

```
$result = $api_admin->client_change_password($params);
```

- *HTML*

```
{{ admin.client_change_password() }}
```

- *JavaScript*

```
bb.post("admin/client/change_password", {})
```

admin/client/balance_get_list

Returns list of client payments

API call examples

- *PHP*

```
$result = $api_admin->client_balance_get_list($params);
```

- *HTML*

```
{{ admin.client_balance_get_list() }}
```

- *JavaScript*

```
bb.post("admin/client/balance_get_list", {})
```

admin/client/balance_delete

Remove ro from clients balance

Required parameters

id int - Balance line id

API call examples

- *PHP*

```
$result = $api_admin->client_balance_delete($params);
```

- *HTML*

```
{{ admin.client_balance_delete() }}
```

- *JavaScript*

```
bb.post("admin/client/balance_delete", {})
```

admin/client/balance_add_funds

Adds funds to clients balance

Required parameters

id int - Client ID

amount int - Amount of clients currency to added to balance

description int - Description of this transaction

Optional parameters

type string - Related item type

rel_id string - Related item id

API call examples

- *PHP*

```
$result = $api_admin->client_balance_add_funds($params);
```

- *HTML*

```
{{ admin.client_balance_add_funds() }}
```

- *JavaScript*

```
bb.post("admin/client/balance_add_funds", {})
```

admin/client/batch_expire_password_reminders

Remove password reminders which were not confirmed in 2 hours

API call examples

- *PHP*

```
$result = $api_admin->client_batch_expire_password_reminders($params);
```

- *HTML*

```
{{ admin.client_batch_expire_password_reminders() }}
```

- *JavaScript*

```
bb.post("admin/client/batch_expire_password_reminders", {})
```

admin/client/login_history_get_list

Get list of clients logins history

Optional parameters

client_id int - filter by client

API call examples

- *PHP*

```
$result = $api_admin->client_login_history_get_list($params);
```

- *HTML*

```
{{ admin.client_login_history_get_list() }}
```

- *JavaScript*

```
bb.post("admin/client/login_history_get_list", {})
```

admin/client/login_history_delete

Remove log entry form clients logins history

Required parameters

id int - Log entry ID

API call examples

- *PHP*

```
$result = $api_admin->client_login_history_delete($params);
```

- *HTML*

```
{{ admin.client_login_history_delete() }}
```

- *JavaScript*

```
bb.post("admin/client/login_history_delete", {})
```

admin/client/get_statuses

Return client statuses with counter.

API call examples

- *PHP*

```
$result = $api_admin->client_get_statuses($params);
```

- *HTML*

```
{{ admin.client_get_statuses() }}
```

- *JavaScript*

```
bb.post("admin/client/get_statuses", {})
```

admin/client/group_get_pairs

Return client groups. Id and title pairs

API call examples

- *PHP*

```
$result = $api_admin->client_group_get_pairs($params);
```

- *HTML*

```
{{ admin.client_group_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/client/group_get_pairs", {})
```

admin/client/group_create

Create new clients group

Required parameters

title string - New group title

API call examples

- *PHP*

```
$result = $api_admin->client_group_create($params);
```

- *HTML*

```
{{ admin.client_group_create() }}
```

- *JavaScript*

```
bb.post("admin/client/group_create", {})
```

admin/client/group_update

Update client group

Required parameters

id int - client group ID

Optional parameters

title string - new group title

API call examples

- *PHP*

```
$result = $api_admin->client_group_update($params);
```

- *HTML*

```
{{ admin.client_group_update() }}
```

- *JavaScript*

```
bb.post("admin/client/group_update", {})
```

admin/client/group_delete

Delete client group

Required parameters

id int - client group ID

API call examples

- *PHP*

```
$result = $api_admin->client_group_delete($params);
```

- *HTML*

```
{{ admin.client_group_delete() }}
```

- *JavaScript*

```
bb.post("admin/client/group_delete", {})
```

admin/client/group_get

Get client group details

Required parameters

id int - client group ID

API call examples

- *PHP*

```
$result = $api_admin->client_group_get($params);
```

- *HTML*

```
{{ admin.client_group_get() }}
```

- *JavaScript*

```
bb.post("admin/client/group_get", {})
```

2.20.4 Cron

Cron management

admin/cron/info

Returns cron job information. When it was last executed, where cron job file is located.

API call examples

- *PHP*

```
$result = $api_admin->cron_info($params);
```

- *HTML*

```
{{ admin.cron_info() }}
```

- *JavaScript*

```
bb.post("admin/cron/info", {})
```

admin/cron/run

Run cron

API call examples

- *PHP*

```
$result = $api_admin->cron_run($params);
```

- *HTML*

```
{{ admin.cron_run() }}
```

- *JavaScript*

```
bb.post("admin/cron/run", {})
```

2.20.5 Currency

Currency management

admin/currency/get_list

Get list of available currencies on system

API call examples

- *PHP*

```
$result = $api_admin->currency_get_list($params);
```

- *HTML*

```
{{ admin.currency_get_list() }}
```

- *JavaScript*

```
bb.post("admin/currency/get_list", {})
```

admin/currency/get_pairs

Get code title pairs of currencies

API call examples

- *PHP*

```
$result = $api_admin->currency_get_pairs($params);
```

- *HTML*

```
{{ admin.currency_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/currency/get_pairs", {})
```

admin/currency/get

Return currency details by cde

Required parameters

code string - currency code USD

API call examples

- *PHP*

```
$result = $api_admin->currency_get($params);
```

- *HTML*

```
{{ admin.currency_get() }}
```

- *JavaScript*

```
bb.post("admin/currency/get", {})
```

admin/currency/get_default

Return default system currency

API call examples

- *PHP*

```
$result = $api_admin->currency_get_default($params);
```

- *HTML*

```
{{ admin.currency_get_default() }}
```

- *JavaScript*

```
bb.post("admin/currency/get_default", {})
```

admin/currency/create

Add new currency to system

Required parameters

- code string** - currency ISO 4217 code
- format string** - must have {{price}} tag.

Optional parameters

- title string** - custom currency title

API call examples

- *PHP*

```
$result = $api_admin->currency_create($params);
```

- *HTML*

```
{{ admin.currency_create() }}
```

- *JavaScript*

```
bb.post("admin/currency/create", {})
```

admin/currency/update

Updates system currency settings

Required parameters

code string - currency ISO 4217 code

Optional parameters

title string - new currency title

format string - new currency format

conversion_rate float - new currency conversion rate

API call examples

- *PHP*

```
$result = $api_admin->currency_update($params);
```

- *HTML*

```
{{ admin.currency_update() }}
```

- *JavaScript*

```
bb.post("admin/currency/update", {})
```

admin/currency/update_rates

Automatically update all currency rates by Google exchange rates

API call examples

- *PHP*

```
$result = $api_admin->currency_update_rates($params);
```

- *HTML*

```
{{ admin.currency_update_rates() }}
```

- *JavaScript*

```
bb.post("admin/currency/update_rates", {})
```

admin/currency/delete

Remove currency. Default currency can not be removed.

Required parameters

code string - currency ISO 4217 code

API call examples

- *PHP*

```
$result = $api_admin->currency_delete($params);
```

- *HTML*

```
{{ admin.currency_delete() }}
```

- *JavaScript*

```
bb.post("admin/currency/delete", {})
```

admin/currency/set_default

Set default currency. If you have active orders or invoices not recalculation on profits and refunds are made.

Required parameters

code string - currency ISO 4217 code

API call examples

- *PHP*

```
$result = $api_admin->currency_set_default($params);
```

- *HTML*

```
{{ admin.currency_set_default() }}
```

- *JavaScript*

```
bb.post("admin/currency/set_default", {})
```

2.20.6 Email

Email logs and templates management

admin/email/email_get_list

Get list of sent emails

API call examples

- *PHP*

```
$result = $api_admin->email_email_get_list($params);
```

- *HTML*

```
{{ admin.email_email_get_list() }}
```

- *JavaScript*

```
bb.post("admin/email/email_get_list", {})
```

admin/email/email_get

Get sent email details

Required parameters

id int - email ID

API call examples

- *PHP*

```
$result = $api_admin->email_email_get($params);
```

- *HTML*

```
{{ admin.email_email_get() }}
```

- *JavaScript*

```
bb.post("admin/email/email_get", {})
```

admin/email/send

Email send

Required parameters

to string - email to

to_name string - to name

from_name string - from name

from string - from email

subject string - from email

content string - from email

Optional parameters

client_id int - log this message to client history

API call examples

- *PHP*

```
$result = $api_admin->email_send($params);
```

- *HTML*

```
{{ admin.email_send() }}
```

- *JavaScript*

```
bb.post("admin/email/send", {})
```

admin/email/email_resend

Resend email

Required parameters

id int - email ID

API call examples

- *PHP*

```
$result = $api_admin->email_email_resend($params);
```

- *HTML*

```
{{ admin.email_email_resend() }}
```

- *JavaScript*

```
bb.post("admin/email/email_resend", {})
```

admin/email/email_delete

Delete sent email from logs

Required parameters

id int - email ID

API call examples

- *PHP*

```
$result = $api_admin->email_email_delete($params);
```

- *HTML*

```
{{ admin.email_email_delete() }}
```

- *JavaScript*

```
bb.post("admin/email/email_delete", {})
```

admin/email/template_get_list

Return list of email templates

API call examples

- *PHP*

```
$result = $api_admin->email_template_get_list($params);
```

- *HTML*

```
{{ admin.email_template_get_list() }}
```

- *JavaScript*

```
bb.post("admin/email/template_get_list", {})
```

admin/email/template_get

Get email template full details

Required parameters

id int - template id

API call examples

- *PHP*

```
$result = $api_admin->email_template_get($params);
```

- *HTML*

```
{{ admin.email_template_get() }}
```

- *JavaScript*

```
bb.post("admin/email/template_get", {})
```

admin/email/template_delete

Delete email template

Required parameters

id int - email template ID

API call examples

- *PHP*

```
$result = $api_admin->email_template_delete($params);
```

- *HTML*

```
{{ admin.email_template_delete() }}
```

- *JavaScript*

```
bb.post("admin/email/template_delete", {})
```

admin/email/template_create

Create new email template. Creating new email template can be combined with custom event hook.

Required parameters

action_code string - template action code

subject string - Email subject

content string - Email body

API call examples

- *PHP*

```
$result = $api_admin->email_template_create($params);
```

- *HTML*

```
{{ admin.email_template_create() }}
```

- *JavaScript*

```
bb.post("admin/email/template_create", {})
```

admin/email/template_update

Update email template

Required parameters

id int - template id

API call examples

- *PHP*

```
$result = $api_admin->email_template_update($params);
```

- *HTML*

```
{{ admin.email_template_update() }}
```

- *JavaScript*

```
bb.post("admin/email/template_update", {})
```

admin/email/template_send

Send email template to email, client or staff members. If template with code does not exist, it will be created. Default email template file must exist at mod_example/html_email/mod_example_code.phtml file

Required parameters

code string - Template code to send. Must be mod_%s_%s structure

Optional parameters

to_staff string - True to send to all active staff members. Default false

to_client string - Set client ID to send email to client. Default null

to string - receivers email

from string - from email. Default - company email

from_name string - from name. Default - company name

default_subject string - Default email subject if template does not exist

default_template string - Default email content if template does not exist

default_description string - Default template description if template does not exist.

custom mixed - All parameters passed to this method are also available in email template: {{ custom }}

API call examples

- *PHP*

```
$result = $api_admin->email_template_send($params);
```

- *HTML*

```
{{ admin.email_template_send() }}
```

- *JavaScript*

```
bb.post("admin/email/template_send", {})
```

admin/email/template_reset

Reset email template to default

Required parameters

code string - template code

API call examples

- *PHP*

```
$result = $api_admin->email_template_reset($params);
```

- *HTML*

```
{{ admin.email_template_reset() }}
```

- *JavaScript*

```
bb.post("admin/email/template_reset", {})
```

admin/email/template_render

Generates email template preview

Required parameters

id int - template id

Optional parameters

_tpl string - string to be rendered. Default is email template.

API call examples

- *PHP*

```
$result = $api_admin->email_template_render($params);
```

- *HTML*

```
{{ admin.email_template_render() }}
```

- *JavaScript*

```
bb.post("admin/email/template_render", {})
```

admin/email/batch_template_generate

Generate email templates according to enabled extensions

API call examples

- *PHP*

```
$result = $api_admin->email_batch_template_generate($params);
```

- *HTML*

```
{{ admin.email_batch_template_generate() }}
```

- *JavaScript*

```
bb.post("admin/email/batch_template_generate", {})
```

admin/email/batch_template_disable

Disable all email templates at once.

API call examples

- *PHP*

```
$result = $api_admin->email_batch_template_disable($params);
```

- *HTML*

```
{{ admin.email_batch_template_disable() }}
```

- *JavaScript*

```
bb.post("admin/email/batch_template_disable", {})
```

admin/email/batch_template_enable

Enable all email templates at once

API call examples

- *PHP*

```
$result = $api_admin->email_batch_template_enable($params);
```

- *HTML*

```
{{ admin.email_batch_template_enable() }}
```

- *JavaScript*

```
bb.post("admin/email/batch_template_enable", {})
```

admin/email/send_test

Sends test email to admins

Required parameters

data type

API call examples

- *PHP*

```
$result = $api_admin->email_send_test($params);
```

- *HTML*

```
{{ admin.email_send_test() }}
```

- *JavaScript*

```
bb.post("admin/email/send_test", {})
```

2.20.7 Example

Example module Admin API

API can be access only by admins

admin/example/get_something

Return list of example objects

API call examples

- *PHP*

```
$result = $api_admin->example_get_something($params);
```

- *HTML*

```
{{ admin.example_get_something() }}
```

- *JavaScript*

```
bb.post("admin/example/get_something", {})
```

2.20.8 Extension

admin/extension/get_list

Get list of active and inactive extensions on system

Optional parameters

installed bool - return installed only extensions

active bool - return installed and core extensions

has_settings bool - return extensions with configuration pages only

search string - filter extensions by search keyword

type string - filter extensions by type

API call examples

- *PHP*

```
$result = $api_admin->extension_get_list($params);
```

- *HTML*

```
{{ admin.extension_get_list() }}
```

- *JavaScript*

```
bb.post("admin/extension/get_list", {})
```

admin/extension/get_latest

Get list of extensions from extensions.boxbilling.com which can be installed on current version of BoxBilling

Required parameters

type string - mod, gateway ...

API call examples

- *PHP*

```
$result = $api_admin->extension_get_latest($params);
```

- *HTML*

```
{{ admin.extension_get_latest() }}
```

- *JavaScript*

```
bb.post("admin/extension/get_latest", {})
```

admin/extension/get_navigation

Get admin area navigation

API call examples

- *PHP*

```
$result = $api_admin->extension_get_navigation($params);
```

- *HTML*

```
{{ admin.extension_get_navigation() }}
```

- *JavaScript*

```
bb.post("admin/extension/get_navigation", {})
```

admin/extension/languages

Get list of available languages on the system

API call examples

- *PHP*

```
$result = $api_admin->extension_languages($params);
```

- *HTML*

```
{{ admin.extension_languages() }}
```

- *JavaScript*

```
bb.post("admin/extension/languages", {})
```

admin/extension/update_core

Update BoxBilling core

API call examples

- *PHP*

```
$result = $api_admin->extension_update_core($params);
```

- *HTML*

```
{{ admin.extension_update_core() }}
```

- *JavaScript*

```
bb.post("admin/extension/update_core", {})
```

admin/extension/update

Update existing extension

Required parameters

type string - extensions type: mod, theme, gateway ...

id string - extension id

API call examples

- *PHP*

```
$result = $api_admin->extension_update($params);
```

- *HTML*

```
{{ admin.extension_update() }}
```

- *JavaScript*

```
bb.post("admin/extension/update", {})
```

admin/extension/activate

Activate existing extension

Required parameters

type string - extensions type: mod, theme, gateway ...

id string - extension id

API call examples

- *PHP*

```
$result = $api_admin->extension_activate($params);
```

- *HTML*

```
{{ admin.extension_activate() }}
```

- *JavaScript*

```
bb.post("admin/extension/activate", {})
```

admin/extension/deactivate

Deactivate existing extension

Required parameters

type string - extensions type: mod, theme, gateway ...

id string - extension id

API call examples

- *PHP*

```
$result = $api_admin->extension_deactivate($params);
```

- *HTML*

```
{{ admin.extension_deactivate() }}
```

- *JavaScript*

```
bb.post("admin/extension/deactivate", {})
```

admin/extension/uninstall

Completely remove extension from BoxBilling

Required parameters

type string - extensions type: mod, theme, gateway ...

id string - extension id

API call examples

- *PHP*

```
$result = $api_admin->extension_uninstall($params);
```

- *HTML*

```
{{ admin.extension_uninstall() }}
```

- *JavaScript*

```
bb.post("admin/extension/uninstall", {})
```

admin/extension/install

Install new extension from extensions site

Required parameters

type string - extensions type: mod, theme, gateway ...

id string - extension id

API call examples

- *PHP*

```
$result = $api_admin->extension_install($params);
```

- *HTML*

```
{{ admin.extension_install() }}
```

- *JavaScript*

```
bb.post("admin/extension/install", {})
```

admin/extension/config_get

Universal method for BoxBilling extensions to retrieve configuration from database

It is recommended to store your extension configuration using this method. Automatic decryption is available

Required parameters

ext string - extension name, ie: mod_news

API call examples

- *PHP*

```
$result = $api_admin->extension_config_get($params);
```

- *HTML*

```
{{ admin.extension_config_get() }}
```

- *JavaScript*

```
bb.post("admin/extension/config_get", {})
```

admin/extension/config_save

Universal method for BoxBilling extensions to update or save extension configuration to database

Always pass all configuration parameters to this method.

Config is automatically encrypted and stored in database

Required parameters

ext string - extension name, ie: mod_news

Optional parameters

any string - Any variable passed to this method is config parameter

API call examples

- *PHP*

```
$result = $api_admin->extension_config_save($params);
```

- *HTML*

```
{{ admin.extension_config_save() }}
```

- *JavaScript*

```
bb.post("admin/extension/config_save", {})
```

2.20.9 Filemanager

File manager

All paths are relative to BoxBilling installation path Files under BoxBilling installation path can not be managed

admin/filemanager/save_file

Save file contents

Required parameters

- path string** - path to the file
- data string** - new file contents

API call examples

- *PHP*

```
$result = $api_admin->filemanager_save_file($params);
```

- *HTML*

```
{{ admin.filemanager_save_file() }}
```

- *JavaScript*

```
bb.post("admin/filemanager/save_file", {})
```

admin/filemanager/new_item

Create new file or directory

Required parameters

- path string** - item save path
- type string** - item type: dir|file

API call examples

- *PHP*

```
$result = $api_admin->filemanager_new_item($params);
```

- *HTML*

```
{{ admin.filemanager_new_item() }}
```

- *JavaScript*

```
bb.post("admin/filemanager/new_item", {})
```

admin/filemanager/move_file

Move/Rename file

Required parameters

- path string** - filepath to file which is going to be moved
- to string** - new folder path. Do not include basename

API call examples

- *PHP*

```
$result = $api_admin->filemanager_move_file($params);
```

- *HTML*

```
{{ admin.filemanager_move_file() }}
```

- *JavaScript*

```
bb.post("admin/filemanager/move_file", {})
```

admin/filemanager/get_list

Get list of files in folder

Optional parameters

path string - directory path to be listed

API call examples

- *PHP*

```
$result = $api_admin->filemanager_get_list($params);
```

- *HTML*

```
{{ admin.filemanager_get_list() }}
```

- *JavaScript*

```
bb.post("admin/filemanager/get_list", {})
```

2.20.10 FormBuilderer

Manage custom orders forms

admin/formbuilder/get_pairs

Get available order forms

API call examples

- *PHP*

```
$result = $api_admin->formbuilder_get_pairs($params);
```

- *HTML*

```
{{ admin.formbuilder_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/formbuilder/get_pairs", {})
```

admin/formbuilder/create

Create or Update custom order form for product

Required parameters

title string - order form title

API call examples

- *PHP*

```
$result = $api_admin->formbuilder_create($params);
```

- *HTML*

```
{{ admin.formbuilder_create() }}
```

- *JavaScript*

```
bb.post("admin/formbuilder/create", {})
```

admin/formbuilder/get

Get custom order form details for product

Required parameters

product_id int - Product id

API call examples

- *PHP*

```
$result = $api_admin->formbuilder_get($params);
```

- *HTML*

```
{{ admin.formbuilder_get() }}
```

- *JavaScript*

```
bb.post("admin/formbuilder/get", {})
```


admin/formbuilder/copy

Duplicate form

Required parameters

id int - form id

API call examples

- *PHP*

```
$result = $api_admin->formbuilder_copy($params);
```

- *HTML*

```
{{ admin.formbuilder_copy() }}
```

- *JavaScript*

```
bb.post("admin/formbuilder/copy", {})
```

admin/formbuilder/import

Import form settings

Required parameters

form string - form data encoded in JSON format

API call examples

- *PHP*

```
$result = $api_admin->formbuilder_import($params);
```

- *HTML*

```
{{ admin.formbuilder_import() }}
```

- *JavaScript*

```
bb.post("admin/formbuilder/import", {})
```

admin/formbuilder/delete

Delete form

Required parameters

id int - form id

API call examples

- *PHP*

```
$result = $api_admin->formbuilder_delete($params);
```

- *HTML*

```
{{ admin.formbuilder_delete() }}
```

- *JavaScript*

```
bb.post("admin/formbuilder/delete", {})
```

admin/formbuilder/update

Update form

Required parameters

id int - form id

API call examples

- *PHP*

```
$result = $api_admin->formbuilder_update($params);
```

- *HTML*

```
{{ admin.formbuilder_update() }}
```

- *JavaScript*

```
bb.post("admin/formbuilder/update", {})
```

admin/formbuilder/addfield

Add new field to form

Required parameters

id int - form id

type int - form field type

label string - form field label

API call examples

- *PHP*

```
$result = $api_admin->formbuilder_addfield($params);
```

- *HTML*

```
{{ admin.formbuilder_addfield() }}
```

- *JavaScript*

```
bb.post("admin/formbuilder/addfield", {})
```

2.20.11 Forum

Forum management

admin/forum/get_pairs

Get pairs of forums

API call examples

- *PHP*

```
$result = $api_admin->forum_get_pairs($params);
```

- *HTML*

```
{{ admin.forum_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/forum/get_pairs", {})
```

admin/forum/get_list

Get paginated list of forums

API call examples

- *PHP*

```
$result = $api_admin->forum_get_list($params);
```

- *HTML*

```
{{ admin.forum_get_list() }}
```

- *JavaScript*

```
bb.post("admin/forum/get_list", {})
```

admin/forum/get_categories

Get forums list grouped by category name

API call examples

- *PHP*

```
$result = $api_admin->forum_get_categories($params);
```

- *HTML*

```
{{ admin.forum_get_categories() }}
```

- *JavaScript*

```
bb.post("admin/forum/get_categories", {})
```

admin/forum/get

Get forum details

Required parameters

id int - forum id

API call examples

- *PHP*

```
$result = $api_admin->forum_get($params);
```

- *HTML*

```
{{ admin.forum_get() }}
```

- *JavaScript*

```
bb.post("admin/forum/get", {})
```

admin/forum/create

Create new forum

Required parameters

title string - new forum title

Optional parameters

category string - new forum category

API call examples

- *PHP*

```
$result = $api_admin->forum_create($params);
```

- *HTML*

```
{{ admin.forum_create() }}
```

- *JavaScript*

```
bb.post("admin/forum/create", {})
```

admin/forum/update

Update existing forum

Required parameters

id int - forum id

Optional parameters

category string - new forum category

title string - new forum title

status string - new forum status

slug string - new forum slug

description string - new forum description

priority string - new forum priority

API call examples

- *PHP*

```
$result = $api_admin->forum_update($params);
```

- *HTML*

```
{{ admin.forum_update() }}
```

- *JavaScript*

```
bb.post("admin/forum/update", {})
```

admin/forum/update_priority

Change forums sorting order

Required parameters

priority array - forum id => priority pairs

API call examples

- *PHP*

```
$result = $api_admin->forum_update_priority($params);
```

- *HTML*

```
{{ admin.forum_update_priority() }}
```

- *JavaScript*

```
bb.post("admin/forum/update_priority", {})
```

admin/forum/delete

Remove forum with all topics

Required parameters

id int - forum id

API call examples

- *PHP*

```
$result = $api_admin->forum_delete($params);
```

- *HTML*

```
{{ admin.forum_delete() }}
```

- *JavaScript*

```
bb.post("admin/forum/delete", {})
```

admin/forum/topic_get_list

Get paginated list of topics

API call examples

- *PHP*

```
$result = $api_admin->forum_topic_get_list($params);
```

- *HTML*

```
{{ admin.forum_topic_get_list() }}
```

- *JavaScript*

```
bb.post("admin/forum/topic_get_list", {})
```

admin/forum/topic_get

Get topic details

Required parameters

id int - topic id

API call examples

- *PHP*

```
$result = $api_admin->forum_topic_get($params);
```

- *HTML*

```
{{ admin.forum_topic_get() }}
```

- *JavaScript*

```
bb.post("admin/forum/topic_get", {})
```

admin/forum/topic_delete

Remove topic

Required parameters

id int - topic id

API call examples

- *PHP*

```
$result = $api_admin->forum_topic_delete($params);
```

- *HTML*

```
{{ admin.forum_topic_delete() }}
```

- *JavaScript*

```
bb.post("admin/forum/topic_delete", {})
```

admin/forum/topic_create

Create new topic

Required parameters

forum_id int - forum id

title string - topic title

message string - topic message

Optional parameters

status string - initial topic status

API call examples

- *PHP*

```
$result = $api_admin->forum_topic_create($params);
```

- *HTML*

```
{{ admin.forum_topic_create() }}
```

- *JavaScript*

```
bb.post("admin/forum/topic_create", {})
```

admin/forum/topic_update

Update forum topic

Required parameters

id int - topic id

Optional parameters

title string - topic title

message string - topic message

status string - topic status

slug **string** - topic slug

views **int** - topic views count

sticky **bool** - topic sticky flag

API call examples

- *PHP*

```
$result = $api_admin->forum_topic_update($params);
```

- *HTML*

```
{{ admin.forum_topic_update() }}
```

- *JavaScript*

```
bb.post("admin/forum/topic_update", {})
```

admin/forum/message_get_list

Get topic messages list

Optional parameters

forum_topic_id **int** - topic id

client_id **int** - filter by client id

with_points **bool** - get messages with points only

API call examples

- *PHP*

```
$result = $api_admin->forum_message_get_list($params);
```

- *HTML*

```
{{ admin.forum_message_get_list() }}
```

- *JavaScript*

```
bb.post("admin/forum/message_get_list", {})
```

admin/forum/message_get

Get forum topic message

Required parameters

id **int** - message id

API call examples

- *PHP*

```
$result = $api_admin->forum_message_get($params);
```

- *HTML*

```
{{ admin.forum_message_get() }}
```

- *JavaScript*

```
bb.post("admin/forum/message_get", {})
```

admin/forum/message_update

Update forum topic message

Required parameters

id int - message id

Optional parameters

message string - topic message

API call examples

- *PHP*

```
$result = $api_admin->forum_message_update($params);
```

- *HTML*

```
{{ admin.forum_message_update() }}
```

- *JavaScript*

```
bb.post("admin/forum/message_update", {})
```

admin/forum/message_delete

Delete topic message

Required parameters

id int - message id

API call examples

- *PHP*

```
$result = $api_admin->forum_message_delete($params);
```

- *HTML*

```
{{ admin.forum_message_delete() }}
```

- *JavaScript*

```
bb.post("admin/forum/message_delete", {})
```

admin/forum/message_create

Post new message to topic

Required parameters

forum_topic_id **int** - forum topic id

message **string** - topic message

API call examples

- *PHP*

```
$result = $api_admin->forum_message_create($params);
```

- *HTML*

```
{{ admin.forum_message_create() }}
```

- *JavaScript*

```
bb.post("admin/forum/message_create", {})
```

admin/forum/points_deduct

Decline post. Post will be considered as not worth the points.

Required parameters

id **int** - message id

API call examples

- *PHP*

```
$result = $api_admin->forum_points_deduct($params);
```

- *HTML*

```
{{ admin.forum_points_deduct() }}
```

- *JavaScript*

```
bb.post("admin/forum/points_deduct", {})
```

admin/forum/points_update

Update total points for client

Required parameters

client_id int - client id

amount float - new points total

API call examples

- *PHP*

```
$result = $api_admin->forum_points_update($params);
```

- *HTML*

```
{{ admin.forum_points_update() }}
```

- *JavaScript*

```
bb.post("admin/forum/points_update", {})
```

admin/forum/profile_get

Client forum profile

Required parameters

client_id int - client id

API call examples

- *PHP*

```
$result = $api_admin->forum_profile_get($params);
```

- *HTML*

```
{{ admin.forum_profile_get() }}
```

- *JavaScript*

```
bb.post("admin/forum/profile_get", {})
```

2.20.12 Hook

Hooks management module

admin/hook/get_list

Get paginated list of hooks

API call examples

- *PHP*

```
$result = $api_admin->hook_get_list($params);
```

- *HTML*

```
{{ admin.hook_get_list() }}
```

- *JavaScript*

```
bb.post("admin/hook/get_list", {})
```

admin/hook/call

Invoke hook with params

Required parameters

event string - event name, ie: onEventBeforeInvoiceIsDue

Optional parameters

params array - what params are passed to event method `$event->getParams()`

API call examples

- *PHP*

```
$result = $api_admin->hook_call($params);
```

- *HTML*

```
{{ admin.hook_call() }}
```

- *JavaScript*

```
bb.post("admin/hook/call", {})
```

admin/hook/batch_connect

Reinstall and activate all existing hooks from module or all activated modules. Does not connect already connected event

Optional parameters

mod string - module name to connect hooks

API call examples

- *PHP*

```
$result = $api_admin->hook_batch_connect($params);
```

- *HTML*

```
{{ admin.hook_batch_connect() }}
```

- *JavaScript*

```
bb.post("admin/hook/batch_connect", {})
```

2.20.13 Invoice

Invoice management API

admin/invoice/get_list

Returns paginated list of invoices

API call examples

- *PHP*

```
$result = $api_admin->invoice_get_list($params);
```

- *HTML*

```
{{ admin.invoice_get_list() }}
```

- *JavaScript*

```
bb.post("admin/invoice/get_list", {})
```

admin/invoice/get

Get invoice details

Required parameters

id int - invoice id

API call examples

- *PHP*

```
$result = $api_admin->invoice_get($params);
```

- *HTML*

```
{{ admin.invoice_get() }}
```

- *JavaScript*

```
bb.post("admin/invoice/get", {})
```

admin/invoice/mark_as_paid

Sets invoice status to paid. This method differs from invoice update method in a way that it sends notification to Events system, so emails are sent.

Also this will try to automatically apply payment if clients balance is available

Required parameters

id int - invoice id

Optional parameters

execute bool - execute related tasks on invoice items. Default false.

API call examples

- *PHP*

```
$result = $api_admin->invoice_mark_as_paid($params);
```

- *HTML*

```
{{ admin.invoice_mark_as_paid() }}
```

- *JavaScript*

```
bb.post("admin/invoice/mark_as_paid", {})
```

admin/invoice/prepare

Prepare invoice for editing and updating. Uses clients details, such as currency assigned to client.

If client currency is not defined, sets default currency for client

Required parameters

client_id int - Client id. Client must have defined currency on profile.

Optional parameters

approve bool - set true to approve invoice after preparation. Defaults to false

gateway_id int - Selected payment gateway id

items array - list of invoice lines. One line is array of line parameters

text_1 string - text to be displayed before invoice items table

text_2 string - text to be displayed after invoice items table

API call examples

- *PHP*

```
$result = $api_admin->invoice_prepare($params);
```

- *HTML*

```
{{ admin.invoice_prepare() }}
```

- *JavaScript*

```
bb.post("admin/invoice/prepare", {})
```

admin/invoice/approve

Approve invoice.

Required parameters

id int - invoice id

use_credits bool - default = false

API call examples

- *PHP*

```
$result = $api_admin->invoice_approve($params);
```

- *HTML*

```
{{ admin.invoice_approve() }}
```

- *JavaScript*

```
bb.post("admin/invoice/approve", {})
```


admin/invoice/refund

Add refunds

Required parameters

id int - invoice id

Optional parameters

note string - note for refund

API call examples

- *PHP*

```
$result = $api_admin->invoice_refund($params);
```

- *HTML*

```
{{ admin.invoice_refund() }}
```

- *JavaScript*

```
bb.post("admin/invoice/refund", {})
```

admin/invoice/update

Update invoice details

Required parameters

id int - invoice id

Optional parameters

paid_at string - Invoice payment date (Y-m-d) or empty to remove

due_at string - Invoice due date (Y-m-d) or empty to remove

created_at string - Invoice issue date (Y-m-d) or empty to remove

serie string - Invoice serie

nr string - Invoice number

status string - Invoice status: paid/unpaid

taxrate string - Invoice tax rate

taxname string - Invoice tax name

approved bool - flag to set invoice as approved. Approved invoices are visible to clients

notes string - notes
gateway_id int - selected payment method - gateway id
new_item array - [title] [price]
text_1 string - Custom invoice text 1
text_2 string - Custom invoice text 1
seller_company string - Seller company name
seller_company_vat string - Seller company VAT number
seller_company_number string - Seller company number
seller_address string - Seller address
seller_phone string - Seller phone
seller_email string - Seller email
buyer_first_name string - Buyer first name
buyer_last_name string - Buyer last name
buyer_company string - Buyer company name
buyer_company_vat string - Buyer company VAT number
buyer_company_number string - Buyer company number
buyer_address string - Buyer address
buyer_city string - Buyer city
buyer_state string - Buyer state
buyer_country string - Buyer country
buyer_zip string - Buyer zip
buyer_phone string - Buyer phone
buyer_email string - Buyer email

API call examples

- *PHP*

```
$result = $api_admin->invoice_update($params);
```

- *HTML*

```
{{ admin.invoice_update() }}
```

- *JavaScript*

```
bb.post("admin/invoice/update", {})
```

admin/invoice/item_delete

Remove one line from invoice

Required parameters

id int - invoice line id

API call examples

- *PHP*

```
$result = $api_admin->invoice_item_delete($params);
```

- *HTML*

```
{{ admin.invoice_item_delete() }}
```

- *JavaScript*

```
bb.post("admin/invoice/item_delete", {})
```

admin/invoice/delete

Delete invoice

Required parameters

id int - Invoice id

API call examples

- *PHP*

```
$result = $api_admin->invoice_delete($params);
```

- *HTML*

```
{{ admin.invoice_delete() }}
```

- *JavaScript*

```
bb.post("admin/invoice/delete", {})
```

admin/invoice/renewal_invoice

Generates new invoice for order. If unpaid invoice for selected order already exists, new invoice will not be generated, and existing invoice id

is returned

Required parameters

id int - ID of order to generate new invoice for

Optional parameters

due_days int - Days number until invoice is due

API call examples

- *PHP*

```
$result = $api_admin->invoice_renewal_invoice($params);
```

- *HTML*

```
{{ admin.invoice_renewal_invoice() }}
```

- *JavaScript*

```
bb.post("admin/invoice/renewal_invoice", {})
```

admin/invoice/batch_pay_with_credits

Use credits to pay for invoices if credits are available in clients balance

Optional parameters

client_id int - cover only one client invoices

API call examples

- *PHP*

```
$result = $api_admin->invoice_batch_pay_with_credits($params);
```

- *HTML*

```
{{ admin.invoice_batch_pay_with_credits() }}
```

- *JavaScript*

```
bb.post("admin/invoice/batch_pay_with_credits", {})
```

admin/invoice/batch_generate

Generate invoices for expiring orders

API call examples

- *PHP*

```
$result = $api_admin->invoice_batch_generate($params);
```

- *HTML*

```
{{ admin.invoice_batch_generate() }}
```

- *JavaScript*

```
bb.post("admin/invoice/batch_generate", {})
```

admin/invoice/batch_activate_paid

Action to activate paid invoices lines

API call examples

- *PHP*

```
$result = $api_admin->invoice_batch_activate_paid($params);
```

- *HTML*

```
{{ admin.invoice_batch_activate_paid() }}
```

- *JavaScript*

```
bb.post("admin/invoice/batch_activate_paid", {})
```

admin/invoice/batch_send_reminders

Send buyer reminders about upcoming payment

API call examples

- *PHP*

```
$result = $api_admin->invoice_batch_send_reminders($params);
```

- *HTML*

```
{{ admin.invoice_batch_send_reminders() }}
```

- *JavaScript*

```
bb.post("admin/invoice/batch_send_reminders", {})
```

admin/invoice/batch_invoke_due_event

Calls due events on unpaid and approved invoices. Attach custom event hooks events:

onEventBeforeInvoiceIsDue - event receives params: id and days_left
onEventAfterInvoiceIsDue - event receives params: id and days_passed

Optional parameters

once_per_day **bool** - default true. Pass false if you want to execute this action more than once per day

API call examples

- *PHP*

```
$result = $api_admin->invoice_batch_invoke_due_event($params);
```

- *HTML*

```
{{ admin.invoice_batch_invoke_due_event() }}
```

- *JavaScript*

```
bb.post("admin/invoice/batch_invoke_due_event", {})
```

admin/invoice/send_reminder

Send payment reminder notification for client. Calls event hook, so you can attach your custom notification code

Required parameters

id int - invoice id

API call examples

- *PHP*

```
$result = $api_admin->invoice_send_reminder($params);
```

- *HTML*

```
{{ admin.invoice_send_reminder() }}
```

- *JavaScript*

```
bb.post("admin/invoice/send_reminder", {})
```

admin/invoice/get_statuses

Return invoice statuses with counter

API call examples

- *PHP*

```
$result = $api_admin->invoice_get_statuses($params);
```

- *HTML*

```
{{ admin.invoice_get_statuses() }}
```

- *JavaScript*

```
bb.post("admin/invoice/get_statuses", {})
```

admin/invoice/transaction_process_all

Process all received transactions

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_process_all($params);
```

- *HTML*

```
{{ admin.invoice_transaction_process_all() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_process_all", {})
```

admin/invoice/transaction_process

Process selected transaction

Required parameters

id int - Transaction id

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_process($params);
```

- *HTML*

```
{{ admin.invoice_transaction_process() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_process", {})
```

admin/invoice/transaction_update

Update transaction details

Required parameters

id int - transaction id

Optional parameters

- invoice_id int** - new invoice id
- txn_id string** - transaction id on payment gateway
- txn_status string** - transaction status on payment gateway
- gateway_id int** - Payment gateway ID on BoxBilling
- amount float** - Transaction amount
- currency string** - Currency code. Must be available on BoxBilling
- type string** - Currency code. Must be available on BoxBilling
- status string** - Transaction status on BoxBilling
- validate_ipn bool** - Flag to enable and disable IPN validation for this transaction
- note string** - Custom note

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_update($params);
```

- *HTML*

```
{{ admin.invoice_transaction_update() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_update", {})
```

admin/invoice/transaction_create

Create custom transaction

Required parameters

- bb_invoice_id int** - BoxBilling invoice id
- bb_gateway_id int** - BoxBilling gateway id

Optional parameters

- get array** - \$_GET data
- post array** - \$_POST data
- server array** - \$_SERVER data
- http_raw_post_data array** - file_get_contents("php://input")
- txn_id string** - transaction id on payment gateway
- skip_validation bool** - makes params bb_invoice_id and bb_gateway_id optional

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_create($params);
```

- *HTML*

```
{{ admin.invoice_transaction_create() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_create", {})
```

admin/invoice/transaction_delete

Remove transaction

Required parameters

id int - Transaction id

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_delete($params);
```

- *HTML*

```
{{ admin.invoice_transaction_delete() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_delete", {})
```

admin/invoice/transaction_get

Get transaction details

Required parameters

id int - Transaction id

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_get($params);
```

- *HTML*

```
{{ admin.invoice_transaction_get() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_get", {})
```

admin/invoice/transaction_get_list

Get paginated list of transactions

Optional parameters

txn_id string - search for transactions by transaction id on payment gateway

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_get_list($params);
```

- *HTML*

```
{{ admin.invoice_transaction_get_list() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_get_list", {})
```

admin/invoice/transaction_get_statuses

Return transactions statuses with counter

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_get_statuses($params);
```

- *HTML*

```
{{ admin.invoice_transaction_get_statuses() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_get_statuses", {})
```

admin/invoice/transaction_get_statuses_pairs

Get available transaction statuses

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_get_statuses_pairs($params);
```

- *HTML*

```
{{ admin.invoice_transaction_get_statuses_pairs() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_get_statuses_pairs", {})
```

admin/invoice/transaction_statuses

Get available transaction statuses

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_statuses($params);
```

- *HTML*

```
{{ admin.invoice_transaction_statuses() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_statuses", {})
```

admin/invoice/transaction_gateway_statuses

Get available transaction statuses on gateways

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_gateway_statuses($params);
```

- *HTML*

```
{{ admin.invoice_transaction_gateway_statuses() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_gateway_statuses", {})
```

admin/invoice/transaction_types

Get available transaction types

API call examples

- *PHP*

```
$result = $api_admin->invoice_transaction_types($params);
```

- *HTML*

```
{{ admin.invoice_transaction_types() }}
```

- *JavaScript*

```
bb.post("admin/invoice/transaction_types", {})
```

admin/invoice/gateway_get_list

Get available gateways

API call examples

- *PHP*

```
$result = $api_admin->invoice_gateway_get_list($params);
```

- *HTML*

```
{{ admin.invoice_gateway_get_list() }}
```

- *JavaScript*

```
bb.post("admin/invoice/gateway_get_list", {})
```

admin/invoice/gateway_get_pairs

Get available gateways pairs

API call examples

- *PHP*

```
$result = $api_admin->invoice_gateway_get_pairs($params);
```

- *HTML*

```
{{ admin.invoice_gateway_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/invoice/gateway_get_pairs", {})
```

admin/invoice/gateway_get_available

Return existing module but not activated

Required parameters

:: none

API call examples

- *PHP*

```
$result = $api_admin->invoice_gateway_get_available($params);
```

- *HTML*

```
{{ admin.invoice_gateway_get_available() }}
```

- *JavaScript*

```
bb.post("admin/invoice/gateway_get_available", {})
```

admin/invoice/gateway_install

Install available payment gateway

Required parameters

:: **code** - available payment gateway code

API call examples

- *PHP*

```
$result = $api_admin->invoice_gateway_install($params);
```

- *HTML*

```
{{ admin.invoice_gateway_install() }}
```

- *JavaScript*

```
bb.post("admin/invoice/gateway_install", {})
```

admin/invoice/gateway_get

Get gateway details

Required parameters

id int - gateway id

API call examples

- *PHP*

```
$result = $api_admin->invoice_gateway_get($params);
```

- *HTML*

```
{{ admin.invoice_gateway_get() }}
```

- *JavaScript*

```
bb.post("admin/invoice/gateway_get", {})
```

admin/invoice/gateway_copy

Copy gateway from existing one

Required parameters

id int - id of gateway to be copied

API call examples

- *PHP*

```
$result = $api_admin->invoice_gateway_copy($params);
```

- *HTML*

```
{{ admin.invoice_gateway_copy() }}
```

- *JavaScript*

```
bb.post("admin/invoice/gateway_copy", {})
```

admin/invoice/gateway_update

Change gateway settings

Required parameters

id int - gateway id

Optional parameters

title string - gateway title

config array - gateway config array

accepted_currencies array - list of currencies this gateway supports

enabled bool - flag to enable or disable gateway

allow_single bool - flag to enable or disable single payment option

allow_recurrent bool - flag to enable or disable recurrent payment option

test_mode bool - flag to enable or disable test mode for gateway

API call examples

- *PHP*

```
$result = $api_admin->invoice_gateway_update($params);
```

- *HTML*

```
{{ admin.invoice_gateway_update() }}
```

- *JavaScript*

```
bb.post("admin/invoice/gateway_update", {})
```

admin/invoice/gateway_delete

Remove payment gateway from system

Required parameters

id int - gateway id

API call examples

- *PHP*

```
$result = $api_admin->invoice_gateway_delete($params);
```

- *HTML*

```
{{ admin.invoice_gateway_delete() }}
```

- *JavaScript*

```
bb.post("admin/invoice/gateway_delete", {})
```

admin/invoice/subscription_get_list

Get list of subscriptions

API call examples

- *PHP*

```
$result = $api_admin->invoice_subscription_get_list($params);
```

- *HTML*

```
{{ admin.invoice_subscription_get_list() }}
```

- *JavaScript*

```
bb.post("admin/invoice/subscription_get_list", {})
```

admin/invoice/subscription_create

Add new subscription

Required parameters

client_id int - client id
gateway_id int - payment gateway id
currency string - currency

Optional parameters

sid string - subscription id on payment gateway
status string - status: active|canceled
period string - example: 1W - every week, 2M - every 2 months
amount string - billed amount
rel_type string - related item type
rel_id string - related item id

API call examples

- *PHP*

```
$result = $api_admin->invoice_subscription_create($params);
```

- *HTML*

```
{{ admin.invoice_subscription_create() }}
```

- *JavaScript*

```
bb.post("admin/invoice/subscription_create", {})
```

admin/invoice/subscription_update

Update subscription options

Required parameters

id int - subscription id

Optional parameters

- status int** - subscription status
- sid string** - subscription id on payment gateway
- period string** - subscription period code
- amount string** - subscription amount
- currency string** - subscription currency

API call examples

- *PHP*

```
$result = $api_admin->invoice_subscription_update($params);
```

- *HTML*

```
{{ admin.invoice_subscription_update() }}
```

- *JavaScript*

```
bb.post("admin/invoice/subscription_update", {})
```

admin/invoice/subscription_get

Get subscription details.

Required parameters

- id int** - subscription id
- sid string** - subscription id on payment gateway - required if id is not passed

API call examples

- *PHP*

```
$result = $api_admin->invoice_subscription_get($params);
```

- *HTML*

```
{{ admin.invoice_subscription_get() }}
```

- *JavaScript*

```
bb.post("admin/invoice/subscription_get", {})
```

admin/invoice/subscription_delete

Remove subscription

Required parameters

id int - subscription id

API call examples

- *PHP*

```
$result = $api_admin->invoice_subscription_delete($params);
```

- *HTML*

```
{{ admin.invoice_subscription_delete() }}
```

- *JavaScript*

```
bb.post("admin/invoice/subscription_delete", {})
```

admin/invoice/tax_delete

Remove tax rule

Required parameters

id int - tax id

API call examples

- *PHP*

```
$result = $api_admin->invoice_tax_delete($params);
```

- *HTML*

```
{{ admin.invoice_tax_delete() }}
```

- *JavaScript*

```
bb.post("admin/invoice/tax_delete", {})
```

admin/invoice/tax_create

Create new tax rule

Required parameters

name string - tax name

taxrate float - tax rate

API call examples

- *PHP*

```
$result = $api_admin->invoice_tax_create($params);
```

- *HTML*

```
{{ admin.invoice_tax_create() }}
```

- *JavaScript*

```
bb.post("admin/invoice/tax_create", {})
```

admin/invoice/tax_get_list

Get list of taxes

API call examples

- *PHP*

```
$result = $api_admin->invoice_tax_get_list($params);
```

- *HTML*

```
{{ admin.invoice_tax_get_list() }}
```

- *JavaScript*

```
bb.post("admin/invoice/tax_get_list", {})
```

admin/invoice/tax_setup_eu

Automatically setup the EU VAT tax rules for you for all EU Member States. This action will delete any existing tax rules and configure the VAT rates

for all EU countries.

Required parameters

name *string* - VAT label

taxrate *string* - VAT rate

API call examples

- *PHP*

```
$result = $api_admin->invoice_tax_setup_eu($params);
```

- *HTML*

```
{{ admin.invoice_tax_setup_eu() }}
```

- *JavaScript*

```
bb.post("admin/invoice/tax_setup_eu", {})
```

2.20.14 Kb

Knowledge base API

admin/kb/article_get_list

Get paginated list of knowledge base articles

API call examples

- *PHP*

```
$result = $api_admin->kb_article_get_list($params);
```

- *HTML*

```
{{ admin.kb_article_get_list() }}
```

- *JavaScript*

```
bb.post("admin/kb/article_get_list", {})
```

admin/kb/article_get

Get knowledge base article

Required parameters

id int - knowledge base article ID

API call examples

- *PHP*

```
$result = $api_admin->kb_article_get($params);
```

- *HTML*

```
{{ admin.kb_article_get() }}
```

- *JavaScript*

```
bb.post("admin/kb/article_get", {})
```

admin/kb/article_create

Create new knowledge base article

Required parameters

kb_article_category_id int - knowledge base category ID

title string - knowledge base article title

Optional parameters

status string - knowledge base article status

content string - knowledge base article content

API call examples

- *PHP*

```
$result = $api_admin->kb_article_create($params);
```

- *HTML*

```
{{ admin.kb_article_create() }}
```

- *JavaScript*

```
bb.post("admin/kb/article_create", {})
```

admin/kb/article_update

Update knowledge base article

Required parameters

id int - knowledge base article ID

Optional parameters

title string - knowledge base article title

kb_article_category_id int - knowledge base category ID

slug string - knowledge base article slug

status string - knowledge base article status

content string - knowledge base article content

views int - knowledge base article views counter

API call examples

- *PHP*

```
$result = $api_admin->kb_article_update($params);
```

- *HTML*

```
{{ admin.kb_article_update() }}
```

- *JavaScript*

```
bb.post("admin/kb/article_update", {})
```

admin/kb/article_delete

Delete knowledge base article

Required parameters

id int - knowledge base article ID

API call examples

- *PHP*

```
$result = $api_admin->kb_article_delete($params);
```

- *HTML*

```
{{ admin.kb_article_delete() }}
```

- *JavaScript*

```
bb.post("admin/kb/article_delete", {})
```

admin/kb/category_get_list

Get paginated list of knowledge base categories

API call examples

- *PHP*

```
$result = $api_admin->kb_category_get_list($params);
```

- *HTML*

```
{{ admin.kb_category_get_list() }}
```

- *JavaScript*

```
bb.post("admin/kb/category_get_list", {})
```

admin/kb/category_get

Get knowledge base category

Required parameters

id int - knowledge base category ID

API call examples

- *PHP*

```
$result = $api_admin->kb_category_get($params);
```

- *HTML*

```
{{ admin.kb_category_get() }}
```

- *JavaScript*

```
bb.post("admin/kb/category_get", {})
```

admin/kb/category_create

Create new knowledge base category

Required parameters

title string - knowledge base category title

Optional parameters

description string - knowledge base category description

API call examples

- *PHP*

```
$result = $api_admin->kb_category_create($params);
```

- *HTML*

```
{{ admin.kb_category_create() }}
```

- *JavaScript*

```
bb.post("admin/kb/category_create", {})
```

admin/kb/category_update

Update knowledge base category

Required parameters

id int - knowledge base category ID

Optional parameters

title string - knowledge base category title

slug string - knowledge base category slug

description string - knowledge base category description

API call examples

- *PHP*

```
$result = $api_admin->kb_category_update($params);
```

- *HTML*

```
{{ admin.kb_category_update() }}
```

- *JavaScript*

```
bb.post("admin/kb/category_update", {})
```

admin/kb/category_delete

Delete knowledge base category

Required parameters

id int - knowledge base category ID

API call examples

- *PHP*

```
$result = $api_admin->kb_category_delete($params);
```

- *HTML*

```
{{ admin.kb_category_delete() }}
```

- *JavaScript*

```
bb.post("admin/kb/category_delete", {})
```


admin/kb/category_get_pairs

Get knowledge base categories id, title pairs

API call examples

- *PHP*

```
$result = $api_admin->kb_category_get_pairs($params);
```

- *HTML*

```
{{ admin.kb_category_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/kb/category_get_pairs", {})
```

2.20.15 Massmailer

admin/massmailer/get_list

Get paginated list of active mail messages

Optional parameters

status string - filter list by status

search string - search query to search for mail messages

API call examples

- *PHP*

```
$result = $api_admin->massmailer_get_list($params);
```

- *HTML*

```
{{ admin.massmailer_get_list() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/get_list", {})
```

admin/massmailer/get

Get mail message by id

Required parameters

id int - mail message ID

API call examples

- *PHP*

```
$result = $api_admin->massmailer_get($params);
```

- *HTML*

```
{{ admin.massmailer_get() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/get", {})
```

admin/massmailer/update

Update mail message

Required parameters

id int - mail message id

Optional parameters

subject string - mail message title

content string - mail message content

status string - mail message status

from_name string - mail message email from name

from_email string - mail message email from email

filter array - filter parameters to select clients

API call examples

- *PHP*

```
$result = $api_admin->massmailer_update($params);
```

- *HTML*

```
{{ admin.massmailer_update() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/update", {})
```

admin/massmailer/create

Create mail message

Required parameters

subject string - mail message subject

Optional parameters

content string - mail message content

API call examples

- *PHP*

```
$result = $api_admin->massmailer_create($params);
```

- *HTML*

```
{{ admin.massmailer_create() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/create", {})
```

admin/massmailer/send_test

Send test mail message by ID to client

Required parameters

id int - mail message ID

API call examples

- *PHP*

```
$result = $api_admin->massmailer_send_test($params);
```

- *HTML*

```
{{ admin.massmailer_send_test() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/send_test", {})
```

admin/massmailer/send

Send mail message by ID

Required parameters

id int - mail message ID

API call examples

- *PHP*

```
$result = $api_admin->massmailer_send($params);
```

- *HTML*

```
{{ admin.massmailer_send() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/send", {})
```

admin/massmailer/copy

Copy mail message by ID

Required parameters

id int - mail message ID

API call examples

- *PHP*

```
$result = $api_admin->massmailer_copy($params);
```

- *HTML*

```
{{ admin.massmailer_copy() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/copy", {})
```

admin/massmailer/receivers

Get message receivers list

Required parameters

id int - mail message ID

API call examples

- *PHP*

```
$result = $api_admin->massmailer_receivers($params);
```

- *HTML*

```
{{ admin.massmailer_receivers() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/receivers", {})
```

admin/massmailer/delete

Delete mail message by ID

Required parameters

id int - mail message ID

API call examples

- *PHP*

```
$result = $api_admin->massmailer_delete($params);
```

- *HTML*

```
{{ admin.massmailer_delete() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/delete", {})
```

admin/massmailer/preview

Generate preview text

Required parameters

id int - message id

API call examples

- *PHP*

```
$result = $api_admin->massmailer_preview($params);
```

- *HTML*

```
{{ admin.massmailer_preview() }}
```

- *JavaScript*

```
bb.post("admin/massmailer/preview", {})
```

2.20.16 News

News management

admin/news/get_list

Get paginated list of active news items

API call examples

- *PHP*

```
$result = $api_admin->news_get_list($params);
```

- *HTML*

```
{{ admin.news_get_list() }}
```

- *JavaScript*

```
bb.post("admin/news/get_list", {})
```

admin/news/get

Get news item by ID

Required parameters

id int - news item ID

API call examples

- *PHP*

```
$result = $api_admin->news_get($params);
```

- *HTML*

```
{{ admin.news_get() }}
```

- *JavaScript*

```
bb.post("admin/news/get", {})
```

admin/news/update

Update news item.

Required parameters

id int - news item ID

Optional parameters

- title string** - news item title
- slug string** - news item slug
- content string** - news item content
- status string** - news item status

API call examples

- *PHP*

```
$result = $api_admin->news_update($params);
```

- *HTML*

```
{{ admin.news_update() }}
```

- *JavaScript*

```
bb.post("admin/news/update", {})
```

admin/news/create

Creat new news item.

Required parameters

- title string** - news item title

Optional parameters

- content string** - news item content
- status string** - news item status

API call examples

- *PHP*

```
$result = $api_admin->news_create($params);
```

- *HTML*

```
{{ admin.news_create() }}
```

- *JavaScript*

```
bb.post("admin/news/create", {})
```

admin/news/delete

Delete news item by ID

Required parameters

id int - news item ID

API call examples

- *PHP*

```
$result = $api_admin->news_delete($params);
```

- *HTML*

```
{{ admin.news_delete() }}
```

- *JavaScript*

```
bb.post("admin/news/delete", {})
```

2.20.17 Notification

Notifications center management.

Notifications are important messages for staff messages to get informed about important events on BoxBilling.

For example cron job can inform staff members

admin/notification/get_list

Get paginated list of notifications

API call examples

- *PHP*

```
$result = $api_admin->notification_get_list($params);
```

- *HTML*

```
{{ admin.notification_get_list() }}
```

- *JavaScript*

```
bb.post("admin/notification/get_list", {})
```

admin/notification/get

Get notification message

Required parameters

id int - message id

API call examples

- *PHP*

```
$result = $api_admin->notification_get($params);
```

- *HTML*

```
{{ admin.notification_get() }}
```

- *JavaScript*

```
bb.post("admin/notification/get", {})
```

admin/notification/add

Add new notification message

Required parameters

message string - message text

API call examples

- *PHP*

```
$result = $api_admin->notification_add($params);
```

- *HTML*

```
{{ admin.notification_add() }}
```

- *JavaScript*

```
bb.post("admin/notification/add", {})
```

admin/notification/delete

Remove notification message

Required parameters

id int - message id

API call examples

- *PHP*

```
$result = $api_admin->notification_delete($params);
```

- *HTML*

```
{{ admin.notification_delete() }}
```

- *JavaScript*

```
bb.post("admin/notification/delete", {})
```

admin/notification/delete_all

Remove all notification messages

API call examples

- *PHP*

```
$result = $api_admin->notification_delete_all($params);
```

- *HTML*

```
{{ admin.notification_delete_all() }}
```

- *JavaScript*

```
bb.post("admin/notification/delete_all", {})
```

2.20.18 Order

Orders management

admin/order/get

Get order details

Required parameters

id int - Order id

API call examples

- *PHP*

```
$result = $api_admin->order_get($params);
```

- *HTML*

```
{{ admin.order_get() }}
```

- *JavaScript*

```
bb.post("admin/order/get", {})
```

admin/order/get_list

Return paginated list of orders

Optional parameters

date_from string - show only order places after this date

date_to string - show only order places till this date

API call examples

- *PHP*

```
$result = $api_admin->order_get_list($params);
```

- *HTML*

```
{{ admin.order_get_list() }}
```

- *JavaScript*

```
bb.post("admin/order/get_list", {})
```

admin/order/create

Place new order for client. Admin is able to order disabled products.

Required parameters

client_id int - Client id

product_id int - Product id to be ordered

Optional parameters

config array - Depending on product type, you may need to pass product configuration options

quantity int - Quantity of products to order. Default 1

price float - Overridden unit price in default currency. Default is product price for selected period.

group_id string - Order group id. Assign order to be as an addon for other order

currency string - Order currency. If not passed, default is used

title string - Order title. If not passed, product title is used

activate bool - activate immediately

invoice_option string - Options: “no-invoice”, “issue-invoice”; Default: no-invoice

created_at string - date when order was created. Default: now

updated_at string - date when order was updated. Default: now

API call examples

- *PHP*

```
$result = $api_admin->order_create($params);
```

- *HTML*

```
{{ admin.order_create() }}
```

- *JavaScript*

```
bb.post("admin/order/create", {})
```

admin/order/update

Update order settings

Required parameters

id int - Order id

Optional parameters

period string - Order billing period, ie: 1Y

expires_at string - Order expiration date, ie: 2022-12-29

activated_at string - Order activation date, ie: 2022-12-29

title string - new order title

price string - new order price, new invoice will be issued with this amount

status string - manual orders status change. Does not perform action on service

notes string - order notes

meta array - list of meta properties

API call examples

- *PHP*

```
$result = $api_admin->order_update($params);
```

- *HTML*

```
{{ admin.order_update() }}
```

- *JavaScript*

```
bb.post("admin/order/update", {})
```

admin/order/activate

Activate order depending on current status.

Required parameters

id int - Order id

Optional parameters

force bool - Skip order status checking. Force activate even active order

API call examples

- *PHP*

```
$result = $api_admin->order_activate($params);
```

- *HTML*

```
{{ admin.order_activate() }}
```

- *JavaScript*

```
bb.post("admin/order/activate", {})
```

admin/order/renew

Activate order depending on current status.

Required parameters

id int - Order id

API call examples

- *PHP*

```
$result = $api_admin->order_renew($params);
```

- *HTML*

```
{{ admin.order_renew() }}
```

- *JavaScript*

```
bb.post("admin/order/renew", {})
```

admin/order/suspend

Suspend order

Required parameters

id int - Order id

Optional parameters

reason string - Suspension reason message

skip_event bool - Skip calling event hooks

API call examples

- *PHP*

```
$result = $api_admin->order_suspend($params);
```

- *HTML*

```
{{ admin.order_suspend() }}
```

- *JavaScript*

```
bb.post("admin/order/suspend", {})
```

admin/order/unsuspend

Unsuspend suspended order

Required parameters

id int - Order id

API call examples

- *PHP*

```
$result = $api_admin->order_unsuspend($params);
```

- *HTML*

```
{{ admin.order_unsuspend() }}
```

- *JavaScript*

```
bb.post("admin/order/unsuspend", {})
```

admin/order/cancel

Cancel order

Required parameters

id int - Order id

Optional parameters

skip_event bool - Skip calling event hooks

API call examples

- *PHP*

```
$result = $api_admin->order_cancel($params);
```

- *HTML*

```
{{ admin.order_cancel() }}
```

- *JavaScript*

```
bb.post("admin/order/cancel", {})
```

admin/order/uncancel

Uncancel canceled order

Required parameters

id int - Order id

API call examples

- *PHP*

```
$result = $api_admin->order_uncancel($params);
```

- *HTML*

```
{{ admin.order_uncancel() }}
```

- *JavaScript*

```
bb.post("admin/order/uncancel", {})
```

admin/order/delete

Delete order

Required parameters

id int - Order id

Optional parameters

delete_addons bool - Remove addons also. Default false.

API call examples

- *PHP*

```
$result = $api_admin->order_delete($params);
```

- *HTML*

```
{{ admin.order_delete() }}
```

- *JavaScript*

```
bb.post("admin/order/delete", {})
```

admin/order/batch_suspend_expired

Suspend all expired orders.

API call examples

- *PHP*

```
$result = $api_admin->order_batch_suspend_expired($params);
```

- *HTML*

```
{{ admin.order_batch_suspend_expired() }}
```

- *JavaScript*

```
bb.post("admin/order/batch_suspend_expired", {})
```

admin/order/update_config

Update order config

Required parameters

id int - Order id

config array - list of key value pairs of configuration fields

API call examples

- *PHP*

```
$result = $api_admin->order_update_config($params);
```

- *HTML*

```
{{ admin.order_update_config() }}
```

- *JavaScript*

```
bb.post("admin/order/update_config", {})
```

admin/order/service

Get order service data

Required parameters

id int - Order id

API call examples

- *PHP*

```
$result = $api_admin->order_service($params);
```

- *HTML*

```
{{ admin.order_service() }}
```

- *JavaScript*

```
bb.post("admin/order/service", {})
```

admin/order/status_history_get_list

Get paginated order statuses history list

Required parameters

id int - Order id

API call examples

- *PHP*

```
$result = $api_admin->order_status_history_get_list($params);
```

- *HTML*

```
{{ admin.order_status_history_get_list() }}
```

- *JavaScript*

```
bb.post("admin/order/status_history_get_list", {})
```

admin/order/status_history_add

Add order status history change

Required parameters

id int - Order id

status string - order status

API call examples

- *PHP*

```
$result = $api_admin->order_status_history_add($params);
```

- *HTML*

```
{{ admin.order_status_history_add() }}
```

- *JavaScript*

```
bb.post("admin/order/status_history_add", {})
```

admin/order/status_history_delete

Remove order status history item

Required parameters

id int - History line id

API call examples

- *PHP*

```
$result = $api_admin->order_status_history_delete($params);
```

- *HTML*

```
{{ admin.order_status_history_delete() }}
```

- *JavaScript*

```
bb.post("admin/order/status_history_delete", {})
```

admin/order/get_statuses

Return order statuses codes with counter

API call examples

- *PHP*

```
$result = $api_admin->order_get_statuses($params);
```

- *HTML*

```
{{ admin.order_get_statuses() }}
```

- *JavaScript*

```
bb.post("admin/order/get_statuses", {})
```

admin/order/get_invoice_options

Return available invoice options

API call examples

- *PHP*

```
$result = $api_admin->order_get_invoice_options($params);
```

- *HTML*

```
{{ admin.order_get_invoice_options() }}
```

- *JavaScript*

```
bb.post("admin/order/get_invoice_options", {})
```

admin/order/get_status_pairs

Return order statuses codes with titles

API call examples

- *PHP*

```
$result = $api_admin->order_get_status_pairs($params);
```

- *HTML*

```
{{ admin.order_get_status_pairs() }}
```

- *JavaScript*

```
bb.post("admin/order/get_status_pairs", {})
```

admin/order/addons

Return order addons list

Required parameters

id int - Order id

API call examples

- *PHP*

```
$result = $api_admin->order_addons($params);
```

- *HTML*

```
{{ admin.order_addons() }}
```

- *JavaScript*

```
bb.post("admin/order/addons", {})
```

2.20.19 Product

Products management

admin/product/get_list

Get paginated list of products

API call examples

- *PHP*

```
$result = $api_admin->product_get_list($params);
```

- *HTML*

```
{{ admin.product_get_list() }}
```

- *JavaScript*

```
bb.post("admin/product/get_list", {})
```

admin/product/get_pairs

Get product pair. Id -> title values

API call examples

- *PHP*

```
$result = $api_admin->product_get_pairs($params);
```

- *HTML*

```
{{ admin.product_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/product/get_pairs", {})
```

admin/product/get

Get product details

Required parameters

id int - product id

API call examples

- *PHP*

```
$result = $api_admin->product_get($params);
```

- *HTML*

```
{{ admin.product_get() }}
```

- *JavaScript*

```
bb.post("admin/product/get", {})
```

admin/product/get_types

Get installed product types

API call examples

- *PHP*

```
$result = $api_admin->product_get_types($params);
```

- *HTML*

```
{{ admin.product_get_types() }}
```

- *JavaScript*

```
bb.post("admin/product/get_types", {})
```

admin/product/prepare

Create new product. Set default values depending on type

Required parameters

- title string** - product title
- type string** - product type

Optional parameters

- product_category_id string** - category id

API call examples

- *PHP*

```
$result = $api_admin->product_prepare($params);
```

- *HTML*

```
{{ admin.product_prepare() }}
```

- *JavaScript*

```
bb.post("admin/product/prepare", {})
```

admin/product/update

Update product settings.

Required parameters

- id int** - product id

Optional parameters

- pricing array** - product pricing configuration
- config array** - product configuration options depending on type
- upgrades array** - array of upgradable products
- addons array** - array of addon products
- product_category_id int** - product category id
- title string** - product title
- description string** - detailed product description
- icon_url string** - product icon
- status string** - product status
- slug string** - product slug. Used to create unique link to order page
- setup string** - product setup option. Define when order must be activated.
- hidden bool** - product visibility flag
- stock_control bool** - product stock control flag.
- allow_quantity_select bool** - client can select product quantity on order form flag
- quantity_in_stock bool** - quantity available for sale. When out of stock, new order can not be placed.

API call examples

- *PHP*

```
$result = $api_admin->product_update($params);
```

- *HTML*

```
{{ admin.product_update() }}
```

- *JavaScript*

```
bb.post("admin/product/update", {})
```

admin/product/update_priority

Change products sorting order

Required parameters

- priority array** - id => number key value pairs to define sort order for all products

API call examples

- *PHP*

```
$result = $api_admin->product_update_priority($params);
```

- *HTML*

```
{{ admin.product_update_priority() }}
```

- *JavaScript*

```
bb.post("admin/product/update_priority", {})
```

admin/product/update_config

Convenience method to update product config only

Required parameters

id int - product id

Optional parameters

config array - product config key value array

API call examples

- *PHP*

```
$result = $api_admin->product_update_config($params);
```

- *HTML*

```
{{ admin.product_update_config() }}
```

- *JavaScript*

```
bb.post("admin/product/update_config", {})
```

admin/product/addon_get_pairs

Get available addons

API call examples

- *PHP*

```
$result = $api_admin->product_addon_get_pairs($params);
```

- *HTML*


```
{{ admin.product_addon_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/product/addon_get_pairs", {})
```

admin/product/addon_create

Create new addon

Required parameters

title string - addon title

API call examples

- *PHP*

```
$result = $api_admin->product_addon_create($params);
```

- *HTML*

```
{{ admin.product_addon_create() }}
```

- *JavaScript*

```
bb.post("admin/product/addon_create", {})
```

admin/product/addon_get

Get addon details

Required parameters

id int - addon id

API call examples

- *PHP*

```
$result = $api_admin->product_addon_get($params);
```

- *HTML*

```
{{ admin.product_addon_get() }}
```

- *JavaScript*

```
bb.post("admin/product/addon_get", {})
```

admin/product/addon_update

Addon update

Required parameters

id int - addon id

Optional parameters

pricing array - product pricing configuration

config array - product configuration options depending on type

upgrades array - array of upgradable products

addons array - array of addon products

product_category_id int - product category id

title string - product title

description string - detailed product description

icon_url string - product icon

status string - product status

slug string - product slug. Used to create unique link to order page

setup string - product setup option. Define when order must be activated.

hidden bool - product visibility flag

stock_control bool - product stock control flag.

allow_quantity_select bool - client can select product quantity on order form flag

quantity_in_stock bool - quantity available for sale. When out of stock, new order can not be placed.

API call examples

- *PHP*

```
$result = $api_admin->product_addon_update($params);
```

- *HTML*

```
{{ admin.product_addon_update() }}
```

- *JavaScript*

```
bb.post("admin/product/addon_update", {})
```

admin/product/addon_delete

Remove addon

Required parameters

id int - addon id

API call examples

- *PHP*

```
$result = $api_admin->product_addon_delete($params);
```

- *HTML*

```
{{ admin.product_addon_delete() }}
```

- *JavaScript*

```
bb.post("admin/product/addon_delete", {})
```

admin/product/delete

Remove product

Required parameters

id int - addon id

API call examples

- *PHP*

```
$result = $api_admin->product_delete($params);
```

- *HTML*

```
{{ admin.product_delete() }}
```

- *JavaScript*

```
bb.post("admin/product/delete", {})
```

admin/product/category_get_pairs

Get product category pairs

API call examples

- *PHP*

```
$result = $api_admin->product_category_get_pairs($params);
```

- *HTML*

```
{{ admin.product_category_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/product/category_get_pairs", {})
```

admin/product/category_update

Method to update category

Required parameters

id int - category id

Optional parameters

title string - category title

icon_url string - icon url

description string - description

API call examples

- *PHP*

```
$result = $api_admin->product_category_update($params);
```

- *HTML*

```
{{ admin.product_category_update() }}
```

- *JavaScript*

```
bb.post("admin/product/category_update", {})
```

admin/product/category_get

Get category details

API call examples

- *PHP*

```
$result = $api_admin->product_category_get($params);
```

- *HTML*

```
{{ admin.product_category_get() }}
```

- *JavaScript*

```
bb.post("admin/product/category_get", {})
```

admin/product/category_create

Create new product category

Required parameters

title string - new category title

Optional parameters

icon_url string - icon url

description string - description

API call examples

- *PHP*

```
$result = $api_admin->product_category_create($params);
```

- *HTML*

```
{{ admin.product_category_create() }}
```

- *JavaScript*

```
bb.post("admin/product/category_create", {})
```

admin/product/category_delete

Remove product category

Required parameters

id int - category id

API call examples

- *PHP*

```
$result = $api_admin->product_category_delete($params);
```

- *HTML*

```
{{ admin.product_category_delete() }}
```

- *JavaScript*

```
bb.post("admin/product/category_delete", {})
```

admin/product/promo_get_list

Get product promo codes list

API call examples

- *PHP*

```
$result = $api_admin->product_promo_get_list($params);
```

- *HTML*

```
{{ admin.product_promo_get_list() }}
```

- *JavaScript*

```
bb.post("admin/product/promo_get_list", {})
```

admin/product/promo_create

Create new promo code

Required parameters

code string - promo code

type string - promo code type: percentelabsolute

value string - promo code value. Percents or discount amount in currency

Optional parameters

products array - list of product ids for which this promo code applies

periods array - list of period codes

active bool - flag to enable/disable promo code

freesetup bool - flag to enable/disable free setup price

once_per_client bool - flag to enable/disable promo code usage once per client

recurring bool - is available for all recurring orders not for first order only

maxuses int - how many times this promo code can be used

start_at string - date (Y-m-d) when will this promo code be active

end_at string - date (Y-m-d) when this promo code expires

API call examples

- *PHP*

```
$result = $api_admin->product_promo_create($params);
```

- *HTML*

```
{{ admin.product_promo_create() }}
```

- *JavaScript*

```
bb.post("admin/product/promo_create", {})
```

admin/product/promo_get

Get promo code details

Required parameters

id int - promo code id

API call examples

- *PHP*

```
$result = $api_admin->product_promo_get($params);
```

- *HTML*

```
{{ admin.product_promo_get() }}
```

- *JavaScript*

```
bb.post("admin/product/promo_get", {})
```

admin/product/promo_update

Promo code update

Required parameters

id int - promo code id

Optional parameters

code string - promo code

type string - promo code type: percentelabsolute

value string - promo code value. Percents or discount amount in currency

products array - list of product ids for which this promo code applies

periods array - list of period codes
active bool - flag to enable/disable promo code
freesetup bool - flag to enable/disable free setup price
once_per_client bool - flag to enable/disable promo code usage once per client
recurring bool - is available for all recurring orders not for first order only
maxuses int - how many times this promo code can be used
start_at string - date (Y-m-d) when will this promo code be active
end_at string - date (Y-m-d) when this promo code expires
used int - how many times this promo code was already used

API call examples

- *PHP*

```
$result = $api_admin->product_promo_update($params);
```

- *HTML*

```
{{ admin.product_promo_update() }}
```

- *JavaScript*

```
bb.post("admin/product/promo_update", {})
```

admin/product/promo_delete

Delete promo code

Required parameters

id int - promo code id

API call examples

- *PHP*

```
$result = $api_admin->product_promo_delete($params);
```

- *HTML*

```
{{ admin.product_promo_delete() }}
```

- *JavaScript*

```
bb.post("admin/product/promo_delete", {})
```

2.20.20 Profile

Admin profile management

admin/profile/get

Returns currently logged in staff member profile information

API call examples

- *PHP*

```
$result = $api_admin->profile_get($params);
```

- *HTML*

```
{{ admin.profile_get() }}
```

- *JavaScript*

```
bb.post("admin/profile/get", {})
```

admin/profile/logout

Clear session data and logout from system

API call examples

- *PHP*

```
$result = $api_admin->profile_logout($params);
```

- *HTML*

```
{{ admin.profile_logout() }}
```

- *JavaScript*

```
bb.post("admin/profile/logout", {})
```

admin/profile/update

Update currently logged in staff member details

Optional parameters

email string - new email

name string - new name

signature string - new signature

API call examples

- *PHP*

```
$result = $api_admin->profile_update($params);
```

- *HTML*

```
{{ admin.profile_update() }}
```

- *JavaScript*

```
bb.post("admin/profile/update", {})
```

admin/profile/generate_api_key

Generates new API token for currently logged in staff member

API call examples

- *PHP*

```
$result = $api_admin->profile_generate_api_key($params);
```

- *HTML*

```
{{ admin.profile_generate_api_key() }}
```

- *JavaScript*

```
bb.post("admin/profile/generate_api_key", {})
```

admin/profile/change_password

Change password for currently logged in staff member

Required parameters

password string - new password

password_confirm string - repeat new password

API call examples

- *PHP*

```
$result = $api_admin->profile_change_password($params);
```

- *HTML*

```
{{ admin.profile_change_password() }}
```

- *JavaScript*

```
bb.post("admin/profile/change_password", {})
```

2.20.21 Queue

Queue is a powerfull tool to execute long running tasks in the background.

admin/queue/get_list

Returns paginated list of queues

Optional parameters

- mod string** - filter results by mod
- name string** - filter results by name

API call examples

- *PHP*

```
$result = $api_admin->queue_get_list($params);
```

- *HTML*

```
{{ admin.queue_get_list() }}
```

- *JavaScript*

```
bb.post("admin/queue/get_list", {})
```

admin/queue/get

Get queue details

Required parameters

- queue string** - queue name, ie: massemails

API call examples

- *PHP*

```
$result = $api_admin->queue_get($params);
```

- *HTML*

```
{{ admin.queue_get() }}
```

- *JavaScript*

```
bb.post("admin/queue/get", {})
```

admin/queue/message_delete

Remove message from queue

Required parameters

int type - message id

API call examples

- *PHP*

```
$result = $api_admin->queue_message_delete($params);
```

- *HTML*

```
{{ admin.queue_message_delete() }}
```

- *JavaScript*

```
bb.post("admin/queue/message_delete", {})
```

admin/queue/message_add

Add message to queue to be executed later

Required parameters

queue string - unique queue name, ie: massemails

mod string - module name, ie: massmailer

Optional parameters

execute_at string - Message execution time. Schedule message to be executed later, ie: 2022-12-29 14:53:51

params mixed - queue message params. Any serializable param

handler string - function handler. Static function name in extensions service class - default \$queue name

interval int - Interval to execute messages in the queue. Default 30

max int - Maximum amount of messages to be executed per interval. Default 25

API call examples

- *PHP*

```
$result = $api_admin->queue_message_add($params);
```

- *HTML*

```
{{ admin.queue_message_add() }}
```

- *JavaScript*

```
bb.post("admin/queue/message_add", {})
```

admin/queue/execute

Execute queue. For example: Send 25 emails every 30 seconds until complete

Executing queue is locked until finished.

Required parameters

queue string - queue name to be executed

Optional parameters

max int - Maximum amount of messages to be executed per interval. Default is queue max amount

interval int - interval in seconds for message to be executed. Default is queue timeout

until_complete bool - Execute until all messages in queue are executed. Default true

API call examples

- *PHP*

```
$result = $api_admin->queue_execute($params);
```

- *HTML*

```
{{ admin.queue_execute() }}
```

- *JavaScript*

```
bb.post("admin/queue/execute", {})
```

2.20.22 Redirect

Redirects management

admin/redirect/get_list

Get list of redirects

API call examples

- *PHP*

```
$result = $api_admin->redirect_get_list($params);
```

- *HTML*

```
{{ admin.redirect_get_list() }}
```

- *JavaScript*

```
bb.post("admin/redirect/get_list", {})
```

admin/redirect/get

Get redirect by id

Required parameters

id *int* - int

API call examples

- *PHP*

```
$result = $api_admin->redirect_get($params);
```

- *HTML*

```
{{ admin.redirect_get() }}
```

- *JavaScript*

```
bb.post("admin/redirect/get", {})
```

admin/redirect/create

Create new redirect

Required parameters

path *string* - redirect path

target *string* - redirect target

API call examples

- *PHP*

```
$result = $api_admin->redirect_create($params);
```

- *HTML*

```
{{ admin.redirect_create() }}
```

- *JavaScript*

```
bb.post("admin/redirect/create", {})
```

admin/redirect/update

Update redirect

Required parameters

id int - redirect id

Optional parameters

path string - redirect path

target string - redirect target

API call examples

- *PHP*

```
$result = $api_admin->redirect_update($params);
```

- *HTML*

```
{{ admin.redirect_update() }}
```

- *JavaScript*

```
bb.post("admin/redirect/update", {})
```

admin/redirect/delete

Delete redirect

Required parameters

id int - redirect id

API call examples

- *PHP*

```
$result = $api_admin->redirect_delete($params);
```

- *HTML*

```
{{ admin.redirect_delete() }}
```

- *JavaScript*

```
bb.post("admin/redirect/delete", {})
```

2.20.23 Serviceboxbillinglicense

BoxBilling license management

admin/serviceboxbillinglicense/config_update

Update module configuration

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->serviceboxbillinglicense_config_update($params);
```

- *HTML*

```
{{ admin.serviceboxbillinglicense_config_update() }}
```

- *JavaScript*

```
bb.post("admin/serviceboxbillinglicense/config_update", {})
```

admin/serviceboxbillinglicense/config_get

Get module configuration

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->serviceboxbillinglicense_config_get($params);
```

- *HTML*

```
{{ admin.serviceboxbillinglicense_config_get() }}
```


- *JavaScript*

```
bb.post("admin/serviceboxbillinglicense/config_get", {})
```

admin/serviceboxbillinglicense/order_info

Get detailed license order info

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->serviceboxbillinglicense_order_info($params);
```

- *HTML*

```
{{ admin.serviceboxbillinglicense_order_info() }}
```

- *JavaScript*

```
bb.post("admin/serviceboxbillinglicense/order_info", {})
```

admin/serviceboxbillinglicense/order_reset

Reset license information. Usually used when moving BoxBilling to new server.

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->serviceboxbillinglicense_order_reset($params);
```

- *HTML*

```
{{ admin.serviceboxbillinglicense_order_reset() }}
```

- *JavaScript*

```
bb.post("admin/serviceboxbillinglicense/order_reset", {})
```

admin/serviceboxbillinglicense/become_partner

Convenience method to become partner. After you become BoxBilling partner you are able to sell licenses.

API call examples

- *PHP*

```
$result = $api_admin->serviceboxbillinglicense_become_partner($params);
```

- *HTML*

```
{{ admin.serviceboxbillinglicense_become_partner() }}
```

- *JavaScript*

```
bb.post("admin/serviceboxbillinglicense/become_partner", {})
```

admin/serviceboxbillinglicense/test_connection

Test connection to BoxBilling server. Used to test your configuration.

API call examples

- *PHP*

```
$result = $api_admin->serviceboxbillinglicense_test_connection($params);
```

- *HTML*

```
{{ admin.serviceboxbillinglicense_test_connection() }}
```

- *JavaScript*

```
bb.post("admin/serviceboxbillinglicense/test_connection", {})
```

admin/serviceboxbillinglicense/update

Update existing order service This method used to change service data if order setup fails or have changed on remote server

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->serviceboxbillinglicense_update($params);
```

- *HTML*

```
{{ admin.serviceboxbillinglicense_update() }}
```

- *JavaScript*

```
bb.post("admin/serviceboxbillinglicense/update", {})
```

2.20.24 Servicecentovacast

CentovaCast management

admin/servicecentovacast/servers

Return centovacast servers

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_servers($params);
```

- *HTML*

```
{{ admin.servicecentovacast_servers() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/servers", {})
```

admin/servicecentovacast/server_pairs

Get server pairs

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_server_pairs($params);
```

- *HTML*

```
{{ admin.servicecentovacast_server_pairs() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/server_pairs", {})
```

admin/servicecentovacast/server_add

Add new centovacast server

Required parameters

data type

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_server_add($params);
```

- *HTML*

```
{{ admin.servicecentovacast_server_add() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/server_add", {})
```

admin/servicecentovacast/server_get

Get server

Required parameters

id int - server id

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_server_get($params);
```

- *HTML*

```
{{ admin.servicecentovacast_server_get() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/server_get", {})
```

admin/servicecentovacast/server_update

Update server

Required parameters

id int - server id

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_server_update($params);
```

- *HTML*

```
{{ admin.servicecentovacast_server_update() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/server_update", {})
```

admin/servicecentovacast/server_delete

Remove server

Required parameters

id int - server id

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_server_delete($params);
```

- *HTML*

```
{{ admin.servicecentovacast_server_delete() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/server_delete", {})
```

admin/servicecentovacast/server_connection

Test connection to server

Required parameters

id int - server id

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_server_connection($params);
```

- *HTML*

```
{{ admin.servicecentovacast_server_connection() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/server_connection", {})
```

admin/servicecentovacast/update

Update existing order service

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_update($params);
```

- *HTML*

```
{{ admin.servicecentovacast_update() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/update", {})
```

admin/servicecentovacast/getaccount

Retrieves the configuration for a CentovaCast client account. If server-side streaming source support is enabled, the configuration for the streaming source is returned as well.

Required parameters

order_id int - order id

Optional parameters

try bool - do not throw an exception, return error message as a result

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_getaccount($params);
```

- *HTML*

```
{{ admin.servicecentovacast_getaccount() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/getaccount", {})
```

admin/servicecentovacast/info

Returns the state (up or down) of one or more CentovaCast streaming server accounts. This can be used to monitor streams to see if any

have crashed. (Note that CentovaCast's cron job automatically monitors and restarts crashed streaming servers as well.)

Required parameters

order_id int - order id

Optional parameters

try bool - do not throw an exception, return error message as a result

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_info($params);
```

- *HTML*

```
{{ admin.servicecentovacast_info() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/info", {})
```

admin/servicecentovacast/reconfigure

Updates the settings for an existing client streaming server account in CentovaCast.

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicecentovacast_reconfigure($params);
```

- *HTML*

```
{{ admin.servicecentovacast_reconfigure() }}
```

- *JavaScript*

```
bb.post("admin/servicecentovacast/reconfigure", {})
```

2.20.25 Servicecustom

Custom service management

admin/servicecustom/update

Update custom service configuration

API call examples

- *PHP*

```
$result = $api_admin->servicecustom_update($params);
```

- *HTML*

```
{{ admin.servicecustom_update() }}
```

- *JavaScript*

```
bb.post("admin/servicecustom/update", {})
```

admin/servicecustom/__call

Universal method to call method from plugin Pass any other params and they will be passed to plugin

Required parameters

order_id int - ID of the order

API call examples

- *PHP*

```
$result = $api_admin->servicecustom__call($params);
```

- *HTML*

```
{{ admin.servicecustom__call() }}
```

- *JavaScript*

```
bb.post("admin/servicecustom/__call", {})
```

2.20.26 Servicedomain

Domain order management

admin/servicedomain/update

Update domain service. Does not send actions to domain registrar. Used to sync domain details on BoxBilling

Required parameters

order_id int - domain order id

Optional parameters

- ns1 string** - 1 Nameserver hostname, ie: ns1.mydomain.com
- ns2 string** - 2 Nameserver hostname, ie: ns2.mydomain.com
- ns3 string** - 3 Nameserver hostname, ie: ns3.mydomain.com
- ns4 string** - 4 Nameserver hostname, ie: ns4.mydomain.com
- private bool** - flag to define if domain privacy protection is enabled/disabled
- locked bool** - flag to define if domain is locked or not

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_update($params);
```

- *HTML*

```
{{ admin.servicedomain_update() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/update", {})
```

admin/servicedomain/update_nameservers

Update domain nameservers

Required parameters

- order_id int** - domain order id
- ns1 string** - 1 Nameserver hostname, ie: ns1.mydomain.com
- ns2 string** - 2 Nameserver hostname, ie: ns2.mydomain.com

Optional parameters

- ns3 string** - 3 Nameserver hostname, ie: ns3.mydomain.com
- ns4 string** - 4 Nameserver hostname, ie: ns4.mydomain.com

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_update_nameservers($params);
```

- *HTML*

```
{{ admin.servicedomain_update_nameservers() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/update_nameservers", {})
```

admin/servicedomain/update_contacts

Update domain contact details

Required parameters

order_id int - domain order id

contact array - Contact array must contain these fields: first_name, last_name, email, company, address1, address2, country, city, state, postcode, phone_cc, phone

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_update_contacts($params);
```

- *HTML*

```
{{ admin.servicedomain_update_contacts() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/update_contacts", {})
```

admin/servicedomain/enable_privacy_protection

Enable domain privacy protection

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_enable_privacy_protection($params);
```

- *HTML*

```
{{ admin.servicedomain_enable_privacy_protection() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/enable_privacy_protection", {})
```

admin/servicedomain/disable_privacy_protection

Disable domain privacy protection

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_disable_privacy_protection($params);
```

- *HTML*

```
{{ admin.servicedomain_disable_privacy_protection() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/disable_privacy_protection", {})
```

admin/servicedomain/get_transfer_code

Get domain transfer code

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_get_transfer_code($params);
```

- *HTML*

```
{{ admin.servicedomain_get_transfer_code() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/get_transfer_code", {})
```

admin/servicedomain/lock

Lock domain

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_lock($params);
```

- *HTML*

```
{{ admin.servicedomain_lock() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/lock", {})
```

admin/servicedomain/unlock

Unlock domain

Required parameters

order_id int - domain order id

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_unlock($params);
```

- *HTML*

```
{{ admin.servicedomain_unlock() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/unlock", {})
```

admin/servicedomain/tld_get_list

Get paginated top level domains list

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_tld_get_list($params);
```

- *HTML*

```
{{ admin.servicedomain_tld_get_list() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/tld_get_list", {})
```

admin/servicedomain/tld_get

Get top level domain details

Required parameters

tld string - top level domain, ie: .com

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_tld_get($params);
```

- *HTML*

```
{{ admin.servicedomain_tld_get() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/tld_get", {})
```

admin/servicedomain/tld_delete

Delete top level domain

Required parameters

tld string - top level domain, ie: .com

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_tld_delete($params);
```

- *HTML*

```
{{ admin.servicedomain_tld_delete() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/tld_delete", {})
```

admin/servicedomain/tld_create

Add new top level domain

Required parameters

- tld string** - top level domain, ie: .com
- tld_registrar_id int** - domain registrar id
- price_registration float** - registration price
- price_renew float** - renewal price
- price_transfer float** - transfer price

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_tld_create($params);
```

- *HTML*

```
{{ admin.servicedomain_tld_create() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/tld_create", {})
```

admin/servicedomain/tld_update

Update top level domain

Required parameters

- tld string** - top level domain, ie: .com

Optional parameters

- tld_registrar_id int** - domain registrar id
- price_registration float** - registration price
- price_renew float** - renewal price
- price_transfer float** - transfer price

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_tld_update($params);
```

- *HTML*

```
{{ admin.servicedomain_tld_update() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/tld_update", {})
```

admin/servicedomain/registrars_get_list

Get paginated registrars list

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_registrars_get_list($params);
```

- *HTML*

```
{{ admin.servicedomain_registrars_get_list() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/registrars_get_list", {})
```

admin/servicedomain/registrars_get_pairs

Get registrars pairs

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_registrars_get_pairs($params);
```

- *HTML*

```
{{ admin.servicedomain_registrars_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/registrars_get_pairs", {})
```

admin/servicedomain/registrars_get_available

Get available registrars for install

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_registrar_get_available($params);
```

- *HTML*

```
{{ admin.servicedomain_registrar_get_available() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/registrar_get_available", {})
```

admin/servicedomain/registrar_install

Install domain registrar

Required parameters

code string - registrar code

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_registrar_install($params);
```

- *HTML*

```
{{ admin.servicedomain_registrar_install() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/registrar_install", {})
```

admin/servicedomain/registrar_delete

Uninstall domain registrar

Required parameters

id int - registrar id

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_registrar_delete($params);
```

- *HTML*

```
{{ admin.servicedomain_registrar_delete() }}
```

- *JavaScript*


```
bb.post("admin/servicedomain/registrar_delete", {})
```

admin/servicedomain/registrar_copy

Copy domain registrar

Required parameters

id int - registrar id

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_registrar_copy($params);
```

- *HTML*

```
{{ admin.servicedomain_registrar_copy() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/registrar_copy", {})
```

admin/servicedomain/registrar_get

Get domain registrar details

Required parameters

id int - registrar id

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_registrar_get($params);
```

- *HTML*

```
{{ admin.servicedomain_registrar_get() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/registrar_get", {})
```

admin/servicedomain/batch_sync_expiration_dates

Sync domain expiration dates with registrars. This action is run once a month

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_batch_sync_expiration_dates($params);
```

- *HTML*

```
{{ admin.servicedomain_batch_sync_expiration_dates() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/batch_sync_expiration_dates", {})
```

admin/servicedomain/registrars_update

Update domain registrar

Required parameters

id int - registrar id

Optional parameters

title string - registrar title

config array - registrar configuration array

API call examples

- *PHP*

```
$result = $api_admin->servicedomain_registrars_update($params);
```

- *HTML*

```
{{ admin.servicedomain_registrars_update() }}
```

- *JavaScript*

```
bb.post("admin/servicedomain/registrars_update", {})
```

2.20.27 Servicedownloadable

Downloadable service management

admin/servicedownloadable/upload

Upload file to product. Uses \$_FILES array so make sure your form is enctype="multipart/form-data"

Required parameters**id int** - product id**file_data file** - <input type="file" name="file_data" /> field content**API call examples**• *PHP*

```
$result = $api_admin->servicedownloadable_upload($params);
```

• *HTML*

```
{{ admin.servicedownloadable_upload() }}
```

• *JavaScript*

```
bb.post("admin/servicedownloadable/upload", {})
```

admin/servicedownloadable/update

Update downloadable product order with new file. This will change only this order file.

Uses \$_FILES array so make sure your form is enctype="multipart/form-data"

Required parameters**order_id int** - order id**file_data file** - <input type="file" name="file_data" /> field content**API call examples**• *PHP*

```
$result = $api_admin->servicedownloadable_update($params);
```

• *HTML*

```
{{ admin.servicedownloadable_update() }}
```

• *JavaScript*

```
bb.post("admin/servicedownloadable/update", {})
```

2.20.28 Servicehosting

Hosting service management

admin/servicehosting/change_plan

Change hosting account plan

Required parameters

order_id int - Hosting account order id

plan_id int - New hosting plan id

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_change_plan($params);
```

- *HTML*

```
{{ admin.servicehosting_change_plan() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/change_plan", {})
```

admin/servicehosting/change_username

Change hosting account username

Required parameters

order_id int - Hosting account order id

username string - New username

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_change_username($params);
```

- *HTML*

```
{{ admin.servicehosting_change_username() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/change_username", {})
```

admin/servicehosting/change_ip

Change hosting account ip

Required parameters

order_id int - Hosting account order id

username string - New username

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_change_ip($params);
```

- *HTML*

```
{{ admin.servicehosting_change_ip() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/change_ip", {})
```

admin/servicehosting/change_domain

Change hosting account domain

Required parameters

- order_id int** - Hosting account order id
- tld string** - Top level domain value, ie: .com
- sld string** - Second level domain value, ie: domainname

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_change_domain($params);
```

- *HTML*

```
{{ admin.servicehosting_change_domain() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/change_domain", {})
```

admin/servicehosting/change_password

Change hosting account password.

Required parameters

- order_id int** - Hosting account order id
- password string** - New account password
- password_confirm string** - Must be same value as password field

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_change_password($params);
```

- *HTML*

```
{{ admin.servicehosting_change_password() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/change_password", {})
```

admin/servicehosting/sync

Synchronize account with server values.

Required parameters

order_id int - Hosting account order id

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_sync($params);
```

- *HTML*

```
{{ admin.servicehosting_sync() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/sync", {})
```

admin/servicehosting/update

Update account information on BoxBilling database. This does not send actions to real account on hosting server.

Required parameters

order_id int - Hosting account order id

Optional parameters

username string - Hosting account username

ip string - Hosting account ip

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_update($params);
```

- *HTML*

```
{{ admin.servicehosting_update() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/update", {})
```

admin/servicehosting/manager_get_pairs

Get list of available server managers on system

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_manager_get_pairs($params);
```

- *HTML*

```
{{ admin.servicehosting_manager_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/manager_get_pairs", {})
```

admin/servicehosting/server_get_pairs

Get list of available hosting servers on system

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_server_get_pairs($params);
```

- *HTML*

```
{{ admin.servicehosting_server_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/server_get_pairs", {})
```

admin/servicehosting/server_get_list

Get paginated list of servers

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_server_get_list($params);
```

- *HTML*

```
{{ admin.servicehosting_server_get_list() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/server_get_list", {})
```

admin/servicehosting/server_create

Create new hosting server

Required parameters

- name string** - server name
- ip string** - server ip
- manager string** - server manager code

Optional parameters

- hostname string** - server hostname
- ns1 string** - default nameserver 1
- ns2 string** - default nameserver 2
- ns3 string** - default nameserver 3
- ns4 string** - default nameserver 4
- username string** - server API login username
- password string** - server API login password
- accesshash string** - server API login access hash
- port string** - server API port
- secure bool** - flag to define wheather to use secure connection (https) to server or not (http)
- active bool** - flag to enable/disable server

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_server_create($params);
```

- *HTML*


```
{{ admin.servicehosting_server_create() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/server_create", {})
```

admin/servicehosting/server_get

Get server details

Required parameters

id int - server id

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_server_get($params);
```

- *HTML*

```
{{ admin.servicehosting_server_get() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/server_get", {})
```

admin/servicehosting/server_delete

Delete server

Required parameters

id int - server id

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_server_delete($params);
```

- *HTML*

```
{{ admin.servicehosting_server_delete() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/server_delete", {})
```

admin/servicehosting/server_update

Update server configuration

Required parameters

id int - server id

Optional parameters

hostname string - server hostname

ns1 string - default nameserver 1

ns2 string - default nameserver 2

ns3 string - default nameserver 3

ns4 string - default nameserver 4

username string - server API login username

password string - server API login password

accesshash string - server API login access hash

port string - server API port

secure bool - flag to define whether to use secure connection (https) to server or not (http)

active bool - flag to enable/disable server

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_server_update($params);
```

- *HTML*

```
{{ admin.servicehosting_server_update() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/server_update", {})
```

admin/servicehosting/server_test_connection

Test connection to server

Required parameters

id int - server id

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_server_test_connection($params);
```

- *HTML*

```
{{ admin.servicehosting_server_test_connection() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/server_test_connection", {})
```

admin/servicehosting/hp_get_pairs

Get hosting plan pairs

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_hp_get_pairs($params);
```

- *HTML*

```
{{ admin.servicehosting_hp_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/hp_get_pairs", {})
```

admin/servicehosting/hp_get_list

Get hosting plans paginated list

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_hp_get_list($params);
```

- *HTML*

```
{{ admin.servicehosting_hp_get_list() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/hp_get_list", {})
```

admin/servicehosting/hp_delete

Delete hosting plan

Required parameters

id int - hosting plan id

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_hp_delete($params);
```

- *HTML*

```
{{ admin.servicehosting_hp_delete() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/hp_delete", {})
```

admin/servicehosting/hp_get

Get hosting plan details

Required parameters

id int - hosting plan id

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_hp_get($params);
```

- *HTML*

```
{{ admin.servicehosting_hp_get() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/hp_get", {})
```

admin/servicehosting/hp_update

Update hosting plan details

Required parameters

id int - hosting plan id

Optional parameters

name string - hosting plan name. Used as identifier on server

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_hp_update($params);
```

- *HTML*

```
{{ admin.servicehosting_hp_update() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/hp_update", {})
```

admin/servicehosting/hp_create

Update hosting plan details

Required parameters

name string - hosting plan name. Used as identifier on server

API call examples

- *PHP*

```
$result = $api_admin->servicehosting_hp_create($params);
```

- *HTML*

```
{{ admin.servicehosting_hp_create() }}
```

- *JavaScript*

```
bb.post("admin/servicehosting/hp_create", {})
```

2.20.29 Servicelicense

Service license management

admin/servicelicense/plugin_get_pairs

Get available licensing plugins

Required parameters

data type

API call examples

- *PHP*

```
$result = $api_admin->servicelicense_plugin_get_pairs($params);
```

- *HTML*

```
{{ admin.servicelicense_plugin_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/servicelicense/plugin_get_pairs", {})
```

admin/servicelicense/update

Update license parameters. Set which validation rules must be applied for license

Required parameters

order_id int - License order id

Optional parameters

plugin string - New license plugin name

validate_ip bool - True to validate IP; False - to allow all IPs for this license

validate_host bool - True to validate hostname; False - to allow all hostnames for this license

validate_path bool - True to validate install paths; False - to allow all paths for this license

validate_version bool - True to validate version; False - to allow all versions for this license

ips array - List of allowed IPs for this license

hosts array - List of allowed hosts for this license

paths array - List of allowed paths for this license

versions array - List of allowed versions for this license

API call examples

- *PHP*

```
$result = $api_admin->servicelicense_update($params);
```

- *HTML*

```
{{ admin.servicelicense_update() }}
```

- *JavaScript*

```
bb.post("admin/servicelicense/update", {})
```

admin/servicelicense/reset

Reset license validation rules.

Required parameters

order_id int - License service order id

API call examples

- *PHP*

```
$result = $api_admin->servicelicense_reset($params);
```

- *HTML*

```
{{ admin.servicelicense_reset() }}
```

- *JavaScript*

```
bb.post("admin/servicelicense/reset", {})
```

2.20.30 Servicesolusvm

Solusvm management

admin/servicesolusvm/cluster_config_update

Update master server configuration

Required parameters

cluster_id int - cluster ID

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_cluster_config_update($params);
```

- *HTML*

```
{{ admin.servicesolusvm_cluster_config_update() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/cluster_config_update", {})
```

admin/servicesolusvm/cluster_config

Return master server configuration

Required parameters

cluster_id int - id of master server default = 1

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_cluster_config($params);
```

- *HTML*

```
{{ admin.servicesolusvm_cluster_config() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/cluster_config", {})
```

admin/servicesolusvm/get_virtualization_types

Return virtualization types solusVM supports

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_get_virtualization_types($params);
```

- *HTML*

```
{{ admin.servicesolusvm_get_virtualization_types() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/get_virtualization_types", {})
```

admin/servicesolusvm/get_nodes

Return nodes available on solusvm master server

Required parameters

by string - list nodes by id or by name, default - name

type string - virtualization type

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_get_nodes($params);
```


- *HTML*

```
{{ admin.servicesolusvm_get_nodes() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/get_nodes", {})
```

admin/servicesolusvm/get_plans

Return plans available on solusvm master server

Required parameters

type string - virtualization type

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_get_plans($params);
```

- *HTML*

```
{{ admin.servicesolusvm_get_plans() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/get_plans", {})
```

admin/servicesolusvm/get_templates

Return templates available on solusvm master server

Required parameters

type string - virtualization type

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_get_templates($params);
```

- *HTML*

```
{{ admin.servicesolusvm_get_templates() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/get_templates", {})
```

admin/servicesolusvm/reboot

Reboot VPS

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_reboot($params);
```

- *HTML*

```
{{ admin.servicesolusvm_reboot() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/reboot", {})
```

admin/servicesolusvm/boot

Boot VPS

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_boot($params);
```

- *HTML*

```
{{ admin.servicesolusvm_boot() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/boot", {})
```

admin/servicesolusvm/shutdown

Shutdown VPS

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_shutdown($params);
```

- *HTML*

```
{{ admin.servicesolusvm_shutdown() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/shutdown", {})
```

admin/servicesolusvm/status

Get status VPS

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_status($params);
```

- *HTML*

```
{{ admin.servicesolusvm_status() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/status", {})
```

admin/servicesolusvm/info

Retrieve more information about vps from sulusvm server

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_info($params);
```

- *HTML*

```
{{ admin.servicesolusvm_info() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/info", {})
```

admin/servicesolusvm/set_root_password

Change root password for VPS

Required parameters

order_id int - order id

password string - new password

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_set_root_password($params);
```

- *HTML*

```
{{ admin.servicesolusvm_set_root_password() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/set_root_password", {})
```

admin/servicesolusvm/set_plan

Change VPS plan

Required parameters

order_id int - order id

plan string - new plan name

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_set_plan($params);
```

- *HTML*

```
{{ admin.servicesolusvm_set_plan() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/set_plan", {})
```

admin/servicesolusvm/set_hostname

Change VPS hostname

Required parameters

- order_id int** - order id
- hostname string** - new hostname for vps

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_set_hostname($params);
```

- *HTML*

```
{{ admin.servicesolusvm_set_hostname() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/set_hostname", {})
```

admin/servicesolusvm/rebuild

Rebuild vps operating system with new template

Required parameters

- order_id int** - order id
- template string** - new template

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_rebuild($params);
```

- *HTML*

```
{{ admin.servicesolusvm_rebuild() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/rebuild", {})
```

admin/servicesolusvm/addip

Assign new IP from the pool

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_addip($params);
```

- *HTML*

```
{{ admin.servicesolusvm_addip() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/addip", {})
```

admin/servicesolusvm/network_disable

Disable network

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_network_disable($params);
```

- *HTML*

```
{{ admin.servicesolusvm_network_disable() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/network_disable", {})
```

admin/servicesolusvm/network_enable

Enable network

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_network_enable($params);
```

- *HTML*

```
{{ admin.servicesolusvm_network_enable() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/network_enable", {})
```

admin/servicesolusvm/tun_disable

Disable tun

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_tun_disable($params);
```

- *HTML*

```
{{ admin.servicesolusvm_tun_disable() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/tun_disable", {})
```

admin/servicesolusvm/tun_enable

Enable tun

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_tun_enable($params);
```

- *HTML*

```
{{ admin.servicesolusvm_tun_enable() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/tun_enable", {})
```

admin/servicesolusvm/pae_enable

Disable PAE

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_pae_enable($params);
```

- *HTML*

```
{{ admin.servicesolusvm_pae_enable() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/pae_enable", {})
```

admin/servicesolusvm/pae_disable

Enable PAE

Required parameters

order_id int - order id

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_pae_disable($params);
```

- *HTML*

```
{{ admin.servicesolusvm_pae_disable() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/pae_disable", {})
```


admin/servicesolusvm/client_list

List clients on SolusVM server

Required parameters

skip bool - skip imported clients, default - false

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_client_list($params);
```

- *HTML*

```
{{ admin.servicesolusvm_client_list() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/client_list", {})
```

admin/servicesolusvm/node_virtualservers

List virtual server on SolusVM server

Required parameters

node_id bool - node id to list virtual servers

skip bool - skip imported servers, default - false

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_node_virtualservers($params);
```

- *HTML*

```
{{ admin.servicesolusvm_node_virtualservers() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/node_virtualservers", {})
```

admin/servicesolusvm/import_servers

Import selected servers to BoxBilling

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_import_servers($params);
```

- *HTML*

```
{{ admin.servicesolusvm_import_servers() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/import_servers", {})
```

admin/servicesolusvm/import_clients

Import selected clients to BoxBilling

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_import_clients($params);
```

- *HTML*

```
{{ admin.servicesolusvm_import_clients() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/import_clients", {})
```

admin/servicesolusvm/test_connection

Test connection to master server

Required parameters

order_id int - order id

Optional parameters

return string - if value = bool - does not return error but returns bool value

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_test_connection($params);
```

- *HTML*

```
{{ admin.servicesolusvm_test_connection() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/test_connection", {})
```

admin/servicesolusvm/update

Update existing order service This method used to change clients data if order setup fails or you have changed data on solusVM server and you need to sync with BoxBilling database

API call examples

- *PHP*

```
$result = $api_admin->servicesolusvm_update($params);
```

- *HTML*

```
{{ admin.servicesolusvm_update() }}
```

- *JavaScript*

```
bb.post("admin/servicesolusvm/update", {})
```

2.20.31 Serviceyouhosting

Youhosting service management

admin/serviceyouhosting/sync

Synchronize order with YouHosting account details

Required parameters

order_id int - Order id

API call examples

- *PHP*

```
$result = $api_admin->serviceyouhosting_sync($params);
```

- *HTML*

```
{{ admin.serviceyouhosting_sync() }}
```

- *JavaScript*

```
bb.post("admin/serviceyouhosting/sync", {})
```

admin/serviceyouhosting/get_plans

Return plans

API call examples

- *PHP*

```
$result = $api_admin->serviceyouhosting_get_plans($params);
```

- *HTML*

```
{{ admin.serviceyouhosting_get_plans() }}
```

- *JavaScript*

```
bb.post("admin/serviceyouhosting/get_plans", {})
```

admin/serviceyouhosting/cpanel_url

Get login to cpanel url

API call examples

- *PHP*

```
$result = $api_admin->serviceyouhosting_cpanel_url($params);
```

- *HTML*

```
{{ admin.serviceyouhosting_cpanel_url() }}
```

- *JavaScript*

```
bb.post("admin/serviceyouhosting/cpanel_url", {})
```

admin/serviceyouhosting/import_accounts

Import YouHosting accounts as BoxBilling orders

Import clients before calling this action

API call examples

- *PHP*

```
$result = $api_admin->serviceyouhosting_import_accounts($params);
```

- *HTML*

```
{{ admin.serviceyouhosting_import_accounts() }}
```

- *JavaScript*

```
bb.post("admin/serviceyouhosting/import_accounts", {})
```

admin/serviceyouhosting/import_clients

Import clients from YouHosting to BoxBilling

API call examples

- *PHP*

```
$result = $api_admin->serviceyouhosting_import_clients($params);
```

- *HTML*

```
{{ admin.serviceyouhosting_import_clients() }}
```

- *JavaScript*

```
bb.post("admin/serviceyouhosting/import_clients", {})
```

2.20.32 Staff

Staff management

admin/staff/get_list

Get paginated list of staff members

API call examples

- *PHP*

```
$result = $api_admin->staff_get_list($params);
```

- *HTML*

```
{{ admin.staff_get_list() }}
```

- *JavaScript*

```
bb.post("admin/staff/get_list", {})
```

admin/staff/get

Get staff member by id

Required parameters

id int - staff member ID

API call examples

- *PHP*

```
$result = $api_admin->staff_get($params);
```

- *HTML*

```
{{ admin.staff_get() }}
```

- *JavaScript*

```
bb.post("admin/staff/get", {})
```

admin/staff/update

Update staff member

Required parameters

id int - staff member ID

Optional parameters

email string - new email

name string - new name

status string - new status

signature string - new signature

admin_group_id int - new group id

API call examples

- *PHP*

```
$result = $api_admin->staff_update($params);
```

- *HTML*

```
{{ admin.staff_update() }}
```

- *JavaScript*

```
bb.post("admin/staff/update", {})
```

admin/staff/delete

Completely delete staff member. Removes all related activity from logs

Required parameters

id int - staff member ID

API call examples

- *PHP*

```
$result = $api_admin->staff_delete($params);
```

- *HTML*

```
{{ admin.staff_delete() }}
```

- *JavaScript*

```
bb.post("admin/staff/delete", {})
```

admin/staff/change_password

Change staff member password

Required parameters

id int - staff member ID

password string - new staff member password

password_confirm string - repeat new staff member password

API call examples

- *PHP*

```
$result = $api_admin->staff_change_password($params);
```

- *HTML*

```
{{ admin.staff_change_password() }}
```

- *JavaScript*

```
bb.post("admin/staff/change_password", {})
```

admin/staff/create

Create new staff member

Required parameters

- email string** - email of new staff member
- password string** - password of new staff member
- name string** - name of new staff member
- admin_group_id string** - admin group id of new staff member

Optional parameters

- signature string** - signature of new staff member

API call examples

- *PHP*

```
$result = $api_admin->staff_create($params);
```

- *HTML*

```
{{ admin.staff_create() }}
```

- *JavaScript*

```
bb.post("admin/staff/create", {})
```

admin/staff/permissions_get

Return staff member permissions

Required parameters

- id int** - staff member id

API call examples

- *PHP*

```
$result = $api_admin->staff_permissions_get($params);
```

- *HTML*

```
{{ admin.staff_permissions_get() }}
```

- *JavaScript*

```
bb.post("admin/staff/permissions_get", {})
```

admin/staff/permissions_update

Update staff member permissions

Required parameters

- id int** - staff member id
- permissions array** - staff member permissions

API call examples

- *PHP*

```
$result = $api_admin->staff_permissions_update($params);
```

- *HTML*

```
{{ admin.staff_permissions_update() }}
```

- *JavaScript*

```
bb.post("admin/staff/permissions_update", {})
```

admin/staff/group_get_pairs

Return pairs of staff member groups

API call examples

- *PHP*

```
$result = $api_admin->staff_group_get_pairs($params);
```

- *HTML*

```
{{ admin.staff_group_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/staff/group_get_pairs", {})
```

admin/staff/group_get_list

Return paginate list of staff members groups

API call examples

- *PHP*

```
$result = $api_admin->staff_group_get_list($params);
```

- *HTML*

```
{{ admin.staff_group_get_list() }}
```

- *JavaScript*

```
bb.post("admin/staff/group_get_list", {})
```

admin/staff/group_create

Create new staff members group

Required parameters

name string - name of staff members group

API call examples

- *PHP*

```
$result = $api_admin->staff_group_create($params);
```

- *HTML*

```
{{ admin.staff_group_create() }}
```

- *JavaScript*

```
bb.post("admin/staff/group_create", {})
```

admin/staff/group_get

Return staff group details

Required parameters

id int - group id

API call examples

- *PHP*

```
$result = $api_admin->staff_group_get($params);
```

- *HTML*

```
{{ admin.staff_group_get() }}
```

- *JavaScript*

```
bb.post("admin/staff/group_get", {})
```

admin/staff/group_delete

Remove staff group

Required parameters

id int - group id

API call examples

- *PHP*

```
$result = $api_admin->staff_group_delete($params);
```

- *HTML*

```
{{ admin.staff_group_delete() }}
```

- *JavaScript*

```
bb.post("admin/staff/group_delete", {})
```

admin/staff/group_update

Update staff group

Required parameters

id int - group id

Optional parameters

name int - new group name

API call examples

- *PHP*

```
$result = $api_admin->staff_group_update($params);
```

- *HTML*

```
{{ admin.staff_group_update() }}
```

- *JavaScript*

```
bb.post("admin/staff/group_update", {})
```

admin/staff/login_history_get_list

Get paginated list of staff logins history

API call examples

- *PHP*

```
$result = $api_admin->staff_login_history_get_list($params);
```

- *HTML*

```
{{ admin.staff_login_history_get_list() }}
```

- *JavaScript*

```
bb.post("admin/staff/login_history_get_list", {})
```

admin/staff/login_history_get

Get details of login history event

Required parameters

id int - event id

API call examples

- *PHP*

```
$result = $api_admin->staff_login_history_get($params);
```

- *HTML*

```
{{ admin.staff_login_history_get() }}
```

- *JavaScript*

```
bb.post("admin/staff/login_history_get", {})
```

admin/staff/login_history_delete

Delete login history event

Required parameters

id int - event id

API call examples

- *PHP*

```
$result = $api_admin->staff_login_history_delete($params);
```

- *HTML*

```
{{ admin.staff_login_history_delete() }}
```

- *JavaScript*

```
bb.post("admin/staff/login_history_delete", {})
```

2.20.33 Stats

Statistics retrieval

admin/stats/get_summary

Return summary of your system

API call examples

- *PHP*

```
$result = $api_admin->stats_get_summary($params);
```

- *HTML*

```
{{ admin.stats_get_summary() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_summary", {})
```

admin/stats/get_summary_income

Return income statistics

API call examples

- *PHP*

```
$result = $api_admin->stats_get_summary_income($params);
```

- *HTML*

```
{{ admin.stats_get_summary_income() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_summary_income", {})
```

admin/stats/get_orders_statuses

Get order statuses

API call examples

- *PHP*

```
$result = $api_admin->stats_get_orders_statuses($params);
```

- *HTML*

```
{{ admin.stats_get_orders_statuses() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_orders_statuses", {})
```

admin/stats/get_product_summary

Get active orders stats grouped by products

API call examples

- *PHP*

```
$result = $api_admin->stats_get_product_summary($params);
```

- *HTML*

```
{{ admin.stats_get_product_summary() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_product_summary", {})
```

admin/stats/get_product_sales

Get product sales

API call examples

- *PHP*

```
$result = $api_admin->stats_get_product_sales($params);
```

- *HTML*

```
{{ admin.stats_get_product_sales() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_product_sales", {})
```

admin/stats/get_income_vs_refunds

Get income and refunds statistics

API call examples

- *PHP*

```
$result = $api_admin->stats_get_income_vs_refunds($params);
```

- *HTML*

```
{{ admin.stats_get_income_vs_refunds() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_income_vs_refunds", {})
```

admin/stats/get_refunds

Return refunds by day. If no timespan is selected method returns previous month statistics.

Optional parameters

date_from string - day since refunds are counted

date_to string - day until refunds are counted

API call examples

- *PHP*

```
$result = $api_admin->stats_get_refunds($params);
```

- *HTML*

```
{{ admin.stats_get_refunds() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_refunds", {})
```

admin/stats/get_income

Return income by day. If no timespan is selected method returns previous month statistics.

Optional parameters

date_from string - day since income are counted

date_to string - day until income are counted

API call examples

- *PHP*

```
$result = $api_admin->stats_get_income($params);
```

- *HTML*

```
{{ admin.stats_get_income() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_income", {})
```

admin/stats/get_orders

Return statistics for orders

Optional parameters

date_from string - day since income are counted

date_to string - day until income are counted

API call examples

- *PHP*

```
$result = $api_admin->stats_get_orders($params);
```

- *HTML*

```
{{ admin.stats_get_orders() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_orders", {})
```

admin/stats/get_clients

Return clients signups by day. If no timespan is selected method returns previous month statistics.

Optional parameters

date_from string - day since income are counted

date_to string - day until income are counted

API call examples

- *PHP*

```
$result = $api_admin->stats_get_clients($params);
```

- *HTML*

```
{{ admin.stats_get_clients() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_clients", {})
```

admin/stats/client_countries

Get number of clients in country

API call examples

- *PHP*

```
$result = $api_admin->stats_client_countries($params);
```

- *HTML*

```
{{ admin.stats_client_countries() }}
```

- *JavaScript*

```
bb.post("admin/stats/client_countries", {})
```

admin/stats/sales_countries

Get number of sales by country

API call examples

- *PHP*

```
$result = $api_admin->stats_sales_countries($params);
```

- *HTML*

```
{{ admin.stats_sales_countries() }}
```

- *JavaScript*

```
bb.post("admin/stats/sales_countries", {})
```

admin/stats/get_invoices

Return invoices by day. If no timespan is selected method returns previous month statistics.

Optional parameters

date_from string - day since income are counted

date_to string - day until income are counted

API call examples

- *PHP*

```
$result = $api_admin->stats_get_invoices($params);
```

- *HTML*

```
{{ admin.stats_get_invoices() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_invoices", {})
```

admin/stats/get_tickets

Return support tickets by day. If no timespan is selected method returns previous month statistics.

Optional parameters

date_from string - day since income are counted

date_to string - day until income are counted

API call examples

- *PHP*

```
$result = $api_admin->stats_get_tickets($params);
```

- *HTML*

```
{{ admin.stats_get_tickets() }}
```

- *JavaScript*

```
bb.post("admin/stats/get_tickets", {})
```

2.20.34 Support

Support management module

admin/support/ticket_get_list

Get tickets list

Optional parameters

:: **string** status - filter tickets by status :: **string** date_from - show tickets created since this day. Can be any string parsable by strtotime() :: **string** date_to - show tickets created until this day. Can be any string parsable by strtotime()

API call examples

- *PHP*

```
$result = $api_admin->support_ticket_get_list($params);
```

- *HTML*

```
{{ admin.support_ticket_get_list() }}
```

- *JavaScript*

```
bb.post("admin/support/ticket_get_list", {})
```

admin/support/ticket_get

Return ticket full details

Required parameters

id int - ticket id

API call examples

- *PHP*

```
$result = $api_admin->support_ticket_get($params);
```

- *HTML*

```
{{ admin.support_ticket_get(id) }}
```

- *JavaScript*

```
bb.post("admin/support/ticket_get", {})
```

admin/support/ticket_update

Update ticket details

Required parameters

id int - ticket id

Optional parameters

support_helpdesk_id int - ticket helpdesk id

status string - ticket status

subject string - ticket subject

priority string - ticket priority

API call examples

- *PHP*

```
$result = $api_admin->support_ticket_update($params);
```

- *HTML*

```
{{ admin.support_ticket_update() }}
```

- *JavaScript*

```
bb.post("admin/support/ticket_update", {})
```

admin/support/ticket_message_update

Update ticket message

Required parameters

id int - ticket id

content string - new message content

API call examples

- *PHP*

```
$result = $api_admin->support_ticket_message_update($params);
```

- *HTML*

```
{{ admin.support_ticket_message_update() }}
```

- *JavaScript*

```
bb.post("admin/support/ticket_message_update", {})
```

admin/support/ticket_delete

Delete ticket.

Required parameters

id int - ticket id

API call examples

- *PHP*

```
$result = $api_admin->support_ticket_delete($params);
```

- *HTML*

```
{{ admin.support_ticket_delete() }}
```

- *JavaScript*

```
bb.post("admin/support/ticket_delete", {})
```

admin/support/ticket_reply

Add new conversation message to to ticket

Required parameters

id int - ticket id

content string - ticket message content

API call examples

- *PHP*

```
$result = $api_admin->support_ticket_reply($params);
```

- *HTML*

```
{{ admin.support_ticket_reply() }}
```

- *JavaScript*

```
bb.post("admin/support/ticket_reply", {})
```

admin/support/ticket_close

Close ticket

Required parameters

id int - ticket id

API call examples

- *PHP*

```
$result = $api_admin->support_ticket_close($params);
```

- *HTML*

```
{{ admin.support_ticket_close() }}
```

- *JavaScript*

```
bb.post("admin/support/ticket_close", {})
```

admin/support/ticket_create

Method to create open new ticket. Tickets can have tasks assigned to them via optional parameters.

Required parameters

- client_id int** - ticket client id
- content string** - ticket message content
- subject string** - ticket subject
- support_helpdesk_id int** - Ticket helpdesk id.

Optional parameters

- status string** - Ticket status. Default - on hold

API call examples

- *PHP*

```
$result = $api_admin->support_ticket_create($params);
```

- *HTML*

```
{{ admin.support_ticket_create() }}
```

- *JavaScript*

```
bb.post("admin/support/ticket_create", {})
```

admin/support/batch_ticket_auto_close

Action to close all tickets which have not received any replies for a time defined in helpdesk

Run by cron job

API call examples

- *PHP*

```
$result = $api_admin->support_batch_ticket_auto_close($params);
```

- *HTML*

```
{{ admin.support_batch_ticket_auto_close() }}
```

- *JavaScript*

```
bb.post("admin/support/batch_ticket_auto_close", {})
```

admin/support/batch_public_ticket_auto_close

Action to close all inquiries which have not received any replies for a time defined in helpdesk

Run by cron job

API call examples

- *PHP*

```
$result = $api_admin->support_batch_public_ticket_auto_close($params);
```

- *HTML*

```
{{ admin.support_batch_public_ticket_auto_close() }}
```

- *JavaScript*

```
bb.post("admin/support/batch_public_ticket_auto_close", {})
```

admin/support/public_ticket_get_list

Get paginated list of inquiries

API call examples

- *PHP*

```
$result = $api_admin->support_public_ticket_get_list($params);
```

- *HTML*

```
{{ admin.support_public_ticket_get_list() }}
```

- *JavaScript*

```
bb.post("admin/support/public_ticket_get_list", {})
```

admin/support/public_ticket_create

Create new inquiry. Send email

Required parameters

- name string** - receivers name
- email string** - receivers email
- subject string** - email subject
- message string** - email message

API call examples

- *PHP*

```
$result = $api_admin->support_public_ticket_create($params);
```

- *HTML*

```
{{ admin.support_public_ticket_create() }}
```

- *JavaScript*

```
bb.post("admin/support/public_ticket_create", {})
```

admin/support/public_ticket_get

Get inquiry details

Required parameters

- id int** - inquiry id

API call examples

- *PHP*

```
$result = $api_admin->support_public_ticket_get($params);
```

- *HTML*

```
{{ admin.support_public_ticket_get() }}
```

- *JavaScript*

```
bb.post("admin/support/public_ticket_get", {})
```

admin/support/public_ticket_delete

Delete inquiry

Required parameters

- id int** - inquiry id

API call examples

- *PHP*

```
$result = $api_admin->support_public_ticket_delete($params);
```

- *HTML*

```
{{ admin.support_public_ticket_delete() }}
```

- *JavaScript*

```
bb.post("admin/support/public_ticket_delete", {})
```

admin/support/public_ticket_close

Set inquiry status to closed

Required parameters

id int - inquiry id

API call examples

- *PHP*

```
$result = $api_admin->support_public_ticket_close($params);
```

- *HTML*

```
{{ admin.support_public_ticket_close() }}
```

- *JavaScript*

```
bb.post("admin/support/public_ticket_close", {})
```

admin/support/public_ticket_update

Update inquiry details

Required parameters

id int - inquiry id

Optional parameters

subject string - subject

status string - status

API call examples

- *PHP*

```
$result = $api_admin->support_public_ticket_update($params);
```

- *HTML*

```
{{ admin.support_public_ticket_update() }}
```

- *JavaScript*

```
bb.post("admin/support/public_ticket_update", {})
```

admin/support/public_ticket_reply

Post new reply to inquiry

Required parameters

id int - inquiry id

content string - text message

API call examples

- *PHP*

```
$result = $api_admin->support_public_ticket_reply($params);
```

- *HTML*

```
{{ admin.support_public_ticket_reply() }}
```

- *JavaScript*

```
bb.post("admin/support/public_ticket_reply", {})
```

admin/support/public_ticket_get_statuses

Return tickets statuses with counter

API call examples

- *PHP*

```
$result = $api_admin->support_public_ticket_get_statuses($params);
```

- *HTML*

```
{{ admin.support_public_ticket_get_statuses() }}
```

- *JavaScript*

```
bb.post("admin/support/public_ticket_get_statuses", {})
```

admin/support/helpdesk_get_list

Get helpdesk list

API call examples

- *PHP*

```
$result = $api_admin->support_helpdesk_get_list($params);
```

- *HTML*

```
{{ admin.support_helpdesk_get_list() }}
```

- *JavaScript*

```
bb.post("admin/support/helpdesk_get_list", {})
```

admin/support/helpdesk_get_pairs

Get pairs of helpdesks

API call examples

- *PHP*

```
$result = $api_admin->support_helpdesk_get_pairs($params);
```

- *HTML*

```
{{ admin.support_helpdesk_get_pairs() }}
```

- *JavaScript*

```
bb.post("admin/support/helpdesk_get_pairs", {})
```

admin/support/helpdesk_get

Get helpdesk details

Required parameters

id *int* - helpdesk id

API call examples

- *PHP*

```
$result = $api_admin->support_helpdesk_get($params);
```

- *HTML*

```
{{ admin.support_helpdesk_get() }}
```

- *JavaScript*

```
bb.post("admin/support/helpdesk_get", {})
```

admin/support/helpdesk_update

Update helpdesk parameters

Required parameters

id int - helpdesk id

Optional parameters

name string - helpdesk name

email string - helpdesk email

can_reopen string - flag to enable/disable ability to reopen closed tickets

close_after int - time to wait for reply before auto closing ticket

signature string - helpdesk signature

API call examples

- *PHP*

```
$result = $api_admin->support_helpdesk_update($params);
```

- *HTML*

```
{{ admin.support_helpdesk_update() }}
```

- *JavaScript*

```
bb.post("admin/support/helpdesk_update", {})
```

admin/support/helpdesk_create

Create new helpdesk

Required parameters

name string - new helpdesk title

Optional parameters

email string - helpdesk email

can_reopen string - flag to enable/disable ability to reopen closed tickets

close_after int - time to wait for reply before auto closing ticket

signature string - helpdesk signature

API call examples

- *PHP*

```
$result = $api_admin->support_helpdesk_create($params);
```

- *HTML*

```
{{ admin.support_helpdesk_create() }}
```

- *JavaScript*

```
bb.post("admin/support/helpdesk_create", {})
```

admin/support/helpdesk_delete

Delete helpdesk

Required parameters

id int - helpdesk id

API call examples

- *PHP*

```
$result = $api_admin->support_helpdesk_delete($params);
```

- *HTML*

```
{{ admin.support_helpdesk_delete() }}
```

- *JavaScript*

```
bb.post("admin/support/helpdesk_delete", {})
```

admin/support/canned_get_list

Get list of canned responses

API call examples

- *PHP*

```
$result = $api_admin->support_canned_get_list($params);
```

- *HTML*

```
{{ admin.support_canned_get_list() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_get_list", {})
```

admin/support/canned_pairs

Get list of canned responses grouped by category

API call examples

- *PHP*

```
$result = $api_admin->support_canned_pairs($params);
```

- *HTML*

```
{{ admin.support_canned_pairs() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_pairs", {})
```

admin/support/canned_get

Get canned response details

Required parameters

id int - canned response id

API call examples

- *PHP*

```
$result = $api_admin->support_canned_get($params);
```

- *HTML*

```
{{ admin.support_canned_get() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_get", {})
```

admin/support/canned_delete

Delete canned response

Required parameters

id id - canned response id

API call examples

- *PHP*

```
$result = $api_admin->support_canned_delete($params);
```

- *HTML*

```
{{ admin.support_canned_delete() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_delete", {})
```

admin/support/canned_create

Create new canned response

Required parameters

title string - canned response title

category_id int - canned response category id

Optional parameters

content string - canned response content

API call examples

- *PHP*

```
$result = $api_admin->support_canned_create($params);
```

- *HTML*

```
{{ admin.support_canned_create() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_create", {})
```

admin/support/canned_update

Update canned response

Required parameters

id int - canned response id

Optional parameters

title string - canned response title

category_id int - canned response category id

content string - canned response content

API call examples

- *PHP*

```
$result = $api_admin->support_canned_update($params);
```

- *HTML*

```
{{ admin.support_canned_update() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_update", {})
```

admin/support/canned_category_pairs

Get canned response pairs

API call examples

- *PHP*

```
$result = $api_admin->support_canned_category_pairs($params);
```

- *HTML*

```
{{ admin.support_canned_category_pairs() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_category_pairs", {})
```


admin/support/canned_category_get

Get canned response category

Required parameters

id int - canned response category id

API call examples

- *PHP*

```
$result = $api_admin->support_canned_category_get($params);
```

- *HTML*

```
{{ admin.support_canned_category_get() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_category_get", {})
```

admin/support/canned_category_update

Get canned response category

Required parameters

id int - canned response category id

Optional parameters

title string - new category title

API call examples

- *PHP*

```
$result = $api_admin->support_canned_category_update($params);
```

- *HTML*

```
{{ admin.support_canned_category_update() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_category_update", {})
```

admin/support/canned_category_delete

Delete canned response category

Required parameters

id int - canned response category id

API call examples

- *PHP*

```
$result = $api_admin->support_canned_category_delete($params);
```

- *HTML*

```
{{ admin.support_canned_category_delete() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_category_delete", {})
```

admin/support/canned_category_create

Create canned response category

Required parameters

title string - canned response category title

API call examples

- *PHP*

```
$result = $api_admin->support_canned_category_create($params);
```

- *HTML*

```
{{ admin.support_canned_category_create() }}
```

- *JavaScript*

```
bb.post("admin/support/canned_category_create", {})
```

admin/support/note_create

Add note to support ticket

Required parameters

ticket_id int - support ticket id to add note to

note string - note

API call examples

- *PHP*

```
$result = $api_admin->support_note_create($params);
```

- *HTML*

```
{{ admin.support_note_create() }}
```

- *JavaScript*

```
bb.post("admin/support/note_create", {})
```

admin/support/note_delete

Delete note from support ticket

Required parameters

id int - note id

API call examples

- *PHP*

```
$result = $api_admin->support_note_delete($params);
```

- *HTML*

```
{{ admin.support_note_delete() }}
```

- *JavaScript*

```
bb.post("admin/support/note_delete", {})
```

admin/support/task_complete

Set support ticket related task to completed

Required parameters

id int - support ticket id

API call examples

- *PHP*

```
$result = $api_admin->support_task_complete($params);
```

- *HTML*

```
{{ admin.support_task_complete() }}
```

- *JavaScript*

```
bb.post("admin/support/task_complete", {})
```

2.20.35 System

System management methods

admin/system/license_info

Returns licensing information

API call examples

- *PHP*

```
$result = $api_admin->system_license_info($params);
```

- *HTML*

```
{{ admin.system_license_info() }}
```

- *JavaScript*

```
bb.post("admin/system/license_info", {})
```

admin/system/param

Return system setting param

Required parameters

key string - parameter key name

API call examples

- *PHP*

```
$result = $api_admin->system_param($params);
```

- *HTML*

```
{{ admin.system_param() }}
```

- *JavaScript*

```
bb.post("admin/system/param", {})
```

admin/system/get_params

Get all defined system params

API call examples

- *PHP*

```
$result = $api_admin->system_get_params($params);
```

- *HTML*

```
{{ admin.system_get_params() }}
```

- *JavaScript*

```
bb.post("admin/system/get_params", {})
```

admin/system/update_params

Updated parameters array with new values. Creates new setting if it was not defined earlier. You can create new parameters using this method.

This method accepts any number of parameters you pass.

Required parameters

key string - name of the parameter to be changed/created

API call examples

- *PHP*

```
$result = $api_admin->system_update_params($params);
```

- *HTML*

```
{{ admin.system_update_params() }}
```

- *JavaScript*

```
bb.post("admin/system/update_params", {})
```

admin/system/messages

System messages about working environment.

Required parameters

type string - messages type to be returned: info

API call examples

- *PHP*

```
$result = $api_admin->system_messages($params);
```

- *HTML*

```
{{ admin.system_messages() }}
```

- *JavaScript*

```
bb.post("admin/system/messages", {})
```

admin/system/template_exists

Check if passed file name template exists for admin area

Required parameters

file string - template file name, example: mod_index_dashboard.phtml

API call examples

- *PHP*

```
$result = $api_admin->system_template_exists($params);
```

- *HTML*

```
{{ admin.system_template_exists() }}
```

- *JavaScript*

```
bb.post("admin/system/template_exists", {})
```

admin/system/string_render

Parse string like BoxBilling template

Required parameters

_tpl string - Template text to be parsed

Optional parameters

_try bool - if true, will not throw error if template is not valid, returns _tpl string

_client_id int - if passed client id, then client API will also be available

API call examples

- *PHP*

```
$result = $api_admin->system_string_render($params);
```

- *HTML*

```
{{ admin.system_string_render() }}
```

- *JavaScript*

```
bb.post("admin/system/string_render", {})
```

admin/system/env

Returns system environment information.

API call examples

- *PHP*

```
$result = $api_admin->system_env($params);
```

- *HTML*

```
{{ admin.system_env() }}
```

- *JavaScript*

```
bb.post("admin/system/env", {})
```

admin/system/is_allowed

Method to check if staff member has permission to access module

Required parameters

mod string - module name

Optional parameters

f string - module method name

API call examples

- *PHP*

```
$result = $api_admin->system_is_allowed($params);
```

- *HTML*

```
{{ admin.system_is_allowed() }}
```

- *JavaScript*

```
bb.post("admin/system/is_allowed", {})
```

admin/system/clear_cache

Clear system cache

API call examples

- *PHP*

```
$result = $api_admin->system_clear_cache($params);
```

- *HTML*

```
{{ admin.system_clear_cache() }}
```

- *JavaScript*

```
bb.post("admin/system/clear_cache", {})
```

2.20.36 Theme

admin/theme/get_list

Get list of available client area themes

API call examples

- *PHP*

```
$result = $api_admin->theme_get_list($params);
```

- *HTML*

```
{{ admin.theme_get_list() }}
```

- *JavaScript*

```
bb.post("admin/theme/get_list", {})
```

admin/theme/get

Get theme by code

Required parameters

code string - theme code

API call examples

- *PHP*

```
$result = $api_admin->theme_get($params);
```

- *HTML*

```
{{ admin.theme_get() }}
```

- *JavaScript*

```
bb.post("admin/theme/get", {})
```

admin/theme/select

Set new theme as default

Required parameters

code string - theme code

API call examples

- *PHP*

```
$result = $api_admin->theme_select($params);
```

- *HTML*

```
{{ admin.theme_select() }}
```

- *JavaScript*

```
bb.post("admin/theme/select", {})
```

admin/theme/preset_delete

Delete theme preset

Required parameters

code string - theme code

preset string - theme preset code

API call examples

- *PHP*

```
$result = $api_admin->theme_preset_delete($params);
```

- *HTML*

```
{{ admin.theme_preset_delete() }}
```

- *JavaScript*

```
bb.post("admin/theme/preset_delete", {})
```

admin/theme/preset_select

Select new theme preset

Required parameters

code string - theme code

preset string - theme preset code

API call examples

- *PHP*

```
$result = $api_admin->theme_preset_select($params);
```

- *HTML*

```
{{ admin.theme_preset_select() }}
```

- *JavaScript*

```
bb.post("admin/theme/preset_select", {})
```

2.21 Event Hooks

List of available event hooks on BoxBilling

2.21.1 onAfterAdminActivateExtension

2.21.2 onAfterAdminBatchSuspendOrders

2.21.3 onAfterAdminClientDelete

2.21.4 onAfterAdminClientPasswordChange

2.21.5 onAfterAdminClientUpdate

2.21.6 onAfterAdminCloseTicket

2.21.7 onAfterAdminCreateClient

2.21.8 onAfterAdminCronRun

2.21.9 onAfterAdminDeactivateExtension

2.21.10 onAfterAdminDeleteCurrency

2.21.11 onAfterAdminExtensionConfigSave

2.21.12 onAfterAdminGenerateRenewalInvoice

2.21.13 onAfterAdminInstallExtension

2.21.14 onAfterAdminInvoiceApprove

2.21.15 onAfterAdminInvoiceDelete

2.21.16 onAfterAdminInvoiceRefund

2.21.17 onAfterAdminInvoiceReminderSent

2.21.18 onAfterAdminInvoiceUpdate

2.21.19 onAfterAdminLogin

2.21.20 onAfterAdminNotificationAdd

2.21.21 onAfterAdminOpenTicket

2.21.22 onAfterAdminOrderActivate

2.21.23 onAfterAdminOrderCancel

2.21.24 onAfterAdminOrderCreate

2.21.25 onAfterAdminOrderDelete

2.21.26 onAfterAdminOrderDelete

312

2.21.27 onAfterAdminOrderRenew

2.21.28 onAfterAdminOrderSuspend

2.22.1 Automatic updates

When BoxBilling new version is released you will be notified in admin area dashboard.

To check if new version is available to update go to **Extensions > Overview -> Update** section

If there is new version available you can try using automatic updater.

Note: PHP extensions *ftp* and *zip* should be available for this to work

Note: Do not interrupt automatic update process as it may lead to unexpected results.

2.22.2 Manual update

1. Download latest version from [download page](#)
2. Extract files at your computer
3. Upload (overwrite) extracted files via FTP
4. Execute update file <http://www.yourdomain.com/bb-update.php> on your browser

Note: Please make full backups of your current installation before proceeding.

2.22.3 Updating with console

Geeky method to update BoxBilling. Create **update.sh** script in your BoxBilling installation directory.

```
#!/bin/sh

UPDATE_URL="http://www.boxbilling.com/version/latest_update.zip"

wget -O update.zip -q $UPDATE_URL
unzip -o update.zip
php bb-update.php
rm -rf update.zip
rm -rf bb-data/cache/*
```

2.23 Tutorials

In BoxBilling we try to keep it simple while making our software as flexible as possible. These tutorials will show you how to make use of BoxBilling and add additional functionality

2.23.1 Wysiwyg Editor tutorial

Enable wysiwyg editor

1. Go to **Extensions -> Overview** page
2. Enable Wysiwyg extension from BoxBilling extension list
3. Select editor from available editor list

Append wysiwyg editor's toolbar to textarea

1. In template file find textarea tag and add `bb-textarea` class
2. At the end of template file append

```
{% block head %}{{ mf.bb_editor('.bb-textarea') }}{% endblock %}
```

2.23.2 How to edit BoxBilling templates

If you want to edit any BoxBilling template you can feel free to do so, however there is one thing to remember before you do it. All templates you want to edit must be copied from extension folder to theme html folder.

Let's say you are using `huraga` theme and want to change the way invoice is displayed for client.

In this case you would need to copy `bb-modules/Invoice/html_client/mod_invoice_invoice.phtml` to `bb-themes/huraga/html` and then you can edit it to fit you needs.

Why is it necessary?

When you update BoxBilling all of the core files are being overwritten what would result in your edited files being overwritten as well. Meanwhile theme files stay untouched during update.

How BoxBilling knows which file to render?

BoxBilling first of all looks into `bb-themes/$theme/html` folder (where `$theme` means your default theme) and if it does not find required template there then it looks in extension directory. This way if there are 2 files with same name in theme and extension directories the one from theme folder would be loaded and second one ignored.

2.23.3 How to add order popup to custom theme?

Order popup (which is default way to order products and services in `huraga` theme) can be added to any custom template in a few simple steps:

1. Go to **Configuration -> Settings -> Order Button** and adjust popup settings. You can see how it will look by clicking on *"TRY YOUR POPUP"* button. Code which you need to include to your template will be generated automatically and will look similar to following:

```
<script type="text/javascript" src="http://www.yourdomain.com/index.php?url=/orderbutton/js&options=
```

2. Include this code in footer or head of your HTML template.

```
<head>
<title>My Website Name</title>
<script type="text/javascript" src="http://www.yourdomain.com/index.php?url=/orderbutton/js&options=
</head>
```

3. Now you need to add class to button or any other HTML element which should open popup. You can set any class you like in popup settings, but in this example we will use default `.order-button` class. Let's say we have a button which is supposed to open order popup, so it should look like this:

```
<button class="order-button">Order</button>
```

That's it, now when someone clicks on this button they will see popup where they can choose from products list or product order form depending how you configured it.

2.24 Unofficial extensions

2.24.1 Payment gateways:

- PayFast
- Coinify

2.24.2 Server Managers:

- Vesta

2.25 Credits

BoxBilling is using these open source projects

Redbean <http://redbeanphp.com/>

Twig <http://www.twig-project.org/>